



Dutch design
&
craftsmanship

Alle Preise zzgl.
ges. MwSt.



PRICE LIST 2022

01.01.2022 - 31.12.2022



THE ART OF LIGHTING MEETS THE ART OF DESIGN.....

All of our light objects are designed and assembled in our own studio.

Therefore, your order will be taken into production after having received payment.

Order process

For processing your order as smoothly as possible, please send your order(s) to **orders@ferrolightdesign.com**.

You will receive a confirmation by email. As soon as your order is ready for shipping, an email with a Track&Trace code will be sent to you.:

Shipping & handling charges

Prices mentioned are excluding shipping, handling and import charges. Shipping & Handling charges are on request.

Pricing

All prices mentioned are recommended selling prices. We would like to emphasize that our light objects are design objects and shall not be offered at a discounted price or clearance-/outlet sale, unless it has been explicitly authorised by FERROLIGHT Design.

Prices are not bound by typing or printing errors and may have been changed since going to print. This version replaces all previous versions.

FERROLIGHT Design B.V. delivers all light objects with a 5-year warranty.

FERROLIGHT Design B.V.

The Netherlands

Telephone office

+31 (0)78 6817005

Telephone studio

+31 (0)78-6813361

E-mail

sales@ferrolightdesign.com

orders@ferrolightdesign.com

support@ferrolightdesign.com

pr@ferrolightdesign.com

info@ferrolightdesign.com

Website

www.ferrolightdesign.com

IBAN

NL58RABO0133271676

CoC

71762329

VAT

NL 8588.39.180.B.01



CATEGORIES

PENDANT FIXTURES

GHOST DISC Circle
GHOST DISC Oval

IYO
IYO Q

IYO Yin Yang
IYO Yin Yang Q

L.E.F. 'Light Emitting Forest'

PIXEL

S.O.L. 'Sea Of Light'

SUNSISTER

FLOOR FIXTURES

B.E.S. 'Beautiful Energy Saver'

FLOW Alu
FLOW Alu + Backlight
FLOW Alu Wireless

JET LIGHT Indoor

PIXEL

ULTIMO

ZEUS

WALL FIXTURES

PIXEL Wall Basic
PIXEL Wall/Ceiling Rotating

S.O.L. 'Sea Of Light'

CHANDELIERS

JOY
JOY Double

SPOETNIK
SPOETNIK Mini Mega

CEILING FIXTURES

DIME

PIXEL Ceiling/Wall Rotating

OUTDOOR FIXTURES

GHOST SABER

JET LIGHT Outdoor


TABLE OF CONTENTS

LIGHT OBJECT	CATEGORY	PAGE
B.E.S. 'Beautiful Energy Saver'	Floor fixture	44-45
DIME	Ceiling fixture	60-61
FLOW Alu	Floor fixture	26-27
FLOW Alu + Backlight	Floor fixture	28-29
FLOW Alu Wireless	Floor fixture	30-31
GHOST DISC Circle	Suspended fixture	20-21
GHOST DISC Oval	Suspended fixture	22-23
GHOST SABER	Outdoor fixture	24-25
IYO	Suspended fixture	08-09
IYO Q	Suspended fixture	06-07
IYO Yin Yang	Suspended fixture	12-13
IYO Yin Yang Q	Suspended fixture	10-11
JET LIGHT Indoor	Floor fixture	34-35
JET LIGHT Outdoor	Outdoor fixture	36-37
JOY	Chandelier	14-15
JOY Double	Chandelier	16-17
L.E.F. 'Light Emitting Forest'	Suspended fixture	58-59
PIXEL Suspended	Suspended fixture	46-47
PIXEL Floor	Floor fixture	48-49
PIXEL Wall Basic	Wall fixture	52-53
PIXEL Wall Rotating	Wall fixture	50-51
S.O.L. 'Sea Of Light'	Suspended fixture	38-39
S.O.L. 'Sea Of Light' Wall	Wall fixture	40-41
SPOETNIK	Chandelier	54-55
SPOETNIK Mini Mega	Chandelier	56-57
SUNSISTER	Suspended fixture	18-19
ULTIMO	Floor fixture	42-43
ZEUS	Floor fixture	32-33
ACCESSORIES		63

IYO Q

Designed by Ferdinand Verbeek

NEW



Fascinates by simplicity

SPECIFICATIONS

Name	:	IYO Q (■ square suspended fixture)
Material	:	anodized aluminium
	:	ceiling tray composite (white)
Dimensions	:	120 / 160 / 200 x 1,5 x 1,5 cm (LxWxT)
	:	ceiling tray 48 x 9 x 3,6 cm (LxWxT)
Light source	:	1 continuous LED light line of 21,65 Watt per meter (no LED dots visible)
Energy label	:	A+
Output	:	26 / 35 / 45 Watt
CRI	:	>96 (measured at 100 points)
Lumen	:	1660 / 2240 / 2880
Kelvin	:	2700
Beam angle	:	110°
Dimmable	:	standard: primary dimmable with a suitable wall dimmer. Optional: secondary wireless dimmable (0-10 Volt) with Eaton (RF) or Casambi (Bluetooth)
Options	:	fixture available in 12 colours: 3 standard colours (natural aluminium, bronze, black) and 9 optional colours (Blue, dark or light, Champagne, Gold, Green, Orange, Purple, Red and Titanium)
	:	suspension cables available in white, black or transparant silver

FERRO
LIGHT®

IYO Q

Designed by Ferdinand Verbeek



LENGTH	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
120 cm	202006	1.256
160 cm	202007	1.446
200 cm	202008	1.586

OPTIONS

Secondary wireless dimmable: via

1. Eaton (RF) set: actor + remote control, 2-channels	10020	230
2. Casambi (Bluetooth) actor + telephone app	201612	121
3. Casambi (Bluetooth) actor + adhesive switch	201612 + 202155	242
4. Casambi (Bluetooth) actor + remote control, 4-channels	201612 + 202140	401

Fixture in colour:

• Aluminium, Bronze and Black (standard colours)	-
• Blue (light)	225
• Blue (dark)	225
• Champagne	225
• Gold	225
• Green	225
• Orange	225
• Purple	225
• Red	225
• Titanium	225

Suspension cables in white, black or transparent silver	-
---	---

IYO

Designed by Ferdinand Verbeek

SPECIFICATIONS

Name	:	IYO (● round suspended fixture)
Material	:	anodized aluminium
	:	ceiling tray composite (white)
Dimensions	:	120 / 160 / 200 x 1,7 cm (LxØ)
	:	ceiling tray 48 x 9 x 3,6 cm (LxWxT)
Light source	:	1 continuous LED light line of 21,65 Watt per meter (no LED dots visible)
Energy label	:	A+
Output	:	26 / 35 / 45 Watt
CRI	:	>96 (measured at 100 points)
Lumen	:	1660 / 2240 / 2880
Kelvin	:	2700
Beam angle	:	110°
Dimmable	:	standard: primary dimmable with a suitable wall dimmer. Optional: secondary wireless dimmable (0-10 Volt) with Eaton (RF) or Casambi (Bluetooth)
Options	:	fixture available in 12 colours: 3 standard colours (natural aluminium, bronze, black) and 9 optional colours (Blue, dark or light, Champagne, Gold, Green, Orange, Purple, Red and Titanium)
	:	suspension cables available in white, black or transparent silver

FERRO
LIGHT®

IYO

Designed by Ferdinand Verbeek

LENGTH	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
120 cm	201305	1.256
160 cm	201301	1.446
200 cm	201303	1.586

OPTIONS

Secundairy wireless dimmable: via

1. Eaton (RF) set: actor + remote control, 2-channels	10020	230
2. Casambi (Bluetooth) actor + telephone app	201612	121
3. Casambi (Bluetooth) actor + adhesive switch	201612 + 202155	242
4. Casambi (Bluetooth) actor + remote control, 4-channels	201612 + 202140	401

Fixture in colour:

• Aluminium, Bronze and Black (standard colours)	-
• Blue (light)	225
• Blue (dark)	225
• Champagne	225
• Gold	225
• Green	225
• Orange	225
• Purple	225
• Red	225
• Titanium	225


Suspension cables in white, black or transparent silver

FERRO
LIGHT®

IYO YIN YANG Q

Designed by Ferdinand Verbeek

NEW



Double light pleasure!

SPECIFICATIONS

- Name : IYO YIN YANG Q (■ square suspended fixture)
- Material : anodized aluminium
- Dimensions : ceiling tray composite (white)
120 / 160 / 200 / 240 x 2 x 2 cm LxWxT) NB: 240 cm will be available as from March 2022
ceiling tray 48 x 9 x 3,6 cm (LxWxT)
- Light source : 1 continuous LED light line of 21,65 Watt per meter downlight (no LED dots visible)
1 continuous LED light line of 10,83 Watt per meter uplight (no LED dots visible)
- Energy label : A+
- Output : 40 / 50 / 65 / 75 / 95 Watt (uplight 2/3 output and downlight 1/3 output)
- CRI : >96 (measured at 100 points)
- Lumen : 2560 / 3200 / 4160 / 4800 (64 lumen per Watt)
- Kelvin : 2700
- Beam angle : 110°
- Dimmable : standard: primary dimmable with a suitable wall dimmer. Optional: secondary wireless dimmable (0-10 Volt) with Eaton (RF) or Casambi (Bluetooth)
- Options : fixture available in 12 colours: 3 standard colours (natural aluminium, bronze, black) and 9 optional colours (Blue, dark or light, Champagne, Gold, Green, Orange, Purple, Red and Titanium)
suspension cables available in white, black or transparant silver

FERRO
LIGHT®

IYO YIN YANG Q

Designed by Ferdinand Verbeek



LENGTH	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
120 cm	202009	1.796
160 cm	202010	1.910
200 cm	202011	2.085
240 cm*) NB: 240 cm will be available as from March 2022	202012	2.666

*) objects > 2 m, transportation costs on request

OPTIONS

Secondary wireless dimmable: via

1. Eaton (RF) set: actor + remote control, 2-channels	10020	230
2. Casambi (Bluetooth) actor + telephone app	201612	121
3. Casambi (Bluetooth) actor + adhesive switch	201612 + 202155	242
4. Casambi (Bluetooth) actor + remote control, 4-channels	201612 + 202140	401

Fixture in colour:

• Aluminium, Bronze and Black (standard colours)	-
• Blue (light)	225
• Blue (dark)	225
• Champagne	225
• Gold	225
• Green	225
• Orange	225
• Purple	225
• Red	225
• Titanium	225

Suspension cables in white, black or transparent silver	-
---	---

IYO YIN YANG

Designed by Ferdinand Verbeek



Double light pleasure!

SPECIFICATIONS

Name	:	IYO YIN YANG (● round suspended fixture)
Material	:	anodized aluminium
	:	ceiling tray composite (white)
Dimensions	:	120 / 160 / 200 / 2400/ 300 x 2,3 cm (LxØ)
	:	ceiling tray 48 x 9 x 3.6 cm (LxWxT)
Light source	:	1 continuous LED light line of 21,65 Watt per meter downlight (no LED dots visible)
	:	1 continuous LED light line of 10,83 Watt per meter uplight (no LED dots visible)
Energy label	:	A+
Output	:	40 / 50 / 65 / 75 / 95 Watt (uplight 2/3 output and downlight 1/3 output)
CRI	:	>96 (measured at 100 points)
Lumen	:	2560 / 3200 / 4160 / 4800 (64 lumen per Watt)
Kelvin	:	2700
Beam angle	:	110°
Dimmable	:	standard: primary dimmable with a suitable wall dimmer. Optional: secondary wireless dimmable (0-10 Volt) with Eaton (RF) or Casambi (Bluetooth)
Options	:	fixture available in 12 colours: 3 standard colours (natural aluminium, bronze, black) and 9 optional colours (Blue, dark or light, Champagne, Gold, Green, Orange, Purple, Red and Titanium)
	:	suspension cables available in white, black or transparant silver

FERRO
LIGHT®

IYO YIN YANG

Designed by Ferdinand Verbeek

LENGTH	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
120 cm	201512	1.776
160 cm	201513	1.937
200 cm	201514	2.158
240 cm *)	201515	2.694
300 cm *)	2017702	3.158

*) objects > 2 m, transportation costs on request

OPTIONS

Secundairy wireless dimmable: via

1. Eaton (RF) set: actor + remote control, 2-channels	10020	230
2. Casambi (Bluetooth) actor + telephone app	201612	121
3. Casambi (Bluetooth) actor + adhesive switch	201612 + 202155	242
4. Casambi (Bluetooth) actor + remote control, 4-channels	201612 + 202140	401

Fixture in colour:

• Aluminium, Bronze and Black (standard colours)	-
• Blue (light)	225
• Blue (dark)	225
• Champagne	225
• Gold	225
• Green	225
• Orange	225
• Purple	225
• Red	225
• Titanium	225

Suspension cables in white, black or transparent silver

-

JOY

Designed by Ferdinand Verbeek

NEW



SPECIFICATIONS

- Name : JOY (chandelier)
Material : PMMA / anodized aluminium (rings and LED-sockets)
ceiling tray powder coated steel
Dimensions : Ø 75 cm, height to be determined by yourself (cable length), with a minimum height of 100 cm
ceiling tray Ø 30 cm
Light source : 12 led modules of 2,1 Watt (1 ring)
Energy label : A+
Output : 25,2 Watt
CRI : >90
Kelvin : 2700
Dimmable : standard: primary dimmable with a suitable wall dimmer. Optional: secondary wireless dimmable (our advice!) (0-10 Volt) with Eaton (RF) or Casambi (Bluetooth)
Options : Rings and LED-sockets available in 12 colours: 3 standard colours (natural aluminium, bronze, black) and 9 optional colours (Blue, dark or light, Champagne, Gold, Green, Orange, Purple, Red and Titanium)
: suspension cables available in white, black or transparant silver

JOY

Designed by Ferdinand Verbeek



MODEL	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
JOY	202014	4.250

* JOY requires special transport. Transportation costs on request

OPTIONS

Secundairy wireless dimmable: via

1. Eaton (RF) set: actor + remote control, 2-channels	10020	230
2. Casambi (Bluetooth) actor + telephone app	201612	121
3. Casambi (Bluetooth) actor + adhesive switch	201612 + 202155	242
4. Casambi (Bluetooth) actor + remote control, 4-channels	201612 + 202140	401

Rings and LED-sockets in colour:

• Aluminium, Bronze and Black (standard colours)	-
• Blue (light)	225
• Blue (dark)	225
• Champagne	225
• Gold	225
• Green	225
• Orange	225
• Purple	225
• Red	225
• Titanium	225

Suspension cables in white, black or transparent silver

JOY Double

Designed by Ferdinand Verbeek

NEW



SPECIFICATIONS

- Name : JOY Double (chandelier)
- Material : PMMA / anodized aluminium (rings and LED-sockets)
ceiling tray powder coated steel
- Dimensions : Ø 105 cm, height to be determined by yourself (cable length), with a minimum height of 180 cm
ceiling tray Ø 30 cm
- Light source : 30 led modules of 2,1 Watt (2 rings)
- Energy label : A+
- Output : 63 Watt
- CRI : >90
- Kelvin : 2700
- Dimmable : including secondary wireless dimming system choosing Eaton (RF) or Casambi (Bluetooth) with adhesive switch
- Options : Rings and LED-sockets available in 12 colours: 3 standard colours (natural aluminium, bronze, black) and 9 optional colours (Blue, dark or light, Champagne, Gold, Green, Orange, Purple, Red and Titanium)
: suspension cables available in white, black or transparant silver

JOY Double

Designed by Ferdinand Verbeek



MODEL	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
JOY Double	202015	9.995

* JOY Double requires special transport. Transportation costs on request

OPTIONS

Casambi (Bluetooth) actor + remote control, 4-channels	202140	280
--	--------	-----

Rings and LED-sockets in colour:

• Aluminium, Bronze and Black (standard colours)	-
• Blue (light)	225
• Blue (dark)	225
• Champagne	225
• Gold	225
• Green	225
• Orange	225
• Purple	225
• Red	225
• Titanium	225

Suspension cables in white, black or transparent silver	--
---	----

SUNSISTER

Designed by Ferdinand Verbeek

Olympic gold in lighting technology, encased in an exquisite fixture

SPECIFICATIONS

Name	:	SUNSISTER (suspended fixture)
Material	:	fixture anodized aluminium
	:	ceiling tray composite (white)
Dimensions	:	130 / 160 / 190 / 220 / 280 x 2 x 2,25 cm (LxWxT)
	:	ceiling tray 48 x 13 x 3,6 cm (LxWxT)
Light source	:	9 / 11 / 13 / 15 / 19 LED-light sources of 3 Watt, uplight as well as downlight
Output	:	27 / 33 / 39 / 45 / 57 Watt uplight as well as downlight
Energy label	:	A+
CRI	:	>98
Kelvin	:	2700
Lumen	:	1800 / 2200 / 2600 / 3000 / 3800
Dimmable	:	up- en down light can be dimmed separately from each other, including secondary wireless dimming system choosing Eaton (RF) or Casambi (Bluetooth) with adhesive switch
Options	:	fixture available in 12 colours: 3 standard colours (natural aluminium, bronze, black) and 9 optional colours (Blue, dark or light, Champagne, Gold, Green, Orange, Purple, Red and Titanium)

SUNSISTER

Designed by Ferdinand Verbeek

LENGTH	INCLUDED	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
130 cm	Eaton (RF) of Casambi (Bluetooth)	20180201	2.567
160 cm	Eaton (RF) of Casambi (Bluetooth)	20180202	2.673
190 cm	Eaton (RF) of Casambi (Bluetooth)	20180203	2.785
220 cm *)	Eaton (RF) of Casambi (Bluetooth)	20180204	3.004
280 cm *)	Eaton (RF) of Casambi (Bluetooth)	20180205	3.856

*) objects > 2 m, transportation costs on request

OPTIONS

Casambi (Bluetooth) remote control, 4-channels2	02140	280
---	-------	-----

Fixture in colour:

• Aluminium, Bronze and/or Black (standard colours)	-
• Blue (light)	225
• Blue (dark)	225
• Champagne	225
• Gold	225
• Green	225
• Orange	225
• Purple	225
• Red	225
• Titanium	225

GHOST DISC Circle

Designed by Ferdinand Verbeek



*Wondrous magic packed into such a minimalist design,
you might almost lose sight of it*

SPECIFICATIONS

Name	:	GHOST DISC Circle (chandelier)
Material	:	PMMA
	:	ceiling tray composite (white)
Dimensions	:	70 / 90 x 1 cm (ØxT) (oval version see the next page)
	:	ceiling tray 22 x 3 cm (ØxT)
Light source	:	1 LED-module of 30 Watt
Energy label	:	A+
CRI	:	>90
Kelvin	:	2700
Lumen	:	4000
Dimmable	:	excluding dimming system. Optional: secondary wireless dimmable (our advice!) (0-10 Volt) with Eaton (RF) or Casambi (Bluetooth)
Option	:	with downlight

GHOST DISC Circle

Designed by Ferdinand Verbeek

DIAMETER	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
70 cm	201516	2.814
70 cm with downlight	2017703	3.039
90 cm	201517	3.039
90 cm with downlight	2017704	3.263

* GHOST DISC requires special transport. Transportation costs on request

OPTIONS

Secondary wireless dimmable: via

1. Eaton (RF) set: actor + remote control, 2-channels	10020	230
2. Casambi (Bluetooth) actor + telephone app	201612	121
3. Casambi (Bluetooth) actor + adhesive switch	201612 + 202155	242
4. Casambi (Bluetooth) actor + remote control, 4-channels	201612 + 202140	401

GHOST DISC Oval

Designed by Ferdinand Verbeek



SPECIFICATIONS

Name	:	GHOST DISC Oval (suspended fixture)
Material	:	PMMA
	:	ceiling tray composite (white)
Dimensions	:	120 x 60 x 1 cm (LxWxT)
	:	ceiling tray 22 x 3 cm (ØxD)
Light source	:	1 LED-module of 30 Watt
Energy label	:	A+
CRI	:	>90
Kelvin	:	2700
Lumen	:	4000
Dimmable	:	excluding dimming system. Optional: secondary wireless dimmable (our advice!) (0-10 Volt) with Eaton (RF) or Casambi (Bluetooth)
Option	:	with downlight

GHOST DISC Oval

Designed by Ferdinand Verbeek

MODEL	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
Oval 120 x 60 cm	2017705	3.263
Oval 120 x 60 cm with downlight	2017706	3.488

* GHOST DISC Oval requires special transport. Transportation costs on request

OPTIONS

Secondary wireless dimmable: via

1. Eaton (RF) set: actor + remote control, 2-channels	10020	230
2. Casambi (Bluetooth) actor + telephone app	201612	121
3. Casambi (Bluetooth) actor + adhesive switch	201612 + 202155	242
4. Casambi (Bluetooth) actor + remote control, 4-channels	201612 + 202140	401

GHOST SABER

Designed by Ferdinand Verbeek

SPECIFICATIONS

Name	:	GHOST SABER (outdoor fixture)
Material	:	PMMA
	:	base anodized aluminium
Dimensions	:	height 56 or 73 cm
	:	base Ø 12 cm
	:	length cable 180 cm
Light source	:	1 LED-module of 4 Watt
Energy label	:	A+
CRI	:	>82
Kelvin	:	2700
Lumen	:	400
IP rating	:	IP67



GHOST SABER

Designed by Ferdinand Verbeek

HEIGHT	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
56 cm	201518	1.048
73 cm	201519	1.102

FLOW Alu

Designed by Ferdinand Verbeek

NEW



SPECIFICATIONS

Name	:	FLOW (floor fixture)
Material	:	anodized aluminium
Dimensions	:	135 cm (H) / 3 cm (Ø)
	:	base Ø 25 cm
Light source	:	LED 6,3 Watt
Output	:	6,3 Watt
Energy label	:	A+
CRI	:	>90
Kelvin	:	2700
Beam angle	:	60°
Dimmable	:	standard dimmable via a small dimmer switch in the neck. Optional: secondary wireless dimmable (our advice!) (0-10 Volt) with Eaton (RF) or Casambi (Bluetooth)
Options	:	fixture and/or base available in 12 colours: 3 standard colours (natural aluminium, bronze, black) and 9 optional colours (Blue, dark or light, Champagne, Gold, Green, Orange, Purple, Red and Titanium)



MODEL	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
FLOW Alu	202102	1.595

OPTIONS

Secondary wireless dimmable: via

1. Eaton (RF) set: actor + remote control, 2-channels	10020	230
2. Casambi (Bluetooth) actor + telephone app	201612	121
3. Casambi (Bluetooth) actor + adhesive switch	201612 + 202155	242
4. Casambi (Bluetooth) actor + remote control, 4-channels	201612 + 202140	401


Fixture and/or base in colour:

• Aluminium, Bronze and Black (standard colours)	-
• Blue (light)	225
• Blue (dark)	225
• Champagne	225
• Gold	225
• Green	225
• Orange	225
• Purple	225
• Red	225
• Titanium	225

FLOW_{Alu} + Backlight

Designed by Ferdinand Verbeek

NEW



SPECIFICATIONS

Name	:	FLOW Alu + Backlight (floor fixture)
Material	:	anodized aluminium
Dimensions	:	135 cm (H) / 3 cm (Ø)
	:	base Ø 25 cm
Light source	:	LED 6,3 Watt
	:	LED 8 Watt backlight
Output	:	14,3 Watt
Energy label	:	A+
CRI	:	>90
Kelvin	:	2700
Beam angle	:	60°
Dimmable	:	standard dimmable via a small dimmer switch in the neck. Optional: secondary wireless dimmable (our advice!) (0-10 Volt) with Eaton (RF) or Casambi (Bluetooth)
Options	:	fixture and/or base available in 12 colours: 3 standard colours (natural aluminium, bronze, black) and 9 optional colours (Blue, dark or light, Champagne, Gold, Green, Orange, Purple, Red and Titanium)

FLOW_{Alu} + Backlight

Designed by Ferdinand Verbeek



MODEL	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
FLOW Alu + Backlight	202103	1.995

OPTIONS

Secondary wireless dimmable: via

1. Eaton (RF) set: actor + remote control, 2-channels	10020	230
2. Casambi (Bluetooth) actor + telephone app	201612	121
3. Casambi (Bluetooth) actor + adhesive switch	201612 + 202155	242
4. Casambi (Bluetooth) actor + remote control, 4-channels	201612 + 202140	401

Fixture and/or base in colour:

• Aluminium, Bronze and Black (standard colours)	-
• Blue (light)	225
• Blue (dark)	225
• Champagne	225
• Gold	225
• Green	225
• Orange	225
• Purple	225
• Red	225
• Titanium	225

FLOW_{Alu} Wireless

Designed by Ferdinand Verbeek

NEW



SPECIFICATIONS

Name	:	FLOW Alu Wireless (floor fixture) with integrated BMS (Battery Management System)
Material	:	anodized aluminium
Dimensions	:	135 cm (H) / 3 cm (Ø) base Ø 25 cm
Light source	:	LED 6,3 Watt
Output	:	6,3 Watt
Energy label	:	A+
CRI	:	>90
Kelvin	:	2700
Beam angle	:	60°
Dimmable	:	standard dimmable via a small dimmer switch in the neck
Options	:	fixture and/or base available in 12 colours: 3 standard colours (natural aluminium, bronze, black) and 9 optional colours (Blue, dark or light, Champagne, Gold, Green, Orange, Purple, Red and Titanium)

FLOW_{Alu} Wireless

Designed by Ferdinand Verbeek



MODEL	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
FLOW Alu Wireless	202104	2.395

OPTIONS

Fixture and/or base in colour:

• Aluminium, Bronze and Black (standard colours)	-
• Blue (light)	225
• Blue (dark)	225
• Champagne	225
• Gold	225
• Green	225
• Orange	225
• Purple	225
• Red	225
• Titanium	225

ZEUS

Designed by Ferdinand Verbeek



SPECIFICATIONS

Name	:	ZEUS (floor fixture)
Material	:	high quality plastic (pillar) anodized aluminium (base)
Dimensions	:	height 187 cm / Ø 15 cm base Ø 25 cm
Light source	:	LED 30 Watt (pillar) / LED 20 Watt (uplight)
Energy label	:	A+
Output	:	50 Watt total
CRI	:	95 (pillar) / CRI 90 (uplighter)
Kelvin	:	2700
Beam angle	:	360° (pillar), 120° (uplighter)
Dimmable	:	yes, up & downlight can be dimmed separately. Standard including dimming system using the rotary knobs. Optional dimmable (0-10 Volt) with Eaton (RF) or Casambi (Bluetooth)
Option(s)	:	base in natural or black aluminium

ZEUS

Designed by Ferdinand Verbeek

MODEL	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
Dimmable via rotary knobs	2017707	2.419
Dimmable via remote dimmer 2-channels (Eaton RF)	2017708	2.869
Dimmable via Casambi (Bluetooth)	2017713	2.753

* ZEUS requires special transport. Transportation costs on request

OPTIONS

Base in natural aluminium
Base in black aluminium

article number + A
article number + B

JET LIGHT Indoor

Designed by Ferdinand Verbeek

NEW

with LED!

Cheerful 'torch' of perforated aluminium

SPECIFICATIONS

Name	:	JET LIGHT (floor fixture)
Material	:	perforated aluminium
Dimensions	:	150 cm (H) – base Ø 25 cm 175 cm (H) – base Ø 27,5 cm 200 cm (H) – base Ø 30 cm
Light source	:	LED of 12 Watt
Energy label	:	A+
Output	:	12 Watt
CRI	:	>80
Lumen	:	800
Kelvin	:	2800 - 2200
Dimmable	:	standard: primary dimmable using the rotary knob in the base, including Dim-To-Warm LED. Optional: secondary wireless dimmable with Casambi Bluetooth)



FERRO
LIGHT®

J E T L I G H T I n d o o r

Designed by Ferdinand Verbeek

HEIGHT	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
150 cm	200305	1.629
175 cm	201609	1.689
200 cm	200306	1.744
set of 3 pcs (150+175+200cm)	201613	4.777

* JET LIGHT requires special transport. Transportation costs on request

OPTIONS

Secundair wireless dimmable: via

1. Casambi (Bluetooth) actor + telephone app	201612	121
2. Casambi (Bluetooth) actor + adhesive switch	201612 + 202155	242
3. Casambi (Bluetooth) actor + remote control 4-channels	201612 + 202140	401

JET LIGHT Outdoor

Designed by Ferdinand Verbeek

NEW

with LED!

Cheerful 'torch' of perforated aluminium

SPECIFICATIONS

Name	:	JET LIGHT (outdoor fixture)
Material	:	perforated aluminium / stainless steel (spot)
Dimensions	:	150 cm (H) – voet Ø 25 cm 175 cm (H) – voet Ø 27,5 cm 200 cm (H) – voet Ø 30 cm
Light source	:	LED of 12 Watt
Energy label	:	A+
Output	:	12 Watt
CRI	:	>80
Lumen	:	800
Kelvin	:	2800
IP rating	:	IP68



FERRO
LIGHT®

J E T L I G H T O u t d o o r

Designed by Ferdinand Verbeek

NEW
with LED!

HEIGHT	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
150 cm	202001	1.750
175 cm	202002	1.810
200 cm	202003	1.865
set of 2 pcs (150+175+200cm))	202005	3.437
set of 3 pcs (150+175+200cm)	202004	5.140

* JET LIGHT requires special transport. Transportation costs on request

S . O . L .[®] 'Sea of Light'

Designed by Ferdinand Verbeek

A sea of light. By far the finest!

SPECIFICATIONS

Name	:	S.O.L. [®] 'Sea of Light' (suspended fixture)
Material	:	anodized aluminium
	:	ceiling tray aluminium (natural aluminium, black or bronze)
Dimensions	:	160 / 200 / 240 / 300 x 3 x 1,5 Cm (LxWxT)
	:	ceiling tray 48 x 9 x 4,2 cm (LxWxT)
Light source	:	3 / 5 LED modules of 12 Watt
Energy label	:	A+
Output	:	36 Watt / 60 Watt
CRI	:	>90
Lumen	:	3315 (3 LED modules) / 5525 (5 LED modules)
Kelvin	:	2700
Beam angle	:	110°
Dimmable	:	yes, standard dimmable including secundair wireless Eaton (RF) dimming system. Optional dimmable with Casambi (Bluetooth) with a self adhesive remote control
Options	:	fixture available in 12 colours: 3 standard colours (natural aluminium, bronze, black) and 9 optional colours (Blue, dark or light, Champagne, Gold, Green, Orange, Purple, Red and Titanium)
	:	end caps in bronze, stainless steel or black
	:	bushings in bronze or stainless steel
	:	suspension cables available in white, black or transparant silver

S . O . L . [®] 'Sea of Light'

Designed by Ferdinand Verbeek

LENGTH	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
160 cm	201401	2.079
200 cm	201402	2.304
240 cm *)	201404	2.698
300 cm *)	201405	3.093

*) objects > 2 m, transportation costs on request

OPTIONS

Casambi (Bluetooth) remote control 4 channels	202140	280
---	--------	-----

Fixture in colour:

• Aluminium, Bronze and Black (standard colours)	-
• Blue (light)	225
• Blue (dark)	225
• Champagne	225
• Gold	225
• Green	225
• Orange	225
• Purple	225
• Red	225
• Titanium	225
• End caps in bronze, stainless steel or black	-
• Bushings in bronze or stainless steel	-
• Suspension cables in white, black or transparent	-

S . O . L . [®] 'Sea of Light'

Designed by Ferdinand Verbeek



Literally a picture on the wall

SPECIFICATIONS

Name	:	S.O.L. [®] 'Sea of Light' (wall fixture)
Material	:	light plate anodized aluminium
	:	wall bracket composite (white)
Dimensions	:	light plate 25 x 10 x 1 cm (LxWxT)
	:	complete 25 x 13.5 x 1 cm (LxWxT)
Light source	:	2 LEDs of 12,5 Watt
Energielabel	:	A+
Output	:	25 Watt
CRI	:	>90
Lumen	:	2400
Kelvin	:	2700
Beam angle	:	110°
Dimmable	:	yes, standard dimmable with a suitable wall dimmer
Option	:	light plate in black or natural aluminium

S . O . L . [®] *'Sea of Light'*

Designed by Ferdinand Verbeek

LIGHT OBJECT

ARTICLE NUMBER

PRICE (€) excl. VAT & transport costs

S.O.L. Wall

201403

878

OPTION

Light plate natural aluminium

-

Light plate black aluminium

-


ULTIMO®

Designed by Ferdinand Verbeek

This ingenious achievement between technology and design is an absolute winner

SPECIFICATIONS

Name	:	ULTIMO® (floor lamp)
Material	:	black or natural anodized aluminium
	:	base composite (white or black)
Dimensions	:	height 158 cm and 120 cm at 90° head position)
	:	base 21 x 21 x 3 cm (LxWxT)
Light source	:	5 LEDs of 2,1 Watt
Energy label	:	A+
Output	:	10,5 Watt
CRI	:	>82
Lumen	:	1000
Kelvin	:	2700
Beam angle	:	110°
Dimmable	:	standard: primary dimmable using the rotary knob in the base,. Optional: secondary wireless dimmable with Eaton (RF) or Casambi (Bluetooth)
Option(s)	:	base in grey



ULTIMO®

Designed by Ferdinand Verbeek

LIGHT OBJECT

ARTICLE NUMBER

PRICE (€) excl. VAT & transport costs

ULTIMO® in natural anodized aluminium

200906A

1.854

ULTIMO® in black anodized aluminium

200906B

1.854

OPTIONS

Secondary wireless dimmable: via

1. Eaton (RF) set: actor + remote control, 2-channels
2. Casambi (Bluetooth) actor + telephone app
3. Casambi (Bluetooth) actor + adhesive switch
4. Casambi (Bluetooth) actor + remote control, 4-channels

10020

230

201612

121

201612 + 202155

242

201612 + 202140

401

Base in grey

150


B . E . S .[®] 'Beautiful Energy Saver'

Designed by Ferdinand Verbeek

With a touch of wengé wood, B.E.S.[®] creates a surprisingly soft touch from its simple design

SPECIFICATIONS

Name	:	B.E.S. [®] 'Beautiful Energy Saver' (floor fixture)
Material	:	aluminium and wengé
Dimensions	:	135 x 3,5 x 1,7 cm (HxWxT)
Light source	:	5 LEDs of 2,1 Watt
Energy label	:	A+
Output	:	10,5 Watt
CRI	:	>82
Lumen	:	1000
Kelvin	:	2700
Beam angle	:	110°
Dimmable	:	yes, standard with integrated built-in dimmer



B . E . S . [®] *'Beautiful Energy Saver'*

Designed by Ferdinand Verbeek

LIGHT OBJECT	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
B.E.S. 135 (floor fixture)	200808	2.528

PIXEL

Designed by Ferdinand Verbeek



Thinner than a magazine, with its 6,5mm thickness

SPECIFICATIONS

Name	:	PIXEL (suspended fixture)
Material	:	light plate aluminium
	:	ceiling tray composite (white)
Dimensions	:	light plate 15 x 15 x 0,65 cm (LxWxT)
	:	ceiling tray 15 x 15 x 3 cm (LxWxT)
Light source	:	4 LEDs of 4,5 Watt
Energy label	:	A+
Output	:	18 Watt
CRI	:	>90
Lumen	:	2400
Kelvin	:	2700
Beam angle	:	110°
Dimmable	:	standard: primary dimmable with a suitable wall dimmer. Optional: secondary wireless dimmable with Casambi (Bluetooth) our advice!

PIXEL

Designed by Ferdinand Verbeek

LIGHT OBJECT	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
PIXEL (suspended fixture)	11001	1.240
PIXEL set of 3 pieces	11008	3.543

OPTIONS

Secondary wireless dimmable: via

1. Casambi (Bluetooth) actor + telephone app	201612	121
2. Casambi (Bluetooth) actor + adhesive switch	201612 + 202155	242
3. Casambi (Bluetooth) actor + remote control, 4-channels	201612 + 202140	401


PIXEL

Designed by Ferdinand Verbeek

*Balance between simplicity
and sophistication*

SPECIFICATIONS

Name	:	PIXEL (floor fixture)
Material	:	light plate aluminium
	:	base composite (white)
Dimensions	:	light plate 15 x 15 x 0,65 cm (LxWxT)
	:	height 120 cm or 165 cm
	:	base 18,5 x 18,5 x 3 cm (LxWxT)
Light source	:	4 LEDs of 4,5 Watt
Energy label	:	A+
Output	:	18 Watt
CRI	:	>90
Lumen	:	2400
Kelvin	:	2700
Beam angle	:	110°
Dimmable	:	standard: primary dimmable using the rotary knob in the base,. Optional: secondary wireless dimmable with Eaton (RF) or Casambi (Bluetooth)
Options	:	base in grey or black



PIXEL

Designed by Ferdinand Verbeek

HEIGHT	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
120 cm	11004	1.318
165 cm	11007	1.427

OPTIONS

Secondary wireless dimmable: via

1. Eaton (RF) set: actor + remote control, 2-channels	10020	230
2. Casambi (Bluetooth) actor + telephone app	201612	121
3. Casambi (Bluetooth) actor + adhesive switch	201612 + 202155	242
4. Casambi (Bluetooth) actor + remote control, 4-channels	201612 + 202140	401

Base in grey	150
Base in black	150

PIXEL Rotating

Designed by Ferdinand Verbeek



The most playful member of the PIXEL family. Up or down...

SPECIFICATIONS

Name	:	PIXEL Rotating (wall light)
Material	:	light plate aluminium
	:	wall bracket composite (white)
Dimensions	:	light plate 15 x 15 x 0,65 cm (LxWxT)
	:	wall bracket 18,5 x 18,5 x 3 cm (LxWxT)
Light source	:	4 LEDs of 4,5 Watt
Energy label	:	A+
Output	:	18 Watt
CRI	:	>90
Lumen	:	2400
Kelvin	:	2700
Beam angle	:	110°
Dimmable	:	standard: primary dimmable with a suitable wall dimmer. Optional: secondary wireless dimmable (0-10 Volt) with Eaton (RF) or Casambi (Bluetooth)

PIXEL Rotating

Designed by Ferdinand Verbeek

LIGHT OBJECT	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
PIXEL Rotating (wall fixture)	11002	1.240

OPTIONS

Secondary wireless dimmable: via

1. Eaton (RF) set: actor + remote control, 2-channels	10020	230
2. Casambi (Bluetooth) actor + telephone app	201612	121
3. Casambi (Bluetooth) actor + adhesive switch	201612 + 202155	242
4. Casambi (Bluetooth) actor + remote control, 4-channels	201612 + 202140	401

PIXEL Basic

Designed by Ferdinand Verbeek



A powerhouse on the square centimeter

SPECIFICATIONS

Name	:	PIXEL Basic (wall fixture)
Material	:	light plate aluminium
	:	wall bracket composite (white)
Dimensions	:	light plate 15 x 15 x 0,95 cm (LxWxT)
	:	wall bracket 15 x 8 x 3 cm (LxHxT)
Light source	:	4 LEDs of 2,1 Watt
Energy label	:	A+
Output	:	8,4 Watt
CRI	:	>90
Lumen	:	2400
Kelvin	:	2700
Beam angle	:	110°
Dimmable	:	yes, standard dimmable with a suitable wall dimmer

PIXEL Basic

Designed by Ferdinand Verbeek

LIGHT OBJECT	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
PIXEL Basic (wall fixture)	11006	899

SPOETNIK

Designed by Ferdinand Verbeek

NEW

with LED!



This modern chandelier shines its beautiful stars

SPECIFICATIONS

Name	:	SPOETNIK (chandelier)
Material	:	stainless steel and aluminium
Dimensions	:	Ø 120 cm (10 arms) aluminium spheres of the heart Ø 4 cm
Light source	:	10 LED's of 1,2 Watt
Energy label	:	A+
Output	:	12 Watt
CRI	:	>85
Lumen	:	800
Kelvin	:	2700
Dimmable	:	yes, dimmable with Casambi (Bluetooth). Not included in the price

SPOETNIK

Designed by Ferdinand Verbeek



LIGHT OBJECT

ARTICLE NUMBER

PRICE (€) excl. VAT & transport costs

SPOETNIK (chandelier with 10 arms)

19901

914

OPTIONS

Secondary wireless dimmable: via

1. Casambi (Bluetooth) actor + telephone app	201612	121
2. Casambi (Bluetooth) actor + adhesive switch	201612 + 202155	242
3. Casambi (Bluetooth) actor + remote control, 4-channels	201612 + 202140	401

SPOETNIK

MINI MEGA

Designed by Ferdinand Verbeek

Grand in action

SPECIFICATIONS

Name	:	SPOETNIK MINI MEGA (chandelier)
Material	:	stainless steel
Dimensions	:	Ø 150 cm / Ø 180 cm (20 arms) stainless steel spheres of the heart Ø 6 cm
Light source	:	20 LED's of 1,2 Watt
Energy label	:	A+
Output	:	24 Watt
CRI	:	>85
Lumen	:	1600
Kelvin	:	2700
Dimmable	:	yes, dimmable with Casambi (Bluetooth). Not included in the price
Option	:	oval shaped / customised, 2:1 is a harmonious ratio (180/90 cm)

NEW
with LED!

SPOETNIK MINI MEGA

Designed by Ferdinand Verbeek



LIGHT OBJECT	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
SPOETNIK Mini Mega (chandelier with 20 arms)	199902	1.533

OPTIONS

Secondary wireless dimmable: via

1. Casambi (Bluetooth) actor + telephone app	201612	121
2. Casambi (Bluetooth) actor + adhesive switch	201612 + 202155	242
3. Casambi (Bluetooth) actor + remote control, 4-channels	201612 + 202140	401

To be customised in an oval shape (Mini Mega)	187
---	-----

L.E.F.® 'Light Emitting Forest'

Designed by Ferdinand Verbeek



Computer-controlled precision cut out of one solid piece of oak

SPECIFICATIONS

Name	:	L.E.F.® 'Light Emitting Forest' (suspended fixture)
Material	:	oak (white wash)
	:	ceiling tray composite (white)
Dimensions	:	150 / 200 x 3,7 cm (LxT)
	:	ceiling tray 48 x 9 x 3,6 cm (LxWxT)
Light source	:	1 continuous LED light line of 21,65 Watt per meter (no LED dots visible)
Energy label	:	A+
Output	:	35 / 45 Watt
CRI	:	>96
Lumen	:	2240 / 2880
Kelvin	:	2700
Beam angle	:	110°
Dimmable	:	standard: primary dimmable with a suitable wall dimmer. Optional: secondary wireless dimmable (0-10 Volt) with Eaton (RF) or Casambi (Bluetooth)
Option	:	oak with natural oil

L.E.F.® *'Light Emitting Forest'*

Designed by Ferdinand Verbeek

LENGTH	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
150 cm	201201	2.364
200 cm	201202	2.474

OPTIONS

Secondary wireless dimmable: via

1. Eaton (RF) set: actor + remote control, 2-channels	10020	230
2. Casambi (Bluetooth) actor + telephone app	201612	121
3. Casambi (Bluetooth) actor + adhesive switch	201612 + 202155	242
4. Casambi (Bluetooth) actor + remote control, 4-channels	201612 + 202140	401

Oak with natural oil	-
----------------------	---

DIME

Designed by Ferdinand Verbeek



The perfect design response to any unaesthetic ceiling light point

SPECIFICATIONS

Name	:	DIME (ceiling fixture)
Material	:	aluminium
Dimensions	:	Circle 16 x 1,5 cm (ØxT)
	:	Square 16 x 16 x 1,5 cm (LxWxT)
Light source	:	1 LED of 10 or 15 Watt
Energy label	:	A+
CRI	:	>85
Lumen	:	1000 / 1500
Kelvin	:	2700
Beam angle	:	110°
Dimmable	:	yes, standard dimmable with a suitable wall dimmer

D I M E

Designed by Ferdinand Verbeek

MODEL	ARTICLE NUMBER	PRICE (€)
		excl. VAT & transport costs
Circle 10 Watt	2017709	708
Circle 15 Watt	2017710	708
Square 10 Watt	2017711	708
Square 15 Watt	2017712	708



Coming soon ...

ACCESSORIES

MODEL	ARTICLE NUMBER	PRICE (€) excl. VAT & transport costs
Wall dimmer Eco Dim (universal)	10015	93
Dimsystem Eaton (set: actor + remote control 2 channels)	10020	230
Dimactor Eaton	10040	132
Remote control Eaton	10025	98
Remote control 12 channels with display for Eaton	10035	272
Adhesive switch (wireless dimmer for Eaton)	10070	98
Wall mount (magnet) for remote control	2017714	10
Bridge Eaton ((addition to remote control via telephone)	202160	189
Dimactor Casambi (Bluetooth) (CBU-ASD)	201612	121
Adhesive switch (wireless dimmer) for Casambi (BLE-55-W)	202155	121
Remote control 4 channels for Casambi (FERB.S)	202140	280
Driver 0-10 Volt (LED driver for Home Automation)	10090	129
Driver Dali	201520	129
FLOW battery pack set / BMS (Battery Management System)	202106	213
Ceiling tray aluminium	10120	212
Ceiling tray composite	10130	149
Ceiling tray custom 20 -100 cm	10140	283
Ceiling tray custom 100 -160 cm	10150	381
Ceiling tray > 160 cm	10170	484
Extra cable 230V for standard ceiling (price/meter)	10115	9
Suspension cable for light object (price/meter)	10125	11
Ceiling cap	201615	46
Set pendels (2 pcs)	10100	139
Set pendels (4 pcs)	10110	191



THE ART OF LIGHTING MEETS THE ART OF DESIGN.....

FERROLIGHT Design is more than a lighting design studio.

Since the founding of FERROLIGHT Design in 1999, designer Ferdinand Verbeek has been passionately working on what he has made his great mission: a continuing study of the ultimate light source and to create the most beautiful light of this time with the current technology and possibilities available.

Behind every hi-tech luminary created by FERROLIGHT Design lies a thorough study into what light does and what it can do...

Is Ferdinand a geek? He prefers to keep it to structured professional madness, driven by his eternal quest for perfection and knowledge of the materials with which he works. Perfection to the exact millimetre. Not a single component bypasses his hands, nor does a single design fail to meet his sky-high requirements. He is a light designer who places great value on the core excellence of his products, maybe even more so than their final shape...

The luminaires that encase these high-quality lights are designed and manufactured in our own studio with purely 100% Dutch components. Following assembly in the FERROLIGHT Design studio, these exquisite products find their way to companies, shops, museums, private buyers and special projects all over the world.

Custom made

Every room deserves appropriate lighting that creates an atmosphere, gives an experience or offers an extra dimension. That's why all designs from the FERROLIGHT Design collection can be customised.

FERROLIGHT Design partners with architects and project bureaus to bring beautiful, functional light into homes, offices, shops, hotels and gardens. Together we create suitable atmospheres that complement the immediate surroundings. Clear, efficient and unique, FERROLIGHT Design produces energy-efficient lighting that mimics the natural warmth of sunlight captured in sublime minimalist design.

The Netherlands
www.ferrolightdesign.com

T Office +31 (0)78 6817005
T Studio +31 (0)78-6813361

E sales@ferrolightdesign.com
E info@ferrolightdesign.com