

Euro PriceList 2022

TERZANI
LA LUCE PENSATA

Alle Preise zzgl.
ges. MwSt.



2022
Ed.01
Euro
Price
List



Terzani's Precious Design Concept is luxury evolved. Each piece in this new lighting collection breaks the staid boundaries of traditional luxury, and incorporates stunningly modern design, cutting-edge technology, artisan craftsmanship and precious materials. The result are sculptures of light whose illumination transforms spaces through dynamic lighting and shadow effects. They create a new visual language of what luxury is, one that reflects both today's aesthetics, architecture and design traditions yet also pushes towards the future.







Bespoke

Work with Terzani design team to bring to life your idea. From simple modification to more complex design changes.



Art&Crafts



Index

PreciousDesign

- 012 Abacus
- 026 Angel Falls
- 032 Anish
- 036 Argent
- 050 Atlantis
- 058 Bond
- 062 Calle
- 070 Core
- 076 Doodle
- 086 Epoque
- 090 Etoile
- 094 Frame
- 098 Gaia
- 102 Glamour
- 106 G.r.a.
- 112 Hugo
- 116 I Lucci Argentati
- 124 Iceberg
- 128 Magdalena
- 132 Manta
- 138 Mizu
- 160 Moiré
- 164 Orten'zia
- 174 Oscar
- 178 Pug
- 184 Soscik
- 190 Stream
- 196 Tresor
- 202 Volver
- 208 Wabi

Memory


- 212 Phantom





PreciousDesign

Abacus | Design Draw



Materials

Brass and Satin white glass

Finishes

Diffuser available in



Brass and
satin white

Canopy available in



White




Satin brass




Brass


Description




Pendants



Multi light pendant



Wall sconce




Abacus Small pendant light

Body | 5 spheres

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Brass and satin white	White	champagne fabric	Integrated LED	3,6W 540 lm 3000K	see power supply options	ØVØ1S E8 B.15 KK	€ 510

On site minimum adjustable overall height 45cm


0,4 | 1,2 50x31x21

Abacus Medium pendant light

Body | 10 spheres

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Brass and satin white	White	champagne fabric	Integrated LED	7,2W 1080 lm 3000K	see power supply options	ØVØ1S E8 B.1A KK	€ 865

On site minimum adjustable overall height 80cm



0,6 | 1,6 83x25x26

Abacus Large pendant light

Body | 15 spheres

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Brass and satin white	White	champagne fabric	Integrated LED	10,8W 1620 lm 3000K	see power supply options	ØVØ1S E8 B.1F KK	€ 1.300

On site minimum adjustable overall height 120cm

0,9 | 2,1 117x29x16

Power supply options


INTEGRATED LED 3000K

Dimming		Code	PRICE €
0-10V PWM	max 26 spheres	R12400000	29 (net)
	max 43 spheres	R12500000	34 (net)
	max 60 spheres	R12600000	39 (net)
10-100KΩ 0/1-10V PUSH DALI system	max 26 spheres	KITELETDALISPH26	110 (net)
	max 43 spheres	KITELETDALISPH43	118 (net)
	max 60 spheres	KITELETDALISPH60	122 (net)

Abacus Small pendant light

Body | 5 spheres

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Brass and satin white	White	champagne fabric	Integrated LED	3,6W 540 lm 3000K	0-10V PWM	ØVØ1S E8 B.P 15	€ 730
			Integrated LED	3,6W 540 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØVØ1S E8 B.P 15 D	€ 840
Brass and satin white	Satin brass	champagne fabric	Integrated LED	3,6W 540 lm 3000K	0-10V PWM	ØVØ1S M3 B.P 15	€ 840
			Integrated LED	3,6W 540 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØVØ1S M3 B.P 15 D	€ 945


On site minimum adjustable overall height 45cm

1,6 | 2,4 50x31x21

Abacus Medium pendant light

Body | 10 spheres

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Brass and satin white	White	champagne fabric	Integrated LED	7,2W 1080 lm 3000K	0-10V PWM	ØVØ1S E8 B.P 1A	€ 1.085
			Integrated LED	7,2W 1080 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØVØ1S E8 B.P 1A D	€ 1.195
Brass and satin white	Satin brass	champagne fabric	Integrated LED	7,2W 1080 lm 3000K	0-10V PWM	ØVØ1S M3 B.P 1A	€ 1.195
			Integrated LED	7,2W 1080 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØVØ1S M3 B.P 1A D	€ 1.305


On site minimum adjustable overall height 80cm

1,7 | 2,8 83x25x26

Abacus Large pendant light

Body | 15 spheres

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
		champagne fabric	Integrated LED	10,8W 1620 lm 3000K	0-10V PWM	ØVØ1S E8 B.P 1F	€ 1.525
			Integrated LED	10,8W 1620 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØVØ1S E8 B.P 1F D	€ 1.635
		champagne fabric	Integrated LED	10,8W 1620 lm 3000K	0-10V PWM	ØVØ1S M3 B.P 1F	€ 1.635
			Integrated LED	10,8W 1620 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØVØ1S M3 B.P 1F D	€ 1.745


On site minimum adjustable overall height 120cm

2 | 3,2 117x29x16

Abacus 3 Small round multi light pendant

Body | 3x5 spheres

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
		champagne fabric	Integrated LED	3 x 3,6W 1620 lm 3000K	0-10V PWM	ØVØ3S E8 B.P 1F	€ 1.745
			Integrated LED	3 x 3,6W 1620 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØVØ3S E8 B.P 1F D	€ 1.855
		champagne fabric	Integrated LED	3 x 3,6W 1620 lm 3000K	0-10V PWM	ØVØ3S M3 B.P 1F	€ 1.855
			Integrated LED	3 x 3,6W 1620 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØVØ3S M3 B.P 1F D	€ 1.965


On site minimum adjustable overall height 60cm

2,5 | 3,4 77x35x26,5

Abacus 3 Medium round multi light pendant

Body | 3x10 spheres

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
		champagne fabric	Integrated LED	3 x 7,2W 3240 lm 3000K	0-10V PWM	ØVØ3S E8 B.P 1V	€ 2.815
			Integrated LED	3 x 7,2W 3240 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØVØ3S E8 B.P 1V D	€ 2.925
		champagne fabric	Integrated LED	3 x 7,2W 3240 lm 3000K	0-10V PWM	ØVØ3S M3 B.P 1V	€ 2.925
			Integrated LED	3 x 7,2W 3240 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØVØ3S M3 B.P 1V D	€ 3.035


On site minimum adjustable overall height 110cm

3 | 7 155x35,5x18

Abacus 3 Large round multi light pendant

Body | 3x15 spheres

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
		champagne fabric	Integrated LED	3 x 10,8W 4860 lm 3000K	0-10V PWM	ØVØ3S E8 B.P 2B	€ 4.120
			Integrated LED	3 x 10,8W 4860 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØVØ3S E8 B.P 2B D	€ 4.230
		champagne fabric	Integrated LED	3 x 10,8W 4860 lm 3000K	0-10V PWM	ØVØ3S M3 B.P 2B	€ 4.230
			Integrated LED	3 x 10,8W 4860 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØVØ3S M3 B.P 2B D	€ 4.340


On site minimum adjustable overall height 150cm

3,2 | 7,7 162x35x35

Abacus 7 Small round multi light pendant

Body | 7x5 spheres

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
		champagne fabric	Integrated LED	7 x 3,6W 3780 lm 3000K	0-10V PWM	ØVØ7S E8 B.P 21	€ 3.805
			Integrated LED	7 x 3,6W 3780 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØVØ7S E8 B.P 21 D	€ 3.915
		champagne fabric	Integrated LED	7 x 3,6W 3780 lm 3000K	0-10V PWM	ØVØ7S M3 B.P 21	€ 3.915
			Integrated LED	7 x 3,6W 3780 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØVØ7S M3 B.P 21 D	€ 3.995


On site minimum adjustable overall height 70cm

4 | 9,6 83x80x43,5

Abacus 7 Medium round multi light pendant

Body | 7x10 spheres

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
		champagne fabric	Integrated LED	7 x 7,2W 7560 lm 3000K	0-10V PWM	ØVØ7S E8 B.P 32	€ 6.310
			Integrated LED	7 x 7,2W 7560 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØVØ7S E8 B.P 32 D	€ 6.420
		champagne fabric	Integrated LED	7 x 7,2W 7560 lm 3000K	0-10V PWM	ØVØ7S M3 B.P 32	€ 6.420
			Integrated LED	7 x 7,2W 7560 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØVØ7S M3 B.P 32 D	€ 6.530


On site minimum adjustable overall height 130cm

7,5 | 12,5 191x46x46

Abacus 7 Large round multi light pendant

Body | 7x15 spheres

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
		champagne fabric	Integrated LED	7 x 10,8W 11340 lm 3000K	0-10V PWM	ØVØ7S E8 B.P 43	€ 9.350
			Integrated LED	7 x 10,8W 11340 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØVØ7S E8 B.P 43 D	€ 9.445
		champagne fabric	Integrated LED	7 x 10,8W 11340 lm 3000K	0-10V PWM	ØVØ7S M3 B.P 43	€ 9.445
			Integrated LED	7 x 10,8W 11340 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØVØ7S M3 B.P 43 D	€ 9.570


On site minimum adjustable overall height 160cm

9,6 | 14,6 191x46x46

Abacus Small linear multi light pendant

Body | 3x5 - 3x10 spheres

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
		champagne fabric	Integrated LED	3 x 3,6W 3 x 7,2W 4860 lm 3000K	0-10V PWM	ØVØ6S E8 B.R 2B	€ 4.080
			Integrated LED	3 x 3,6W 3 x 7,2W 4860 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØVØ6S E8 B.R 2B D	€ 4.190
		champagne fabric	Integrated LED	3 x 3,6W 3 x 7,2W 4860 lm 3000K	0-10V PWM	ØVØ6S P4 B.R 2B	€ 4.245
			Integrated LED	3 x 3,6W 3 x 7,2W 4860 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØVØ6S P4 B.R 2B D	€ 4.360



On site minimum adjustable overall height 110cm

7 | 1x 5,2
1x 5,3 1x 90x45x30
1x 83x25x26

Abacus Medium linear multi light pendant

Body | 6x5 - 6x10 spheres

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Brass and satin white	White	champagne fabric	Integrated LED	6 x 3,6W 6 x 7,2W 9720 lm 3000K	0-10V PWM	ØV12S E8 B.R 3M	€ 8.115
			Integrated LED	6 x 3,6W 6 x 7,2W 9720 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØV12S E8 B.R 3M D	€ 8.335
Brass and satin white	Brass	champagne fabric	Integrated LED	6 x 3,6W 6 x 7,2W 9720 lm 3000K	0-10V PWM	ØV12S P4 B.R 3M	€ 8.280
			Integrated LED	6 x 3,6W 6 x 7,2W 9720 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØV12S P4 B.R 3M D	€ 8.500



On site minimum adjustable overall height 110cm

13 |
 1x 9,6
 1x 12,4
 1x 107x80x24,5
 1x 155x35,5x18

Abacus Large linear multi light pendant

Body | 7x5 - 8x10 spheres

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Brass and satin white	White	champagne fabric	Integrated LED	7 x 3,6W 8 x 7,2W 12420 lm 3000K	0-10V PWM	ØV15S E8 B.R 4D	€ 9.810
			Integrated LED	7 x 3,6W 8 x 7,2W 12420 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØV15S E8 B.R 4D D	€ 9.995
Brass and satin white	Brass	champagne fabric	Integrated LED	7 x 3,6W 8 x 7,2W 12420 lm 3000K	0-10V PWM	ØV15S P4 B.R 4D	€ 9.980
			Integrated LED	7 x 3,6W 8 x 7,2W 12420 lm 3000K	10-100KΩ 0/1-10V PUSH DALI system	ØV15S P4 B.R 4D D	€ 10.200



On site minimum adjustable overall height 110cm

32 |
 1x 13
 1x 22,6
 1x 97x92x54
 1x 191x46x46

Abacus Wall sconce

Body | 5 spheres

Canopy




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Brass and satin white	 Brass	-	Integrated LED	3,6W 540 lm 3000K	1-10V PUSH	ØVØ1A M3 B. 15	€ 820

 1,6 |  2,4  50x31x21

Bespoke |

You should indicate in your purchase order




Canopy type
Canopy finish
Canopy dimension
Pendant height min and max
Pendants number
Pendants finish
Spheres numbers



Various customizations are available on request.

Please contact our offices for any further information or download the price calculator from our reserved area:

<https://www.terzani.com/en/reserved-area>

	Dimension	Type *	Finish
Canopy	 _____ cm ☐	 Standard ☐ With quick system ☐ Without quick system	☐ White ☐ Brass ☐ Other _____
	 _____ cm ☐	 Flush ☐ Available only with quick	
	 _____ cm ☐	 Disc ☐	
 _____ cm ☐			

	Pendant height	Pendant Finish
Height	min _____ cm	Brass and satin white ☐ Other ☐
	max _____ cm	_____

	Type of pendants and the number														
Diffuser	5 spheres	10 spheres	15 spheres	1 sphere	2 spheres	3 spheres	4 spheres	6 spheres	7 spheres	8 spheres	9 spheres	11 spheres	12 spheres	13 spheres	14 spheres
															
	Standard pendants	Custom pendants													
	Q.ty _____	_____	_____	Q.ty _____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____

	Voltage	Type	Dimming
Light Source	120V ☐ 230V ☐	Integrated Led ☐ 3000K	☐ PWM ☐ 1-10V ☐ PUSH ☐ 0-10V ☐ DALI ☐ Other _____

Sketch and note

Angel Falls | Design Nigel Coates



Materials

Clear crystal



Finishes

Diffuser available in



Clear crystal

Canopy available in




White




Brushed nickel


Description



Pendant



Multi pendants




Bespoke

Various customizations are available on request. Please contact our offices for any further information.

Angel Falls Single pendant

Body



Diffuser	Disc	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Clear crystal	-	air craft nylon cable	-	-	-	ØQ1ØE Z8 A9.	€ 194


On site minimum adjustable overall height 30cm

0,2 | 0,7 32x24x17

Angel Falls 7 Multi pendants

Body | 7 angels

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Clear crystal	Brushed nickel	air craft nylon cable	GU10 LED dimmable	5W	all systems	ØQØ7S H4 A9.	€ 2.190


GU10 light bulbs are not included
On site minimum adjustable overall height 125cm

4,1 | 1x 4
1x 3 1x 50x50x25
1x 50x50x25

Angel Falls 12 Multi pendants

Body | 12 angels

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Clear crystal	Brushed nickel	air craft nylon cable	GU10 LED dimmable	3 X 5W	all systems	ØQ12S H4 A9.	€ 3.750


GU10 light bulbs are not included
On site minimum adjustable overall height 110cm

9 | 1x 9
1x 6 1x 67x67x23
1x 67x67x30

Angel Falls 18 Multi pendants

Body | 18 angels

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Clear crystal	Brushed nickel	air craft nylon cable	GU10 LED dimmable	3 X 5W	all systems	ØQ11S H4 A9.	€ 4.705


GU10 light bulbs are not included
On site minimum adjustable overall height 160cm

10 | 1x 9
1x 7,5 1x 67x67x23
1x 67x67x30

Angel Falls 24 Multi pendants

Body | 24 angels

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Clear crystal	Brushed nickel	air craft nylon cable	GU10 LED dimmable	3 X 5W	all systems	ØQ10S H4 A9.	€ 5.955


GU10 light bulbs are not included
On site minimum adjustable overall height 150cm

14 | 1x 10 | 1x 10 1x 67x67x23
 1x 77x77x30

Angel Falls 36 Multi pendants

Body | 36 angels

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Clear crystal	White	air craft nylon cable	GU10 LED dimmable	9 X 4W	all systems	ØQ13S E8 A9.	€ 9.260

GU10 light bulbs are not included
On site minimum adjustable overall height 100cm

25 | 1x 19 | 1x 16 1x 130x21x85
 1x 83x80x43,5



Materials

Brass



Finishes

Diffuser available in




Nickel

Canopy available in




Nickel

Description



Pendants




Bespoke

Various customizations are available on request. Please contact our offices for any further information.

Anish Small pendant light

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	clear + steel cable	integrated LED boards	6 x 4,5W 3180 lm CRI 90 3000K	1-10V PWM 10-100KΩ	ØQ61S E7 C8.	€€ 2.845
			integrated LED boards	6 x 4,5W 3180 lm CRI 90 2700K	1-10V PWM 10-100KΩ	ØQ61S E7 C8.W	€€ 2.845
			integrated LED boards	6 x 4,5W 3180 lm CRI 90 3000K	0/1-10V PUSH DALI system	ØQ61S E7 C8.D	€€ 3.065
			integrated LED boards	6 x 4,5W 3180 lm CRI 90 2700K	0/1-10V PUSH DALI system	ØQ61S E7 C8.WD	€€ 3.065


On site minimum adjustable overall height 50cm

6,5 |
 9
 51x51x51

Anish Large pendant light

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	clear + steel cable	integrated LED boards	6 x 4,5W 3180 lm CRI 90 3000K	1-10V PWM 10-100KΩ	ØQ62S E7 C8.	€€ 3.635
			integrated LED boards	6 x 4,5W 3180 lm CRI 90 2700K	1-10V PWM 10-100KΩ	ØQ62S E7 C8.W	€€ 3.635
			integrated LED boards	6 x 4,5W 3180 lm CRI 90 3000K	0/1-10V PUSH DALI system	ØQ62S E7 C8.D	€€ 3.855
			integrated LED boards	6 x 4,5W 3180 lm CRI 90 2700K	0/1-10V PUSH DALI system	ØQ62S E7 C8.WD	€€ 3.855

On site minimum adjustable overall height 65cm

9 |
 14,5
 76x76x60


Argent | Design Dodo Arslan



Materials

Stainless Steel

Description



Finishes


Diffuser available in

- Stainless steel
- Gold plated
- Rose gold plated
- Champagne


Canopy available in

- Nickel
- Gold plated
- Rose gold plated
- Champagne
- White


Pendants




Multi light pendant



Chandelier



Wall sconce



Ceiling light





Table lamp




Argent Pendant light

Body

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Stainless steel	White	clear	G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 20W	see power supply options	ØN9ØS E7 C8.KK	€ 740
Gold plated	White	clear	G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 20W	see power supply options	ØN9ØS L6 C8.KK	€ 1. 210
Rose gold plated	White	clear	G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 20W	see power supply options	ØN9ØS N4 C8.KK	€ 1.210
Champagne	White	clear	G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 20W	see power supply options	ØN9ØS N1 C8.KK	€ 1.210

G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 60cm

2,4 | 4,8 51x51x51

Power supply options

G4 HALO

Dimming		Code	PRICE €
IGBT	max 1 pendant	R1Ø3ØØØØ	23 (net)
DALI system	max 1 pendant	KITELETDALIHALO7Ø	139 (net)

G4 LED




Dimming		Code	PRICE €
IGBT	max 7 pendants	R1Ø3ØØØØ	23 (net)
10-100KΩ 0/1-10V PUSH	max 8 pendants	KITELETDALILED6Ø	117 (net)
DALI system	max 14 pendants	KITELETDALILED1ØØ	139 (net)

Argent Pendant light

Body

Canopy

Canopy for DALI



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Stainless steel Nickel		clear	G4 Halogen	3 X 20W	IGBT TRIAC	ØN9ØS E7 C8.	CE 795
			G4 LED	3 X 2W	no	ØN9ØS E7 C8.L	CE CB 795
			G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 20W	DALI system	ØN9ØS E7 C8.D	CE 905
Gold plated Gold plated		clear	G4 Halogen	3 X 20W	IGBT TRIAC	ØN9ØS L6 C8.	CE 1.280
			G4 LED	3 X 2W	no	ØN9ØS L6 C8.L	CE CB 1.280
			G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 20W	DALI system	ØN9ØS L6 C8.D	CE 1.390
Rose gold plated Rose gold plated		clear	G4 Halogen	3 X 20W	IGBT TRIAC	ØN9ØS N4 C8.	CE 1.280
			G4 LED	3 X 2W	no	ØN9ØS N4 C8.L	CE CB 1.280
			G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 20W	DALI system	ØN9ØS N4 C8.D	CE 1.390
Champagne Champagne		clear	G4 Halogen	3 X 20W	IGBT TRIAC	ØN9ØS N1 C8.	CE 1.280
			G4 LED	3 X 2W	no	ØN9ØS N1 C8.L	CE CB 1.280
			G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 20W	DALI system	ØN9ØS N1 C8.D	CE 1.390


G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 60cm

2,4 |
 4,8
 51x51x51

Argent 4 round multi light pendant

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Stainless steel White	clear		G4 LED dimmable or G4 Halogen	12 X 2W or 12 X 20W	IGBT	ØN91S E7 C8.	CE 3.860
			G4 LED dimmable	12 X 2W	1-10V 10V PWM	ØN91S E7 C8.L	CE CB 3.860
			G4 LED dimmable	12 X 2W	10-100KΩ 0/1-10V PUSH DALI system	ØN91S E7 C8.LD	CE 3.970
			G4 LED dimmable or G4 Halogen	12 X 2W or 12 X 20W	DALI system	ØN91S E7 C8.D	CE 4.190
Gold plated White	clear		G4 LED dimmable or G4 Halogen	12 X 2W or 12 X 20W	IGBT	ØN91S L6 C8.	CE 5.900
			G4 LED dimmable	12 X 2W	1-10V 10V PWM	ØN91S L6 C8.L	CE CB 5.900
			G4 LED dimmable	12 X 2W	10-100KΩ 0/1-10V PUSH DALI system	ØN91S L6 C8.LD	CE 5.995
			G4 LED dimmable or G4 Halogen	12 X 2W or 12 X 20W	DALI system	ØN91S L6 C8.D	CE 6.230
Rose gold plated White	clear		G4 LED dimmable or G4 Halogen	12 X 2W or 12 X 20W	IGBT	ØN91S N4 C8.	CE 5.900
			G4 LED dimmable	12 X 2W	1-10V 10V PWM	ØN91S N4 C8.L	CE CB 5.900
			G4 LED dimmable	12 X 2W	10-100KΩ 0/1-10V PUSH DALI system	ØN91S N4 C8.LD	CE 5.995
			G4 LED dimmable or G4 Halogen	12 X 2W or 12 X 20W	DALI system	ØN91S N4 C8.D	CE 6.230
Champagne White	clear		G4 LED dimmable or G4 Halogen	12 X 2W or 12 X 20W	IGBT	ØN91S N1 C8.	CE 5.900
			G4 LED dimmable	12 X 2W	1-10V 10V PWM	ØN91S N1 C8.L	CE CB 5.900
			G4 LED dimmable	12 X 2W	10-100KΩ 0/1-10V PUSH DALI system	ØN91S N1 C8.LD	CE 5.995
			G4 LED dimmable or G4 Halogen	12 X 2W or 12 X 20W	DALI system	ØN91S N1 C8.D	CE 6.230

G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 90cm




18,5 |
 32
 115x95x75

Argent 4 Linear multi light pendant

Body

Canopy

Example - customizable option



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Stainless steel  White	clear		G4 LED dimmable or G4 Halogen	12 X 2W or 12 X 20W	IGBT	ØN92S E7 C8.	€ 3.860
			G4 LED dimmable	12 X 2W	1-10V 10V PWM	ØN92S E7 C8.L	€ CB 3.860
			G4 LED dimmable	12 X 2W	10-100KΩ 0/1-10V PUSH DALI system	ØN92S E7 C8.LD	€ 3.970
			G4 LED dimmable or G4 Halogen	12 X 2W or 12 X 20W	DALI system	ØN92S E7 C8.D	€ 4.190
 Gold plated  White	clear		G4 LED dimmable or G4 Halogen	12 X 2W or 12 X 20W	IGBT	ØN92S L6 C8.	€ 5.900
			G4 LED dimmable	12 X 2W	1-10V 10V PWM	ØN92S L6 C8.L	€ CB 5.900
			G4 LED dimmable	12 X 2W	10-100KΩ 0/1-10V PUSH DALI system	ØN92S L6 C8.LD	€ 5.995
			G4 LED dimmable or G4 Halogen	12 X 2W or 12 X 20W	DALI system	ØN92S L6 C8.D	€ 6.230
 Rose gold plated  White	clear		G4 LED dimmable or G4 Halogen	12 X 2W or 12 X 20W	IGBT	ØN92S N4 C8.	€ 5.900
			G4 LED dimmable	12 X 2W	1-10V 10V PWM	ØN92S N4 C8.L	€ CB 5.900
			G4 LED dimmable	12 X 2W	10-100KΩ 0/1-10V PUSH DALI system	ØN92S N4 C8.LD	€ 5.995
			G4 LED dimmable or G4 Halogen	12 X 2W or 12 X 20W	DALI system	ØN92S N4 C8.D	€ 6.230
 Champagne  White	clear		G4 LED dimmable or G4 Halogen	12 X 2W or 12 X 20W	IGBT	ØN92S N1 C8.	€ 5.900
			G4 LED dimmable	12 X 2W	1-10V 10V PWM	ØN92S N1 C8.L	€ CB 5.900
			G4 LED dimmable	12 X 2W	10-100KΩ 0/1-10V PUSH DALI system	ØN92S N1 C8.LD	€ 5.995
			G4 LED dimmable or G4 Halogen	12 X 2W or 12 X 20W	DALI system	ØN92S N1 C8.D	€ 6.230

Quick system included (for further information see page 216-217)
 G4 Led and G4 Halogen light bulbs are not included
 On site minimum adjustable overall height 60cm




 14,8 |
  1x 8
 4x 4,8 |
  1x 117x29x16
 4x 51x51x51

Argent 6 Linear multi light pendant

Body

Canopy

Example - customizable option



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Stainless steel  White	clear		G4 LED dimmable or G4 Halogen	18 X 2W or 18 X 20W	IGBT	ØN89S E7 C8.	€ 5.790
			G4 LED dimmable	18 X 2W	1-10V 10V PWM	ØN89S E7 C8.L	€ 5.790
			G4 LED dimmable	18 X 2W	10-100KΩ 0/1-10V PUSH DALI system	ØN89S E7 C8.LD	€ 5.900
			G4 LED dimmable or G4 Halogen	18 X 2W or 18 X 20W	DALI system	ØN89S E7 C8.D	€ 6.120
 Gold plated  White	clear		G4 LED dimmable or G4 Halogen	18 X 2W or 18 X 20W	IGBT	ØN89S L6 C8.	€ 8.845
			G4 LED dimmable	18 X 2W	1-10V 10V PWM	ØN89S L6 C8.L	€ 8.845
			G4 LED dimmable	18 X 2W	10-100KΩ 0/1-10V PUSH DALI system	ØN89S L6 C8.LD	€ 8.955
			G4 LED dimmable or G4 Halogen	18 X 2W or 18 X 20W	DALI system	ØN89S L6 C8.D	€ 9.175
 Rose gold plated  White	clear		G4 LED dimmable or G4 Halogen	18 X 2W or 18 X 20W	IGBT	ØN89S N4 C8.	€ 8.845
			G4 LED dimmable	18 X 2W	1-10V 10V PWM	ØN89S N4 C8.L	€ 8.845
			G4 LED dimmable	18 X 2W	10-100KΩ 0/1-10V PUSH DALI system	ØN89S N4 C8.LD	€ 8.955
			G4 LED dimmable or G4 Halogen	18 X 2W or 18 X 20W	DALI system	ØN89S N4 C8.D	€ 9.175
 Champagne  White	clear		G4 LED dimmable or G4 Halogen	18 X 2W or 18 X 20W	IGBT	ØN89S N1 C8.	€ 8.845
			G4 LED dimmable	18 X 2W	1-10V 10V PWM	ØN89S N1 C8.L	€ 8.845
			G4 LED dimmable	18 X 2W	10-100KΩ 0/1-10V PUSH DALI system	ØN89S N1 C8.LD	€ 8.955
			G4 LED dimmable or G4 Halogen	18 X 2W or 18 X 20W	DALI system	ØN89S N1 C8.D	€ 9.175


Quick system included (for further information see page 216-217)
 G4 Led and G4 Halogen light bulbs are not included
 On site minimum adjustable overall height 60cm

 22 |
  1x 12 6x 4,8 |
  1x 191x46x46 6x 51x51x51

Argent Small chandelier

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Stainless steel	Nickel	clear + steel cable	Integrated LED	6 X 2,1W LED 1640 lm 3000K	0/1-10V PUSH DALI system	ØN95S E7 C8.	€ 3.860
			Integrated LED	6 X 2,1W LED 1640 lm 2700K	0/1-10V PUSH DALI system	ØN95S E7 C8.W	€ 3.860
Gold plated	White	clear + steel cable	Integrated LED	6 X 2,1W LED 1640 lm 3000K	0/1-10V PUSH DALI system	ØN95S L6 C8.	€ 5.900
			Integrated LED	6 X 2,1W LED 1640 lm 2700K	0/1-10V PUSH DALI system	ØN95S L6 C8.W	€ 5.900
Rose gold plated	White	clear + steel cable	Integrated LED	6 X 2,1W LED 1640 lm 3000K	0/1-10V PUSH DALI system	ØN95S N4 C8.	€ 5.900
			Integrated LED	6 X 2,1W LED 1640 lm 2700K	0/1-10V PUSH DALI system	ØN95S N4 C8.W	€ 5.900
Champagne	White	clear + steel cable	Integrated LED	6 X 2,1W LED 1640 lm 3000K	0/1-10V PUSH DALI system	ØN95S N1 C8.	€ 5.900
			Integrated LED	6 X 2,1W LED 1640 lm 2700K	0/1-10V PUSH DALI system	ØN95S N1 C8.W	€ 5.900

On site minimum adjustable overall height 80cm


11

26


83x78x95

Argent Medium chandelier

Body



Canopy




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Stainless steel	Nickel	clear + steel cable	Integrated LED	12 X 2,1W LED 3285 lm 3000K	1-10V PUSH DALI system	ØN93S E7 C8.	€ 6.565
			Integrated LED	12 X 2,1W LED 3285 lm 2700K	1-10V PUSH DALI system	ØN93S E7 C8.W	€ 6.565
Gold plated	White	clear + steel cable	Integrated LED	12 X 2,1W LED 3285 lm 3000K	1-10V PUSH DALI system	ØN93S L6 C8.	€ 9.870
			Integrated LED	12 X 2,1W LED 3285 lm 2700K	1-10V PUSH DALI system	ØN93S L6 C8.W	€ 9.870
Rose gold plated	White	clear + steel cable	Integrated LED	12 X 2,1W LED 3285 lm 3000K	1-10V PUSH DALI system	ØN93S N4 C8.	€ 9.870
			Integrated LED	12 X 2,1W LED 3285 lm 2700K	1-10V PUSH DALI system	ØN93S N4 C8.W	€ 9.870
Champagne	White	clear + steel cable	Integrated LED	12 X 2,1W LED 3285 lm 3000K	1-10V PUSH DALI system	ØN93S N1 C8.	€ 9.870
			Integrated LED	12 X 2,1W LED 3285 lm 2700K	1-10V PUSH DALI system	ØN93S N1 C8.W	€ 9.870

On site minimum adjustable overall height 110cm


20 | 66 82x86x146

Argent Large chandelier

Body



Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Stainless steel	Nickel	clear + steel cable	Integrated LED	18 X 2,1W LED 4930 lm 3000K	PUSH DALI system	ØN94S E7 C8.	€ 9.870

Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Stainless steel	Nickel	clear + steel cable	Integrated LED	18 X 2,1W LED 4930 lm 2700K	PUSH DALI system	ØN94S E7 C8.W	€€ 9.870
Gold plated	White	clear + steel cable	Integrated LED	18 X 2,1W LED 4930 lm 3000K	PUSH DALI system	ØN94S L6 C8.	€€ 14.800
			Integrated LED	18 X 2,1W LED 4930 lm 2700K	PUSH DALI system	ØN94S L6 C8.W	€€ 14.800
Rose gold plated	White	clear + steel cable	Integrated LED	18 X 2,1W LED 4930 lm 3000K	PUSH DALI system	ØN94S N4 C8.	€€ 14.800
			Integrated LED	18 X 2,1W LED 4930 lm 2700K	PUSH DALI system	ØN94S N4 C8.W	€€ 14.800
Champagne	White	clear + steel cable	Integrated LED	18 X 2,1W LED 4930 lm 3000K	PUSH DALI system	ØN94S N1 C8.	€€ 14.800
			Integrated LED	18 X 2,1W LED 4930 lm 2700K	PUSH DALI system	ØN94S N1 C8.W	€€ 14.800

On site minimum adjustable overall height 175cm




36 | 108 85x85x195

Argent Wall sconce

Body

Canopy

Canopy for DALI



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Stainless steel	Nickel	clear	G4 Halogen	3 X 20W	IGBT TRIAC	ØN97A E7 C8.	€€ 795
			G4 LED	3 X 2W	no	ØN97A E7 C8.L	€€ 795
			G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 20W	DALI system	ØN97A E7 C8.D	€€ 905
Gold plated	Gold plated	clear	G4 Halogen	3 X 20W	IGBT TRIAC	ØN97A L6 C8.	€€ 1.280
			G4 LED	3 X 2W	no	ØN97A L6 C8.L	€€ 1.280
			G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 20W	DALI system	ØN97A L6 C8.D	€€ 1.390
Rose gold plated	Rose gold plated	clear	G4 Halogen	3 X 20W	IGBT TRIAC	ØN97A N4 C8.	€€ 1.280

Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Rose gold plated	 Rose gold plated	clear	G4 LED	3 X 2W	no	ØN97A N4 C8.L	€€ 1.280
			G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 20W	DALI system	ØN97A N4 C8.D	€€ 1.390
 Champagne	 Champagne	clear	G4 Halogen	3 X 20W	IGBT TRIAC	ØN97A N1 C8.	€€ 1.280
			G4 LED	3 X 2W	no	ØN97A N1 C8.L	€€ 1.280
 Champagne	 Champagne	clear	G4 LED	3 X 2W	no	ØN97A N1 C8.L	€€ 1.280
			G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 20W	DALI system	ØN97A N1 C8.D	€€ 1.390

G4 Led and G4 Halogen light bulbs are not included


 1,5 |  3,2  41x41x41

Argent Ceiling light

Body

Canopy

Canopy for DALI



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Stainless steel	 Nickel	clear	G4 Halogen	3 X 20W	IGBT TRIAC	ØN99L E7 C8.	€€ 795
			G4 LED	3 X 2W	no	ØN99L E7 C8.L	€€ 795
			G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 20W	DALI system	ØN99L E7 C8.D	€€ 905
 Gold plated	 Gold plated	clear	G4 Halogen	3 X 20W	IGBT TRIAC	ØN99L L6 C8.	€€ 1.280
			G4 LED	3 X 2W	no	ØN99L L6 C8.L	€€ 1.280
			G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 20W	DALI system	ØN99L L6 C8.D	€€ 1.390
 Rose gold plated	 Rose gold plated	clear	G4 Halogen	3 X 20W	IGBT TRIAC	ØN99L N4 C8.	€€ 1.280
			G4 LED	3 X 2W	no	ØN99L N4 C8.L	€€ 1.280
			G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 20W	DALI system	ØN99L N4 C8.D	€€ 1.390


Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
		clear	G4 Halogen	3 X 20W	IGBT TRIAC	ØN99L N1 C8.	CE 1.280
			G4 LED	3 X 2W	no	ØN99L N1 C8.L	CE 1.280
			G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 20W	DALI system	ØN99L N1 C8.D	CE 1.390

G4 Led and G4 Halogen light bulbs are not included

 2,1 |  3,8  59x59x28,5

Argent Table lamp

Body



Diffuser	Base	Elect. cable	Source	Max power	Dimming	Code	PRICE €
	 Nickel	clear	G4 LED	3X2W	no	ØN98B E7 C8.	CE 880
	 Gold plated	clear	G4 LED	3X2W	no	ØN98B L6 C8.	CE 1.355
	 Rose gold plated	clear	G4 LED	3X2W	no	ØN98B N4 C8.	CE 1.355
	 Champagne	clear	G4 LED	3X2W	no	ØN98B N1 C8.	CE 1.355


G4 Led light bulbs are not included

 2,2 |  4,8  51x51x51

Bespoke |

You should indicate in your purchase order



Canopy type
Canopy finish
Canopy dimension
Pendant height min and max
Pendants number
Pendants finish
Light source type
Dimming




Various customizations are available on request.

Please contact our offices for any further information or download the price calculator from our reserved area:

<https://www.terzani.com/en/reserved-area>

Canopy	Dimension	Type *	Finish
	 cm ☐	 Standard ☐ With quick system ☐ Without quick system  Flush ☐ Available only with quick  Radial system ☐  Disc ☐	☐ White
	 cm ☐		☐ Stainless steel
	 cm ☐		☐ Gold plated
	 cm ☐		☐ Rose gold ☐ Champagne ☐ Other _____

Height	Pendant height
	
	min _____ cm max _____ cm

Diffuser	Finish	Number of pendants
	Stainless steel ☐ Gold plated ☐ Rose gold plated ☐ Champagne ☐ Black nickel ☐	

Light Source	Voltage	Type	Dimming
	120V ☐ 230V ☐	Halo ☐ Led ☐	☐ IGBT ☐ 1-10V ☐ 10V PWM ☐ TRIAC ☐ PUSH ☐ DALI ☐ Other _____


Sketch and note



Materials

Brass chains and metal structure plated

Description



Finishes

Diffuser available in



Nickel



Black nickel



Brushed bronze



Gold plated



Champagne



Brushed champagne

Canopy available in



Nickel



Black nickel



Brushed bronze



Gold plated




Champagne




Brushed champagne

Chandelier



Wall sconce





Bespoke

Various customizations are available on request. Please contact our offices for any further information.

Atlantis Small three tier chandelier

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	clear + chain	E14 LED dimmable	6 x 6W	all systems	ØA13S E7 C8.	€ 13.500
Black nickel	Black nickel	clear + chain	E14 LED dimmable	6 x 6W	all systems	ØA13S E9 C8.	€ 14.900
Brushed bronze	Brushed bronze	clear + chain	E14 LED dimmable	6 x 6W	all systems	ØA13S F7 C8.	€ 16.200
Gold plated	Gold plated	clear + chain	E14 LED dimmable	6 x 6W	all systems	ØA13S L6 C8.	€ 16.750
Champagne	Champagne	clear + chain	E14 LED dimmable	6 x 6W	all systems	ØA13S N1 C8.	€ 16.750
Brushed champagne	Brushed champagne	clear + chain	E14 LED dimmable	6 x 6W	all systems	ØA13S N7 C8.	€ 18.450



E14 Led light bulbs are not included
On site minimum adjustable overall height 155cm



Atlantis Medium three tier chandelier

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØA14S E7 C8.	€ 15.150
Black nickel	Black nickel	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØA14S E9 C8.	€ 16.750
Brushed bronze	Brushed bronze	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØA14S F7 C8.	€ 17.850

Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Gold plated	 Gold plated	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØA14S L6 C8.	€€ 18.950
 Champagne	 Champagne	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØA14S N1 C8.	€€ 18.950
 Brushed champagne	 Brushed champagne	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØA14S N7 C8.	€€ 20.600


E14 Led light bulbs are not included
On site minimum adjustable overall height 170cm

 28 |  58  85x70x129

Atlantis Large three tier chandelier

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Nickel	 Nickel	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØA15S E7 C8.	€€ 22.800
 Black nickel	 Black nickel	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØA15S E9 C8.	€€ 24.950
 Brushed bronze	 Brushed bronze	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØA15S F7 C8.	€€ 27.050
 Gold plated	 Gold plated	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØA15S L6 C8.	€€ 27.600
 Champagne	 Champagne	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØA15S N1 C8.	€€ 27.600
 Brushed champagne	 Brushed champagne	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØA15S N7 C8.	€€ 30.350


E14 Led light bulbs are not included
On site minimum adjustable overall height 230cm

 37 |  91  115x85x150

Atlantis Small linear chandelier

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØA18S E7 C8.	€€ 15.700
Black nickel	Black nickel	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØA18S E9 C8.	€€ 17.300
Brushed bronze	Brushed bronze	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØA18S F7 C8.	€€ 18.950
Gold plated	Gold plated	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØA18S L6 C8.	€€ 19.450
Champagne	Champagne	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØA18S N1 C8.	€€ 19.450
Brushed champagne	Brushed champagne	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØA18S N7 C8.	€€ 21.200


E14 Led light bulbs are not included
On site minimum adjustable overall height 90cm

34 | 70 170x55x99

Atlantis Medium linear chandelier

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	clear + chain + steel cable	E14 LED dimmable	10 x 6W	all systems	ØA17S E7 C8.	€€ 22.200
Black nickel	Black nickel	clear + chain + steel cable	E14 LED dimmable	10 x 6W	all systems	ØA17S E9 C8.	€€ 24.300
Brushed bronze	Brushed bronze	clear + chain + steel cable	E14 LED dimmable	10 x 6W	all systems	ØA17S F7 C8.	€€ 26.300

Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Gold plated	 Gold plated	clear + chain + steel cable	E14 LED dimmable	10 x 6W	all systems	ØA17S L6 C8.	€ 27.500
 Champagne	 Champagne	clear + chain + steel cable	E14 LED dimmable	10 x 6W	all systems	ØA17S N1 C8.	€ 27.500
 Brushed champagne	 Brushed champagne	clear + chain + steel cable	E14 LED dimmable	10 x 6W	all systems	ØA17S N7 C8.	€ 30.250


E14 Led light bulbs are not included
On site minimum adjustable overall height 105cm

 41 |  98  215x65x104

Atlantis Large linear chandelier

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Nickel	 Nickel	clear + chain + steel cable	E14 LED dimmable	10 x 6W	all systems	ØA16S E7 C8.	€ 28.550
 Black nickel	 Black nickel	clear + chain + steel cable	E14 LED dimmable	10 x 6W	all systems	ØA16S E9 C8.	€ 31.300
 Brushed bronze	 Brushed bronze	clear + chain + steel cable	E14 LED dimmable	10 x 6W	all systems	ØA16S F7 C8.	€ 33.850
 Gold plated	 Gold plated	clear + chain + steel cable	E14 LED dimmable	10 x 6W	all systems	ØA16S L6 C8.	€ 34.500
 Champagne	 Champagne	clear + chain + steel cable	E14 LED dimmable	10 x 6W	all systems	ØA16S N1 C8.	€ 34.500
 Brushed champagne	 Brushed champagne	clear + chain + steel cable	E14 LED dimmable	10 x 6W	all systems	ØA16S N7 C8.	€ 37.900


E14 Led light bulbs are not included
On site minimum adjustable overall height 130cm

 66 |  146  270x70x114

Atlantis Two tier chandelier

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØJØ1S E7 C8.	€€ 21.750
Black nickel	Black nickel	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØJØ1S E9 C8.	€€ 23.900
Brushed bronze	Brushed bronze	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØJØ1S F7 C8.	€€ 26.000
Gold plated	Gold plated	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØJØ1S L6 C8.	€€ 27.050
Champagne	Champagne	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØJØ1S N1 C8.	€€ 27.050
Brushed champagne	Brushed champagne	clear + chain	E14 LED dimmable	8 x 6W	all systems	ØJØ1S N7 C8.	€€ 29.750

E14 Led light bulbs are not included
On site minimum adjustable overall height 125cm



45



92




135x100x114

Atlantis Small wall sconce

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	-	E14 LED dimmable	2 x 6W	all systems	ØJØ4A E7 C8.	€€ 1.600
Black nickel	Black nickel	-	E14 LED dimmable	2 x 6W	all systems	ØJØ4A E9 C8.	€€ 1.765
Brushed bronze	Brushed bronze	-	E14 LED dimmable	2 x 6W	all systems	ØJØ4A F7 C8.	€€ 2.185

Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Gold plated	 Gold plated	-	E14 LED dimmable	2 x 6W	all systems	ØJØ4A L6 C8.	€€ 1.820
 Champagne	 Champagne	-	E14 LED dimmable	2 x 6W	all systems	ØJØ4A N1 C8.	€€ 1.820
 Brushed champagne	 Brushed champagne	-	E14 LED dimmable	2 x 6W	all systems	ØJØ4A N7 C8.	€€ 2.000


E14 Led light bulbs are not included

 2,5 |  4  45x30x30

Atlantis Large wall sconce

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Nickel	 Nickel	-	E14 LED dimmable	4 x 6W	all systems	ØJØ3A E7 C8.	€€ 3.295
 Black nickel	 Black nickel	-	E14 LED dimmable	4 x 6W	all systems	ØJØ3A E9 C8.	€€ 3.805
 Brushed bronze	 Brushed bronze	-	E14 LED dimmable	4 x 6W	all systems	ØJØ3A F7 C8.	€€ 4.280
 Gold plated	 Gold plated	-	E14 LED dimmable	4 x 6W	all systems	ØJØ3A L6 C8.	€€ 4.025
 Champagne	 Champagne	-	E14 LED dimmable	4 x 6W	all systems	ØJØ3A N1 C8.	€€ 4.025
 Brushed champagne	 Brushed champagne	-	E14 LED dimmable	4 x 6W	all systems	ØJØ3A N7 C8.	€€ 4.425

E14 Led light bulbs are not included

 6 |  9  67x67x23

Bond | Design Bruno Rainaldi



Materials

Glass

Finishes

Diffuser available in



Black/Gold leaf



White/Gold leaf

Canopy available in




Chrome




Chrome

Description



Pendants




Bespoke


Various customizations are available on request. Please contact our offices for any further information.

Bond Small pendant *

Body



Canopy




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Black and Gold leaf	Chrome	red fabric	G9 LED dimmable	3,5W	all systems	ØL2ØS H7 F1.	€ 345
White and Gold leaf	Chrome	red fabric	G9 LED dimmable	3,5W	all systems	ØL2ØS H7 F2.	€ 345

G9 Led light bulbs are not included
On site minimum adjustable overall height 30cm


0,5 | 1 32x24x17

Bond Large pendant *

Body



Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
White and Gold leaf	Chrome	red fabric	E14 LED dimmable	5W	all systems	ØL21S H7 F2.	€ 540

E14 Led light bulbs are not included
On site minimum adjustable overall height 40cm

1,2 | 3 41x41x41

* Product available while stock lasts, contact customer service to check availability



Materials

Clear crystal



Finishes

Diffuser available in

Canopy available in




Clear crystal




White


Description



Pendants



Multi light pendant




Calle Pendant light

Body

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Clear crystal	White	clear	G4 LED dimmable or G4 Halogen	2W or 20W	see power supply options	ØTØ1S E8 A9.KK	€ 635

G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 130cm

1,5

3

83x25x26

Power supply options

G4 HALO


Dimming		Code	PRICE €
IGBT	max 2 pendants	R1Ø3ØØØØ	23 (net)
DALI system	max 2 pendants	KITELETDALIHALO7Ø	139 (net)

G4 LED


Dimming		Code	PRICE €
IGBT	min 2 max 21 pendants	R1Ø3ØØØØ	23 (net)
10-100KΩ 0/1-10V PUSH	max 25 pendants	KITELETDALILED6Ø	117 (net)
DALI system	max 43 pendants	KITELETDALILED1ØØ	139 (net)

Calle Pendant light


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
			G4 Halogen	20W	IGBT TRIAC	ØTØ1S E8 A9.	CE 675
Clear crystal	White	clear	G4 LED	2W	no	ØTØ1S E8 A9.L	CE CB 675
			G4 LED dimmable or G4 Halogen	3W or 20W	DALI system	ØTØ1S E8 A9.D	CE 790

G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 135cm




Calle 3 Round multi light pendant

Body




Canopy




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
			G4 LED dimmable or G4 Halogen	3 x 2W or 3 x 20W	IGBT	ØTØ3S E8 A9.	CE 2.265
Clear crystal	White	clear	G4 LED	3 x 2W	no	ØTØ3S E8 A9.L	CE CB 2.525
			G4 LED dimmable or G4 Halogen	3 x 2W or 3 x 20W	DALI system	ØTØ3S E8 A9.D	CE 2.485

Quick system included (for further information see page 216-217)
G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 110cm




Calle 3 Linear multi light pendant

Body



Canopy




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
			G4 LED dimmable or G4 Halogen	3 x 2W or 3 x 20W	IGBT	ØTØ3S E8 A9.R	CE 2.265
Clear crystal	White	clear	G4 LED	3 x 2W	no	ØTØ3S E8 A9.RL	CE CB 2.525
			G4 LED dimmable or G4 Halogen	3 x 2W or 3 x 20W	DALI system	ØTØ3S E8 A9.RD	CE 2.485

Quick system included (for further information see page 216-217)
G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 110cm


9 | 1x 6,5
1x 7 1x 117x29x16
1x 79x38x49

Calle 5 Round multi light pendant

Body



Canopy




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
			G4 LED dimmable or G4 Halogen	5 x 2W or 5 x 20W	IGBT	ØTØ5S E8 A9.	CE 3.750
Clear crystal	White	clear	G4 LED dimmable	5 x 2W	1-10V 10V PWM	ØTØ5S E8 A9.L	CE CB 3.750
			G4 LED dimmable or G4 Halogen	5 x 2W or 5 x 20W	DALI system	ØTØ5S E8 A9.D	CE 4.080

Quick system included (for further information see page 216-217)
G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 135cm


8,5 | 14 83x80x43,5

Calle 5 Linear multi light pendant

Body



Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Clear crystal  White		clear	G4 LED dimmable or G4 Halogen	5 x 2W or 5 x 20W	IGBT	ØTØ5S E8 A9.R	CE 3.750
			G4 LED dimmable	5 x 2W	1-10V 10V PWM	ØTØ5S E8 A9.RL	CE CB 3.750
			G4 LED dimmable or G4 Halogen	5 x 2W or 5 x 20W	DALI system	ØTØ5S E8 A9.RD	CE 4.080


Quick system included (for further information see page 216-217)
 G4 Led and G4 Halogen light bulbs are not included
 On site minimum adjustable overall height 110cm

 12,5 |
  1x 6,5
 1x 11,5
  1x 117x29x16
 1x 77x77x30

Bespoke |

You should indicate in your purchase order


Canopy type
Canopy finish
Canopy dimension
Pendant height min and max
Pendants number
Pendants finish
Light source type
Dimming




Various customizations are available on request.

Please contact our offices for any further information or download the price calculator from our reserved area:

<https://www.terzani.com/en/reserved-area>


	Dimension	Type *	Finish
Canopy	 _____ cm ☐	 Standard ☐ Available only with quick	☐ White ☐ Other _____
	 _____ cm ☐	 Flush ☐ Available only with quick	
	 _____ cm ☐	 Disc ☐	
 _____ cm ☐			

Pendant height
 min _____ cm max _____ cm min _____ cm max _____ cm

Diffuser	Finish	Number of pendants
	Clear crystal ☐ Other ☐ _____	

Light Source	Voltage	Type	Dimming
	120V ☐ 230V ☐	Halo ☐ Led ☐	☐ IGBT ☐ 1-10V ☐ TRIAC ☐ 10V PWM ☐ DALI ☐ Other _____

Sketch and note



Materials

Brass and glass

Finishes

Diffuser available in



Nickel and
clear crystal



Black nickel
and clear crystal



Gold and
clear crystal

Canopy available in



Nickel




Black nickel




Gold plated

Description



Pendant




Bespoke


Various customizations are available on request. Please contact our offices for any further information.

Core Pendant light

Body



Canopy




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel and clear crystal	Nickel	clear	integrated LED	2,1W 240 lm 3000K	no	ØP22S E7 A9.	€ 720
			integrated LED	2,1W 240 lm 2700K	no	ØP22S E7 A9.W	€ 720
Black nickel and clear crystal	Black nickel	clear	integrated LED	2,1W 240 lm 3000K	no	ØP22S E9 A9.	€ 750
			integrated LED	2,1W 240 lm 2700K	no	ØP22S E9 A9.W	€ 750
Gold and clear crystal	Gold plated	clear	integrated LED	2,1W 240 lm 3000K	no	ØP22S L6 A9.	€ 790
			integrated LED	2,1W 240 lm 2700K	no	ØP22S L6 A9.W	€ 790

On site minimum adjustable overall height 50cm




Core Dome pendant light

Body



Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel and clear crystal	Nickel	clear + steel cable	Integrated COB LED	18W 1640 lm CRI 90 3000K	1-10V PUSH	ØP21S E7 A9.	€ 5.400
			Integrated COB LED	18W 1640 lm CRI 90 3000K	DALI system	ØP21S E7 A9.D	€ 5.625
			Integrated COB LED	18W 1640 lm CRI 90 2700K	1-10V PUSH	ØP21S E7 A9.W	€ 5.400

Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Nickel and clear crystal	 Nickel	clear + steel cable	Integrated COB LED	18W 1640 lm CRI 90 2700K	DALI system	ØP21S E7 A9.WD	€ 5.625
			Integrated COB LED	18W 1640 lm CRI 90 3000K	1-10V PUSH	ØP21S E9 A9.	€ 5.790
 Black nickel and clear crystal	 Black nickel	clear + steel cable	Integrated COB LED	18W 1640 lm CRI 90 3000K	DALI system	ØP21S E9 A9.D	€ 6.010
			Integrated COB LED	18W 1640 lm CRI 90 2700K	1-10V PUSH	ØP21S E9 A9.W	€ 5.790
			Integrated COB LED	18W 1640 lm CRI 90 2700K	DALI system	ØP21S E9 A9.WD	€ 6.010
 Gold and clear crystal	 Gold plated	clear + steel cable	Integrated COB LED	18W 1640 lm CRI 90 3000K	1-10V PUSH	ØP21S L6 A9.	€ 6.395
			Integrated COB LED	18W 1640 lm CRI 90 3000K	DALI system	ØP21S L6 A9.D	€ 6.615
			Integrated COB LED	18W 1640 lm CRI 90 2700K	1-10V PUSH	ØP21S L6 A9.W	€ 6.395
			Integrated COB LED	18W 1640 lm CRI 90 2700K	DALI system	ØP21S L6 A9.WD	€ 6.615


On site minimum adjustable overall height 65cm

 12 |  21  84x84x72

Core Sphere pendant light

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Nickel and clear crystal	 Nickel	clear + steel cable	Integrated COB LED	18W 1640 lm CRI 90 3000K	1-10V PUSH	ØP2ØS E7 A9.	€ 7.940
			Integrated COB LED	18W 1640 lm CRI 90 3000K	DALI system	ØP2ØS E7 A9.D	€ 8.160
			Integrated COB LED	18W 1640 lm CRI 90 2700K	1-10V PUSH	ØP2ØS E7 A9.W	€ 7.940
			Integrated COB LED	18W 1640 lm CRI 90 2700K	DALI system	ØP2ØS E7 A9.WD	€ 8.160
 Black nickel and clear crystal	 Black nickel	clear + steel cable	Integrated COB LED	18W 1640 lm CRI 90 3000K	1-10V PUSH	ØP2ØS E9 A9.	€ 8.770

Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Black nickel and clear crystal	 Black nickel	clear + steel cable	Integrated COB LED	18W 1640 lm CRI 90 3000K	0/1-10V PUSH DALI system	ØP2ØS E9 A9.D	€€ 8.990
			Integrated COB LED	18W 1640 lm CRI 90 2700K	1-10V PUSH	ØP2ØS E9 A9.W	€€ 8.770
			Integrated COB LED	18W 1640 lm CRI 90 2700K	0/1-10V PUSH DALI system	ØP2ØS E9 A9.WD	€€ 8.990
 Gold and clear crystal	 Gold plated	clear + steel cable	Integrated COB LED	18W 1640 lm CRI 90 3000K	1-10V PUSH	ØP2ØS L6 A9.	€€ 9.870
			Integrated COB LED	18W 1640 lm CRI 90 3000K	0/1-10V PUSH DALI system	ØP2ØS L6 A9.D	€€ 10.090
			Integrated COB LED	18W 1640 lm CRI 90 2700K	1-10V PUSH	ØP2ØS L6 A9.W	€€ 9.870
			Integrated COB LED	18W 1640 lm CRI 90 2700K	0/1-10V PUSH DALI system	ØP2ØS L6 A9.WD	€€ 10.090

On site minimum adjustable overall height 90cm




16,5



26



83x78x95



Materials

Brass

Finishes

Diffuser available in



Nickel



Black amethyst



Gold plated



Copper (may age naturally)

Canopy available in



Nickel



Black amethyst




Gold plated




Copper (may age naturally)


Description



Pendant



Chandelier



Floor lamp






Table lamp



Wall sconce




Bespoke


Various customizations are available on request. Please contact our offices for any further information.

Doodle Pendant light


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	clear + steel cable	G4 LED	2W	no	ØJ8ØS E7 C8.	€ 440
			G4 LED dimmable	2W	10-100KΩ 0/1-10V PUSH DALI system	ØJ8ØS E7 C8.D	€ 550
Black amethyst	Black amethyst	clear + steel cable	G4 LED	2W	no	ØJ8ØS M4 C8.	€ 465
			G4 LED dimmable	2W	10-100KΩ 0/1-10V PUSH DALI system	ØJ8ØS M4 C8.D	€ 580
Gold plated	Gold plated	clear + steel cable	G4 LED	2W	no	ØJ8ØS L6 C8.	€ 490
			G4 LED dimmable	2W	10-100KΩ 0/1-10V PUSH DALI system	ØJ8ØS L6 C8.D	€ 600
Copper (may age naturally)	Copper (may age naturally)	clear + steel cable	G4 LED	2W	no	ØJ8ØS L5 C8.	€ 490
			G4 LED dimmable	2W	10-100KΩ 0/1-10V PUSH DALI system	ØJ8ØS L5 C8.D	€ 600
-	-	-	G4 12V LED dimmable	2 W 2700K	-	J1530000	10 (net)

G4 Led light bulbs are not included
On site minimum adjustable overall height 45cm


1,4 | 2,4 36x31x30

Doodle Chandellier

Body



Canopy




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Nickel	 Nickel	clear + steel cable	G4 LED dimmable	5 x 2W	IGBT	ØJ93S E7 C8.	€€ 1.545
			G4 LED dimmable	5 x 2W	DALI system	ØJ93S E7 C8.D	€€ 1.655
 Black amethyst	 Black amethyst	clear + steel cable	G4 LED dimmable	5 x 2W	IGBT	ØJ93S M4 C8.	€€ 1.710
			G4 LED dimmable	5 x 2W	DALI system	ØJ93S M4 C8.D	€€ 1.820
 Gold plated	 Gold plated	clear + steel cable	G4 LED dimmable	5 x 2W	IGBT	ØJ93S L6 C8.	€€ 2.040
			G4 LED dimmable	5 x 2W	DALI system	ØJ93S L6 C8.D	€€ 2.155
-	-	-	G4 12V LED dimmable	2 W 2700K	-	J1530000	10 (net)

G4 Led light bulbs are not included
On site minimum adjustable overall height 60cm




Doodle Vetrical chandelier


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	clear + steel cable	G4 LED dimmable	6 x 2W	IGBT	ØJ87S E7 C8.	€€ 2.315
			G4 LED dimmable	6 x 2W	DALI system	ØJ87S E7 C8.D	€€ 2.535
Black amethyst	Black amethyst	clear + steel cable	G4 LED dimmable	6 x 2W	IGBT	ØJ87S M4 C8.	€€ 2.425
			G4 LED dimmable	6 x 2W	DALI system	ØJ87S M4 C8.D	€€ 2.645
Gold plated	Gold plated	clear + steel cable	G4 LED dimmable	6 x 2W	IGBT	ØJ87S L6 C8.	€€ 2.535
			G4 LED dimmable	6 x 2W	DALI system	ØJ87S L6 C8.D	€€ 2.755
Copper (may age naturally)	Copper (may age naturally)	clear + steel cable	G4 LED dimmable	6 x 2W	IGBT	ØJ87S L5 C8.	€€ 2.535
			G4 LED dimmable	6 x 2W	DALI system	ØJ87S L5 C8.D	€€ 2.755
-	-	-	G4 12V LED dimmable	2 W 2700K	-	J1530000	10 (net)

G4 Led light bulbs are not included
On site minimum adjustable overall height 150cm

7,5

10




162x35x35

Doodle Linear chandelier

Body

Canopy

Canopy for DALI



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	clear + steel cable	G4 LED dimmable	6 x 2W	IGBT	ØJ81S E7 C8.	€€ 2.315
			G4 LED dimmable	6 x 2W	DALI system	ØJ81S E7 C8.D	€€ 2.535
Black amethyst	Black amethyst	clear + steel cable	G4 LED dimmable	6 x 2W	IGBT	ØJ81S M4 C8.	€€ 2.425
			G4 LED dimmable	6 x 2W	DALI system	ØJ81S M4 C8.D	€€ 2.645
Gold plated	Gold plated	clear + steel cable	G4 LED dimmable	6 x 2W	IGBT	ØJ81S L6 C8.	€€ 2.535
			G4 LED dimmable	6 x 2W	DALI system	ØJ81S L6 C8.D	€€ 2.755
Copper (may age naturally)	Copper (may age naturally)	clear + steel cable	G4 LED dimmable	6 x 2W	IGBT	ØJ81S L5 C8.	€€ 2.535
			G4 LED dimmable	6 x 2W	DALI system	ØJ81S L5 C8.D	€€ 2.755
-	-	-	G4 12V LED dimmable	2 W 2700K	-	J1530000	10 (net)

G4 Led light bulbs are not included
On site minimum adjustable overall height 50cm


7,5

10

162x35x35

Doodle Floor lamp

Body




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Nickel	-	clear	G4 LED	6 x 1,2W	no	ØJ86P E7 C8.	€€ 2.595
 Black amethyst	-	clear	G4 LED	6 x 1,2W	no	ØJ86P M4 C8.	€€ 2.705
 Gold plated	-	clear	G4 LED	6 x 1,2W	no	ØJ86P L6 C8.	€€ 2.975
 Copper (may age naturally)	-	clear	G4 LED	6 x 1,2W	no	ØJ86P L5 C8.	€€ 2.975
-	-	-	G4 12V LED not dimmable	1,2 W 2700K	-	J11900000	10 (net)

G4 Led light bulbs are not included

 16 |  21  191x46x46

Doodle Table lamp

Body




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Nickel	-	clear	G4 LED	2W	no	ØJ84B E7 C8.	€ 440
 Black amethyst	-	clear	G4 LED	2W	no	ØJ84B M4 C8.	€ 465
 Gold plated	-	clear	G4 LED	2W	no	ØJ84B L6 C8.	€ 490
 Copper (may age naturally)	-	clear	G4 LED	2W	no	ØJ84B L5 C8.	€ 490
-	-	-	G4 12V LED dimmable	2 W 2700K	-	J15300000	10 (net)

G4 Led light bulbs are not included


 1,2 |  2  36x31x30

Doodle Wall sconce


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	clear	G4 LED	2W	no	ØJ82A E7 C8.	€ 440
			G4 LED dimmable	2W	10-100KΩ 0/1-10V PUSH DALI system	ØJ82A E7 C8.D*	€ 550
Black amethyst	Black amethyst	clear	G4 LED	2W	no	ØJ82A M4 C8.	€ 465
			G4 LED dimmable	2W	10-100KΩ 0/1-10V PUSH DALI system	ØJ82A M4 C8.D*	€ 580
Gold plated	Gold plated	clear	G4 LED	2W	no	ØJ82A L6 C8.	€ 490
			G4 LED dimmable	2W	10-100KΩ 0/1-10V PUSH DALI system	ØJ82A L6 C8.D*	€ 600
Copper (may age naturally)	Copper (may age naturally)	clear	G4 LED	2W	no	ØJ82A L5 C8.	€ 490
			G4 LED dimmable	2W	10-100KΩ 0/1-10V PUSH DALI system	ØJ82A L5 C8.D *	€ 600
-	-	-	G4 12V LED dimmable	2 W 2700K	-	J1530000	10 (net)

G4 Led light bulbs are not included

1,8 Kg * 2,2 |
 2,4 Kg * 3 |
 36x31x30 * 36x31x30



Materials

Brass chains and metal structure plated

Finishes

Diffuser available in



Nickel



Black nickel



Brushed bronze



Gold plated

Canopy available in



Nickel



Black nickel




Brushed bronze




Gold plated

Description



Chandelier




Bespoke

Various customizations are available on request. Please contact our offices for any further information.

Epoque Vertical chandelier

Body

Canopy




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	clear + steel cable	Integrated LED	12 x 2,1W 2880 lm 3000K	0/1-10V PUSH DALI system	ØG91S E7 C8.	€ 15.100
			Integrated LED	12 x 2,1W 2880 lm 2700K	0/1-10V PUSH DALI system	ØG91S E7 C8.W	€ 15.100
Black nickel	Black nickel	clear + steel cable	Integrated LED	12 x 2,1W 2880 lm 3000K	0/1-10V PUSH DALI system	ØG91S E9 C8.	€ 16.850
			Integrated LED	12 x 2,1W 2880 lm 2700K	0/1-10V PUSH DALI system	ØG91S E9 C8.W	€ 16.850
Brushed bronze	Brushed bronze	clear + steel cable	Integrated LED	12 x 2,1W 2880 lm 3000K	0/1-10V PUSH DALI system	ØG91S F7 C8.	€ 18.000
			Integrated LED	12 x 2,1W 2880 lm 2700K	0/1-10V PUSH DALI system	ØG91S F7 C8.W	€ 18.000
Gold plated	Gold plated	clear + steel cable	Integrated LED	12 x 2,1W 2880 lm 3000K	0/1-10V PUSH DALI system	ØG91S L6 C8.	€ 18.950
			Integrated LED	12 x 2,1W 2880 lm 2700K	0/1-10V PUSH DALI system	ØG91S L6 C8.W	€ 18.950

On site minimum adjustable overall height 215cm


14,5 | 55 196x50x71

Epoque Chandelier


Body



Top view



Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	clear + steel rope	Integrated LED	20 x 2,1W 4800 lm 3000K	PUSH DALI system	ØG9ØS E7 C8.	€ 20.500
			Integrated LED	20 x 2,1W 4800 lm 2700K	PUSH DALI system	ØG9ØS E7 C8.W	€ 20.500
Black nickel	Black nickel	clear + steel rope	Integrated LED	20 x 2,1W 4800 lm 3000K	PUSH DALI system	ØG9ØS E9 C8.	€ 27.250
			Integrated LED	20 x 2,1W 4800 lm 2700K	PUSH DALI system	ØG9ØS E9 C8.W	€ 27.250
Brushed bronze	Brushed bronze	clear + steel rope	Integrated LED	20 x 2,1W 4800 lm 3000K	PUSH DALI system	ØG9ØS F7 C8.	€ 28.950
			Integrated LED	20 x 2,1W 4800 lm 2700K	PUSH DALI system	ØG9ØS F7 C8.W	€ 28.950
Gold plated	Gold plated	clear + steel rope	Integrated LED	20 x 2,1W 4800 lm 3000K	PUSH DALI system	ØG9ØS L6 C8.	€ 30.650
			Integrated LED	20 x 2,1W 4800 lm 2700K	PUSH DALI system	ØG9ØS L6 C8.W	€ 30.650

Not adjustable on site

36

96

155x95x139

Etoile | Design Christian Lava



Materials

Metal

Finishes

Diffuser available in




Nickel

Canopy available in




Nickel


Description




Pendant



Chandelier



Wall sconce




Bespoke


Various customizations are available on request. Please contact our offices for any further information.

Etoile Pendant light


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
			G4 Halogen	20W	IGBT TRIAC	ØPØ5S E7 C8.	CE 435
Nickel	Nickel	clear	G4 LED	2W	no	ØPØ5S E7 C8.L	CE CB 435
			G4 LED dimmable or G4 Halogen	3W or 10W	DALI system	ØPØ5S E7 C8.D	CE 545

G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 40cm




Etoile Linear chandelier


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
			G4 Halogen	8 x 20W	IGBT TRIAC	ØPØ4S E7 C8.	CE 3.860
Nickel	Nickel	clear + steel cable	G4 LED dimmable	8 x 2W	no	ØPØ4S E7 C8.L	CE CB 3.860
			G4 LED dimmable	8 x 2W	10-100KΩ 0/1-10V PUSH DALI system	ØPØ4S E7 C8.LD	CE 4.080

G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 40cm




Etoile Chandelier

Body



Canopy




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
			G4 Halogen	8 x 10W 8 x 20W	IGBT TRIAC	ØPØ1S E7 C8.	CE 4.630
Nickel	Nickel	clear + steel cable	G4 LED dimmable	16 x 1,2W	1-10V 10V PWM	ØPØ1S E7 C8.L	CE CB 4.630
			G4 LED dimmable	16 x 1,2W	10-100KΩ 0/1-10V PUSH DALI system	ØPØ1S E7 C8.LD	CE 4.740

G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 40cm


16 | 20 83x80x43,5

Etoile Wall sconce

Body




Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	-	G4 LED dimmable or G4 Halogen	6 x 2W or 6 x 10W	IGBT	ØPØ3A E7 C8.	CE 1.080
			G4 LED	6 x 2W	no	ØPØ3A E7 C8.L	CE CB 1.080

G4 Led and G4 Halogen light bulbs are not included


2,8 | 3,8 71x32x20,5



Materials

Clear

Description



Finishes


Diffuser available in

- White and clear glass
- Coral and clear glass
- Silver and clear glass
- Gold and clear glass


Canopy available in

- White
- Coral
- Silver
- Gold plated

Pendants



Wall sconce




Bespoke

Various customizations are available on request. Please contact our offices for any further information.

Frame Small cylinder pendant light

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
White and clear glass	White	clear	E14 LED	4W	all systems	ØQØ1S E8 A9.	€ 535
* Coral and clear glass	* Coral	clear	E14 LED	4W	all systems	ØQØ1S H1 A9.	€ 535
Silver and clear glass	Silver	clear	E14 LED	4W	all systems	ØQØ1S G7 A9.	€ 565
Gold and clear glass	Gold plated	clear	E14 LED	4W	all systems	ØQØ1S L6 A9.	€ 565

E14 Led light bulbs are not included

On site minimum adjustable overall height 95cm


* Product available while stock lasts, contact customer service to check availability



Frame Large cylinder pendant light

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
White and clear glass	White	clear	E14 LED	4W	all systems	ØQØ2S E8 A9.	€ 710
* Coral and clear glass	* Coral	clear	E14 LED	4W	all systems	ØQØ2S H1 A9.	€ 710
Silver and clear glass	Silver	clear	E14 LED	4W	all systems	ØQØ2S G7 A9.	€ 780
Gold and clear glass	Gold plated	clear	E14 LED	4W	all systems	ØQØ2S L6 A9.	€ 780

E14 Led light bulbs are not included

On site minimum adjustable overall height 95cm



* Product available while stock lasts, contact customer service to check availability



Frame Cone pendant light

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
White and clear glass	White	clear	E14 LED	4W	all systems	ØQØ3S E8 A9.	€€ 855
* Coral and clear glass	* Coral	clear	E14 LED	4W	all systems	ØQØ3S H1 A9.	€€ 855
Silver and clear glass	Silver	clear	E14 LED	4W	all systems	ØQØ3S G7 A9.	€€ 900
Gold and clear glass	Gold plated	clear	E14 LED	4W	all systems	ØQØ3S L6 A9.	€€ 900

E14 Led light bulbs are not included

On site minimum adjustable overall height 95cm



* Product available while stock lasts, contact customer service to check availability



Frame Wall sconce

Body

Canopy




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
White and clear glass	White	-	G9 LED	3,5W	all systems	ØQØ4A E8 A9.	€€ 560
* Coral and clear glass	* Coral	-	G9 LED	3,5W	all systems	ØQØ4A H1 A9.	€€ 560
Silver and clear glass	Silver	-	G9 LED	3,5W	all systems	ØQØ4A G7 A9.	€€ 620
Gold and clear glass	Gold plated	-	G9 LED	3,5W	all systems	ØQØ4A L6 A9.	€€ 620

E14 Led light bulbs are not included

* Product available while stock lasts, contact customer service to check availability






Materials

Raw metal and brass

Description



Finishes

Diffuser available in

Canopy available in



Raw metal
and raw brass



White



Nickel



Gold plated



Raw metal




Raw brass



Matt walnut and
Raw brass

Chandelier




Bespoke


Various customizations are available on request. Please contact our offices for any further information.

Gaia Linear chandelier

Body



Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Raw metal  White		clear + steel cable	integrated LED	12 x 1,5W 2160 lm 3000K	1-10V PUSH	ØG41S N8 C8.	€€ 2.155
			integrated LED	12 x 1,5W 2160 lm 3000K	DALI system	ØG41S N8 C8.D	€€ 2.265
			integrated LED	12 x 1,5W 2160 lm 2700K	1-10V PUSH	ØG41S N8 C8.W	€€ 2.155
			integrated LED	12 x 1,5W 2160 lm 2700K	DALI system	ØG41S N8 C8.WD	€€ 2.265
 Raw brass  White		clear + steel cable	integrated LED	12 x 1,5W 2160 lm 3000K	1-10V PUSH	ØG41S P1 C8.	€€ 2.535
			integrated LED	12 x 1,5W 2160 lm 3000K	DALI system	ØG41S P1 C8.D	€€ 2.645
			integrated LED	12 x 1,5W 2160 lm 2700K	1-10V PUSH	ØG41S P1 C8.W	€€ 2.535
			integrated LED	12 x 1,5W 2160 lm 2700K	DALI system	ØG41S P1 C8.WD	€€ 2.645
 Nickel  White		clear + steel cable	integrated LED	12 x 1,5W 2160 lm 3000K	1-10V PUSH	ØG41S E7 C8.	€€ 2.975
			integrated LED	12 x 1,5W 2160 lm 3000K	DALI system	ØG41S E7 C8.D	€€ 3.085
			integrated LED	12 x 1,5W 2160 lm 2700K	1-10V PUSH	ØG41S E7 C8.W	€€ 2.975
			integrated LED	12 x 1,5W 2160 lm 2700K	DALI system	ØG41S E7 C8.WD	€€ 3.085
 Gold plated  White		clear + steel cable	integrated LED	12 x 1,5W 2160 lm 3000K	1-10V PUSH	ØG41S L6 C8.	€€ 3.720
			integrated LED	12 x 1,5W 2160 lm 3000K	DALI system	ØG41S L6 C8.D	€€ 3.835
			integrated LED	12 x 1,5W 2160 lm 2700K	1-10V PUSH	ØG41S L6 C8.W	€€ 3.720
			integrated LED	12 x 1,5W 2160 lm 2700K	DALI system	ØG41S L6 C8.WD	€€ 3.835
 Raw metal  White		clear + steel cable	integrated LED	12 x 1,5W 2160 lm 3000K	1-10V PUSH	ØG41S P2 C8.	€€ 3.805

Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Matt walnut and Raw brass	 White	clear + steel cable	integrated LED	12 x 1,5W 2160 lm 3000K	DALI system	ØG41S P2 C8.D	€ 3.915
			integrated LED	12 x 1,5W 2160 lm 2700K	1-10V PUSH	ØG41S P2 C8.W	€ 3.805
			integrated LED	12 x 1,5W 2160 lm 2700K	DALI system	ØG41S P2 C8.WD	€ 3.915


On site minimum adjustable overall height 50cm.

Please note that due to natural wood properties, the shade of each chandelier in matt wood may be slightly different.




Gaia Double linear chandelier


Body



Top view



Canopy




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Raw metal and raw brass	 White	clear + steel cable	integrated LED	24 x 1,5W 4320 lm 3000K	0/1-10V PUSH DALI system	ØG4ØS N6 C8.	€ 4.360
			integrated LED	24 x 1,5W 4320 lm 2700K	0/1-10V PUSH DALI system	ØG4ØS N6 C8.W	€ 4.360
 Nickel	 White	clear + steel cable	integrated LED	24 x 1,5W 4320 lm 3000K	0/1-10V PUSH DALI system	ØG4ØS E7 C8.	€ 5.900
			integrated LED	24 x 1,5W 4320 lm 2700K	0/1-10V PUSH DALI system	ØG4ØS E7 C8.W	€ 5.900
 Gold plated	 White	clear + steel cable	integrated LED	24 x 1,5W 4320 lm 3000K	0/1-10V PUSH DALI system	ØG4ØS L6 C8.	€ 7.335
			integrated LED	24 x 1,5W 4320 lm 2700K	0/1-10V PUSH DALI system	ØG4ØS L6 C8.W	€ 7.335

On site minimum adjustable overall height 50cm.

Please note that due to natural wood properties, the shade of each chandelier in matt wood may be slightly different.





Materials

Metal

Finishes


Diffuser available in

- White
- Nickel
- Gold plated


Canopy available in

- White
- Nickel
- Gold plated


Description




Chandelier



Wall sconce



Ceiling light




Bespoke

Various customizations are available on request. Please contact our offices for any further information.

Glamour Chandelier

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
* White	* White	red fabric + steel cable	E14 LED dimmable	3 x 4W	all systems	ØN16S E8 C8.	€€ 1.535
Nickel	Nickel	red fabric + steel cable	E14 LED dimmable	3 x 4W	all systems	ØN16S E7 C8.	€€ 1.650
Gold plated	Gold plated	black fabric + steel cable	E14 LED dimmable	3 x 4W	all systems	ØN16S L6 C8.	€€ 1.760

E14 Led light bulbs are not included


On site minimum adjustable overall height 70cm

* Product available while stock lasts, contact customer service to check availability



Glamour Wall sconce

Body



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
* White	* White	-	R7s halogen	48W	all systems	ØN18A E8 C8.	€€ 490
			integrated LED	13W 1100 lm 3000K	IGBT	ØN18A E8 C8.L	€€ 490
Nickel	Nickel	-	R7s halogen	48W	all systems	ØN18A E7 C8.	€€ 525
			integrated LED	13W 1100 lm 3000K	IGBT	ØN18A E7 C8.L	€€ 525
Gold plated	Gold plated	-	R7s halogen	48W	all systems	ØN18A L6 C8.	€€ 550
			integrated LED	13W 1100 lm 3000K	IGBT	ØN18A L6 C8.L	€€ 550

R7s Halogen light bulbs are not included


* Product available while stock lasts, contact customer service to check availability



Glamour Ceiling light

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
* White	* White	-	E14 LED dimmable	3 x 4W	all systems	ØN17L E8 C8.	€€ 1.130
Nickel	Nickel	-	E14 LED dimmable	3 x 4W	all systems	ØN17L E7 C8.	€€ 1.305
Gold plated	Gold plated	-	E14 LED dimmable	3 x 4W	all systems	ØN17L L6 C8.	€€ 1.360

E14 Led light bulbs are not included


Not adjustable on site

* Product available while stock lasts, contact customer service to check availability

4,5

8,5

60x60x60



Materials

Metal

Finishes

Diffuser available in



Nickel



Gold leaf



Gold plated

Canopy available in



Nickel




Gold leaf




Gold plated

Description



Pendants





Bespoke

Various customizations are available on request. Please contact our offices for any further information.

G.r.a Oval pendant light

Body

Canopy




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Nickel	 Nickel	red fabric + steel cable	Integrated COB LED	18W 1640 lm 3000K	1-10V PUSH	ØN41S E7 C8.L	€€ 1.765
			Integrated COB LED	18W 1640 lm 3000K	DALI system	ØN41S E7 C8.LD	€€ 1.875
			Integrated COB LED	18W 1640 lm 2700K	1-10V PUSH	ØN41S E7 C8.LW	€€ 1.765
			Integrated COB LED	18W 1640 lm 2700K	DALI system	ØN41S E7 C8.LWD	€€ 1.875
 Gold leaf	 Gold leaf	black fabric + steel cable	Integrated COB LED	18W 1640 lm 3000K	1-10V PUSH	ØN41S H5 C8.L	€€ 2.095
			Integrated COB LED	18W 1640 lm 3000K	DALI system	ØN41S H5 C8.LD	€€ 2.205
			Integrated COB LED	18W 1640 lm 2700K	1-10V PUSH	ØN41S H5 C8.LW	€€ 2.095
			Integrated COB LED	18W 1640 lm 2700K	DALI system	ØN41S H5 C8.LWD	€€ 2.205
 Gold plated	 Gold plated	black fabric + steel cable	Integrated COB LED	18W 1640 lm 3000K	1-10V PUSH	ØN41S P3 C8.L	€€ 2.270
			Integrated COB LED	18W 1640 lm 3000K	DALI system	ØN41S P3 C8.LD	€€ 2.380
			Integrated COB LED	18W 1640 lm 2700K	1-10V PUSH	ØN41S P3 C8.LW	€€ 2.270
			Integrated COB LED	18W 1640 lm 2700K	DALI system	ØN41S P3 C8.LWD	€€ 2.380

On site minimum adjustable overall height 45cm




G.r.a Small pendant light

Body



Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Nickel	 Nickel	red fabric + steel cable	Integrated COB LED	18W 1640 lm 3000K	1-10V PUSH	ØN43S E7 C8.L	€€ 2.270
			Integrated COB LED	18W 1640 lm 3000K	DALI system	ØN43S E7 C8.LD	€€ 2.380
			Integrated COB LED	18W 1640 lm 2700K	1-10V PUSH	ØN43S E7 C8.LW	€€ 2.270
			Integrated COB LED	18W 1640 lm 2700K	DALI system	ØN43S E7 C8.LWD	€€ 2.380
 Gold leaf	 Gold leaf	black fabric + steel cable	Integrated COB LED	18W 1640 lm 3000K	1-10V PUSH	ØN43S H5 C8.L	€€ 2.565
			Integrated COB LED	18W 1640 lm 3000K	DALI system	ØN43S H5 C8.LD	€€ 2.680
			Integrated COB LED	18W 1640 lm 2700K	1-10V PUSH	ØN43S H5 C8.LW	€€ 2.565
			Integrated COB LED	18W 1640 lm 2700K	DALI system	ØN43S H5 C8.LWD	€€ 2.680
 Gold plated	 Gold plated	black fabric + steel cable	Integrated COB LED	18W 1640 lm 3000K	1-10V PUSH	ØN43S P3 C8.L	€€ 2.805
			Integrated COB LED	18W 1640 lm 3000K	DALI system	ØN43S P3 C8.LD	€€ 2.915
			Integrated COB LED	18W 1640 lm 2700K	1-10V PUSH	ØN43S P3 C8.LW	€€ 2.805
			Integrated COB LED	18W 1640 lm 2700K	DALI system	ØN43S P3 C8.LWD	€€ 2.915

On site minimum adjustable overall height 75cm



8,5



15




62x62x72

G.r.a Medium pendant light

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Nickel	 Nickel	red fabric + steel cable	Integrated COB LED	18W 1640 lm 3000K	1-10V PUSH	ØN42S E7 C8.L	€€ 2.935
			Integrated COB LED	18W 1640 lm 3000K	DALI system	ØN42S E7 C8.LD	€€ 3.045
			Integrated COB LED	18W 1640 lm 2700K	1-10V PUSH	ØN42S E7 C8.LW	€€ 2.935
			Integrated COB LED	18W 1640 lm 2700K	DALI system	ØN42S E7 C8.LWD	€€ 3.045
 Gold leaf	 Gold leaf	black fabric + steel cable	Integrated COB LED	18W 1640 lm 3000K	1-10V PUSH	ØN42S H5 C8.L	€€ 3.400
			Integrated COB LED	18W 1640 lm 3000K	DALI system	ØN42S H5 C8.LD	€€ 3.510
			Integrated COB LED	18W 1640 lm 2700K	1-10V PUSH	ØN42S H5 C8.LW	€€ 3.400
			Integrated COB LED	18W 1640 lm 2700K	DALI system	ØN42S H5 C8.LWD	€€ 3.510
 Gold plated	 Gold plated	black fabric + steel cable	Integrated COB LED	18W 1640 lm 3000K	1-10V PUSH	ØN42S P3 C8.L	€€ 3.715
			Integrated COB LED	18W 1640 lm 3000K	DALI system	ØN42S P3 C8.LD	€€ 3.825
			Integrated COB LED	18W 1640 lm 2700K	1-10V PUSH	ØN42S P3 C8.LW	€€ 3.715
			Integrated COB LED	18W 1640 lm 2700K	DALI system	ØN42S P3 C8.LWD	€€ 3.825

On site minimum adjustable overall height 90cm


 10,5

 21


 77x77x84

G.ra Large pendant light

Body



Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Nickel	 Nickel	red fabric + steel cable	Integrated COB LED	18W 1640 lm 3000K	1-10V PUSH	ØN4ØS E7 C8.L	€€ 3.860
			Integrated COB LED	18W 1640 lm 3000K	DALI system	ØN4ØS E7 C8.LD	€€ 3.970
			Integrated COB LED	18W 1640 lm 2700K	1-10V PUSH	ØN4ØS E7 C8.LW	€€ 3.860
			Integrated COB LED	18W 1640 lm 2700K	DALI system	ØN4ØS E7 C8.LWD	€€ 3.970
 Gold leaf	 Gold leaf	black fabric + steel cable	Integrated COB LED	18W 1640 lm 3000K	1-10V PUSH	ØN4ØS H5 C8.L	€€ 4.405
			Integrated COB LED	18W 1640 lm 3000K	DALI system	ØN4ØS H5 C8.LD	€€ 4.515
			Integrated COB LED	18W 1640 lm 2700K	1-10V PUSH	ØN4ØS H5 C8.LW	€€ 4.405
			Integrated COB LED	18W 1640 lm 2700K	DALI system	ØN4ØS H5 C8.LWD	€€ 4.515
 Gold plated	 Gold plated	black fabric + steel cable	Integrated COB LED	18W 1640 lm 3000K	1-10V PUSH	ØN4ØS P3 C8.L	€€ 4.810
			Integrated COB LED	18W 1640 lm 3000K	DALI system	ØN4ØS P3 C8.LD	€€ 4.920
			Integrated COB LED	18W 1640 lm 2700K	1-10V PUSH	ØN4ØS P3 C8.LW	€€ 4.810
			Integrated COB LED	18W 1640 lm 2700K	DALI system	ØN4ØS P3 C8.LWD	€€ 4.920

On site minimum adjustable overall height 110cm





Materials

Metal




Finishes

Diffuser available in




Satin nickel

Description




Floor lamp



Hugo Floor lamp

Body




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Satin nickel	-	black	E27 LED dimmable	15W	integrated dimmer	ØD2ØP F3 A1 .	€ 2.040

E27 Led light bulb is not included

 18 |  22  205x40x40

I Lucci Argentati | Design Dodo Arslan



Materials

Metal

Finishes


Diffuser available in

- White polished
- Brushed nickel
- Brushed gold


Canopy available in

- White polished
- Brushed nickel
- Brushed gold

Description



Chandelier



Wall sconce




Bespoke


Various customizations are available on request. Please contact our offices for any further information.

I Lucci Argentati Small linear chandelier


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
White polished	White polished	clear + steel cable	integrated LED	7 x 4,5W 3710 lm CRI 90 3000K	1-10V PWM 10-100KΩ	ØN82S M2 C8.L	€ 3.640
			integrated LED	7 x 4,5W 3710 lm CRI 90 3000K	0/1-10V PUSH DALI system	ØN82S M2 C8.LD	€ 3.750
			integrated LED	7 x 4,5W 3710 lm CRI 90 2700K	1-10V PWM 10-100KΩ	ØN82S M2 C8.LW	€ 3.640
			integrated LED	7 x 4,5W 3710 lm CRI 90 2700K	0/1-10V PUSH DALI system	ØN82S M2 C8.LWD	€ 3.750
Brushed nickel	Brushed nickel	clear + steel cable	integrated LED	7 x 4,5W 3710 lm CRI 90 3000K	1-10V PWM 10-100KΩ	ØN82S H4 C8.L	€ 3.970
			integrated LED	7 x 4,5W 3710 lm CRI 90 3000K	0/1-10V PUSH DALI system	ØN82S H4 C8.LD	€ 4.080
			integrated LED	7 x 4,5W 3710 lm CRI 90 2700K	1-10V PWM 10-100KΩ	ØN82S H4 C8.LW	€ 3.970
			integrated LED	7 x 4,5W 3710 lm CRI 90 2700K	0/1-10V PUSH DALI system	ØN82S H4 C8.LWD	€ 4.080
Brushed gold	Brushed gold	clear + steel cable	integrated LED	7 x 4,5W 3710 lm CRI 90 3000K	1-10V PWM 10-100KΩ	ØN82S L9 C8.L	€ 5.170
			integrated LED	7 x 4,5W 3710 lm CRI 90 3000K	0/1-10V PUSH DALI system	ØN82S L9 C8.LD	€ 5.280
			integrated LED	7 x 4,5W 3710 lm CRI 90 2700K	1-10V PWM 10-100KΩ	ØN82S L9 C8.LW	€ 5.170
			integrated LED	7 x 4,5W 3710 lm CRI 90 2700K	0/1-10V PUSH DALI system	ØN82S L9 C8.LWD	€ 5.280

On site minimum adjustable over all height 50cm




I Lucci Argentati Medium linear chandelier


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
		clear + steel cable	integrated LED	8 x 4,5W 4240 lm CRI 90 3000K	1-10V PWM 10-100KΩ	ØN83S M2 C8.L	€ 4.520
			integrated LED	8 x 4,5W 4240 lm CRI 90 3000K	PUSH DALI system	ØN83S M2 C8.LD	€ 4.630
			integrated LED	8 x 4,5W 4240 lm CRI 90 2700K	1-10V PWM 10-100KΩ	ØN83S M2 C8.LW	€ 4.520
			integrated LED	8 x 4,5W 4240 lm CRI 90 2700K	PUSH DALI system	ØN83S M2 C8.LWD	€ 4.630
		clear + steel cable	integrated LED	8 x 4,5W 4240 lm CRI 90 3000K	1-10V PWM 10-100KΩ	ØN83S H4 C8.L	€ 4.690
			integrated LED	8 x 4,5W 4240 lm CRI 90 3000K	PUSH DALI system	ØN83S H4 C8.LD	€ 4.800
			integrated LED	8 x 4,5W 4240 lm CRI 90 2700K	1-10V PWM 10-100KΩ	ØN83S H4 C8.LW	€ 4.690
			integrated LED	8 x 4,5W 4240 lm CRI 90 2700K	PUSH DALI system	ØN83S H4 C8.LWD	€ 4.800
		clear + steel cable	integrated LED	8 x 4,5W 4240 lm CRI 90 3000K	1-10V PWM 10-100KΩ	ØN83S L9 C8.L	€ 6.065
			integrated LED	8 x 4,5W 4240 lm CRI 90 3000K	PUSH DALI system	ØN83S L9 C8.LD	€ 6.175
			integrated LED	8 x 4,5W 4240 lm CRI 90 2700K	1-10V PWM 10-100KΩ	ØN83S L9 C8.LW	€ 6.065
			integrated LED	8 x 4,5W 4240 lm CRI 90 2700K	PUSH DALI system	ØN83S L9 C8.LWD	€ 6.175

On site minimum adjustable overall height 50cm


7,5 | 12,5 205x40x40

I Lucci Argentati Large linear chandelier


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 White polished	 White polished	clear + steel cable	integrated LED	10 x 4,5W 5300 lm CRI 90 3000K	0-10V	ØN81S M2 C8.L	€ 5.490
			integrated LED	10 x 4,5W 5300 lm CRI 90 3000K	PUSH DALI system	ØN81S M2 C8.LD	€ 5.600
			integrated LED	10 x 4,5W 5300 lm CRI 90 2700K	0-10V	ØN81S M2 C8.LW	€ 5.490
			integrated LED	10 x 4,5W 5300 lm CRI 90 2700K	PUSH DALI system	ØN81S M2 C8.LWD	€ 5.600
 Brushed nickel	 Brushed nickel	clear + steel cable	integrated LED	10 x 4,5W 5300 lm CRI 90 3000K	0-10V	ØN81S H4 C8.L	€ 5.935
			integrated LED	10 x 4,5W 5300 lm CRI 90 3000K	PUSH DALI system	ØN81S H4 C8.LD	€ 6.045
			integrated LED	10 x 4,5W 5300 lm CRI 90 2700K	0-10V	ØN81S H4 C8.LW	€ 5.935
			integrated LED	10 x 4,5W 5300 lm CRI 90 2700K	PUSH DALI system	ØN81S H4 C8.LWD	€ 6.045
 Brushed gold	 Brushed gold	clear + steel cable	integrated LED	10 x 4,5W 5300 lm CRI 90 3000K	0-10V	ØN81S L9 C8.L	€ 7.710
			integrated LED	10 x 4,5W 5300 lm CRI 90 3000K	PUSH DALI system	ØN81S L9 C8.LD	€ 7.825
			integrated LED	10 x 4,5W 5300 lm CRI 90 2700K	0-10V	ØN81S L9 C8.LW	€ 7.710
			integrated LED	10 x 4,5W 5300 lm CRI 90 2700K	PUSH DALI system	ØN81S L9 C8.LWD	€ 7.825

On site minimum adjustable overall height 55cm




I Lucci Argentati Xlarge linear chandelier


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
White polished	White polished	clear + steel cable	integrated LED	10 x 4,5W 5300 lm CRI 90 3000K	0-10V	ØN8ØS M2 C8.L	€ 7.605
			integrated LED	10 x 4,5W 5300 lm CRI 90 3000K	PUSH DALI system	ØN8ØS M2 C8.LD	€ 7.720
			integrated LED	10 x 4,5W 5300 lm CRI 90 2700K	0-10V	ØN8ØS M2 C8.LW	€ 7.605
			integrated LED	10 x 4,5W 5300 lm CRI 90 2700K	PUSH DALI system	ØN8ØS M2 C8.LWD	€ 7.720
Brushed nickel	Brushed nickel	clear + steel cable	integrated LED	10 x 4,5W 5300 lm CRI 90 3000K	0-10V	ØN8ØS H4 C8.L	€ 8.050
			integrated LED	10 x 4,5W 5300 lm CRI 90 3000K	PUSH DALI system	ØN8ØS H4 C8.LD	€ 8.160
			integrated LED	10 x 4,5W 5300 lm CRI 90 2700K	0-10V	ØN8ØS H4 C8.LW	€ 8.050
			integrated LED	10 x 4,5W 5300 lm CRI 90 2700K	PUSH DALI system	ØN8ØS H4 C8.LWD	€ 8.160
Brushed gold	Brushed gold	clear + steel cable	integrated LED	10 x 4,5W 5300 lm CRI 90 3000K	0-10V	ØN8ØS L9 C8.L	€ 9.890
			integrated LED	10 x 4,5W 5300 lm CRI 90 3000K	PUSH DALI system	ØN8ØS L9 C8.LD	€ 9.995
			integrated LED	10 x 4,5W 5300 lm CRI 90 2700K	0-10V	ØN8ØS L9 C8.LW	€ 9.890
			integrated LED	10 x 4,5W 5300 lm CRI 90 2700K	PUSH DALI system	ØN8ØS L9 C8.LWD	€ 9.995

On site minimum adjustable overall height 60cm




12 |
 25,4 |
 276x46x22

I Lucci Argentati Wall sconce

Body

Canopy

Canopy for DALI



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 White polished  White polished	-	-	integrated LED	2 x 4,5W 1060 lm CRI 90 3000K	no	ØN85A M2 C8.LB	€ 1.105
			integrated LED	2 x 4,5W 1060 lm CRI 90 3000K	0/1-10V PUSH DALI system	ØN85A M2 C8.LBD	€ 1.215
			integrated LED	2 x 4,5W 1060 lm CRI 90 2700K	no	ØN85A M2 C8.LBW	€ 1.105
			integrated LED	2 x 4,5W 1060 lm CRI 90 2700K	0/1-10V PUSH DALI system	ØN85A M2 C8.LBWD	€ 1.215
 Brushed nickel  Brushed nickel	-	-	integrated LED	2 x 4,5W 1060 lm CRI 90 3000K	no	ØN85A H4 C8.LB	€ 1.325
			integrated LED	2 x 4,5W 1060 lm CRI 90 3000K	0/1-10V PUSH DALI system	ØN85A H4 C8.LBD	€ 1.435
			integrated LED	2 x 4,5W 1060 lm CRI 90 2700K	no	ØN85A H4 C8.LBW	€ 1.325
			integrated LED	2 x 4,5W 1060 lm CRI 90 2700K	0/1-10V PUSH DALI system	ØN85A H4 C8.LBWD	€ 1.435
 Brushed gold  Brushed gold	-	-	integrated LED	2 x 4,5W 1060 lm CRI 90 3000K	no	ØN85A L9 C8.LB	€ 1.715
			integrated LED	2 x 4,5W 1060 lm CRI 90 3000K	0/1-10V PUSH DALI system	ØN85A L9 C8.LBD	€ 1.830
			integrated LED	2 x 4,5W 1060 lm CRI 90 2700K	no	ØN85A L9 C8.LBW	€ 1.715
			integrated LED	2 x 4,5W 1060 lm CRI 90 2700K	0/1-10V PUSH DALI system	ØN85A L9 C8.LBWD	€ 1.830



3



4



107x23x26



Materials

Metal and PMMA



Finishes

Diffuser available in




Matt white
and clear diffuser

Canopy available in




Matt white

Description



Chandelier




Bespoke


Various customizations are available on request. Please contact our offices for any further information.

Iceberg Chandelier

Body



Canopy





Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Matt white and clear diffuser	 Matt white	clear + steel cable	E14 LED dimm. + E27 LED dimm.	6 x 6W + 8W	all systems	ØP6ØS E8 A9.	CE 14.600

E14 Led and E27 Led light bulbs are not included
On site minimum adjustable overall height 150cm

 41 |  10,25
13,2  4x 77x35x26,5
1x 76x76x60

Magdalena | Design Bruno Rainaldi



Materials

Metal

Finishes


Diffuser available in

- White
- Semipolished nickel
- Gold leaf


Canopy available in

- White
- Semipolished nickel
- Gold leaf

Description



Pendants




Bespoke

Various customizations are available on request. Please contact our offices for any further information.

Magdalena Small dome pendant light *

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Semipolished nickel	Semipolished nickel	red fabric + steel cable	E27 LED dimmable	15W	all systems	ØM65S G8 C8.	€ 760
Gold leaf	Gold leaf	black fabric + steel cable	E27 LED dimmable	15W	all systems	ØM65S H5 C8.	€ 880


E27 Led light bulbs are not included
On site minimum adjustable overall height 36cm

3,7 | 8,5 60x60x60

Magdalena Large dome pendant light *

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
White	White	red fabric + steel cable	E27 LED dimmable	15W	all systems	ØM66S E8 C8.	€ 1.080
Semipolished nickel	Semipolished nickel	red fabric + steel cable	E27 LED dimmable	15W	all systems	ØM66S G8 C8.	€ 1.315
Gold leaf	Gold leaf	black fabric + steel cable	E27 LED dimmable	15W	all systems	ØM66S H5 C8.	€ 1.390

E27 Led light bulbs are not included
On site minimum adjustable overall height 48cm



8 | 15 76x76x60

* Product available while stock lasts, contact customer service to check availability

Magdalena Small pendant light *

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
White	White	red fabric + steel cable	E27 LED dimmable	15W	all systems	ØM61S E8 C8.	€ 1.050
Semipolished nickel	Semipolished nickel	red fabric + steel cable	E27 LED dimmable	15W	all systems	ØM61S G8 C8.	€ 1.275
Gold leaf	Gold leaf	black fabric + steel cable	E27 LED dimmable	15W	all systems	ØM61S H5 C8.	€ 1.525



E27 Led light bulbs are not included
On site minimum adjustable overall height 90cm



Magdalena Large pendant light *

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
White	White	red fabric + steel cable	E27 LED dimmable	15W	all systems	ØM62S E8 C8.	€ 1.435
Semipolished nickel	Semipolished nickel	red fabric + steel cable	E27 LED dimmable	15W	all systems	ØM62S G8 C8.	€ 1.875
Gold leaf	Gold leaf	black fabric + steel cable	E27 LED dimmable	15W	all systems	ØM62S H5 C8.	€ 2.200

E27 Led light bulbs are not included
On site minimum adjustable overall height 120cm



* Product available while stock lasts, contact customer service to check availability

Manta |

Design Dodo Arslan & Nicolas Terzani



Materials

Clear

Finishes

Diffuser available in

Canopy available in




Clear crystal




White


Description



Pendants



3 Light pendant



Bespoke



Various customizations are available on request. Please contact our offices for any further information.

Manta Pendant light

Body

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Clear crystal	White	clear + steel cable	integrated LED	1,5W 105 lm 3000K	see power supply options	ØKØ11 E8 A9.KK	€ 625
			integrated LED	1,5W 105 lm 2700K	see power supply options	ØKØ11 E8 A9.W KK	€ 625

On site minimum adjustable overall height 180cm

2,2 | 2,8 32x24x17

Power supply options

INTEGRATED LED 2700K or 3000K




Dimming		Code	PRICE €
not	max 3 pendants	R10400000	23 (net)
1-10V / PUSH	min 2 max 8 pendants	R11100000	39 (net)
0/1-10V / PUSH / DALI	min 4 max 16 pendants	R10700000	73 (net)

Manta Pendant light

Body

Canopy

Canopy for DALI



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Clear crystal	White	clear + steel cable	integrated LED	1,5W 105 lm 3000K	no	ØKØ11 E8 A9.	€ 660
			integrated LED	1,5W 105 lm 3000K	PUSH DALI system	ØKØ11 E8 A9.D	€ 880
			integrated LED	1,5W 105 lm 2700K	no	ØKØ11 E8 A9.W	€ 660

Diffuser	Disc	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Clear crystal	 White	clear + steel cable	integrated LED	1,5W 105 lm 2700K	PUSH DALI system	ØKØ11 E8 A9.WD	CE 880

On site minimum adjustable overall height 180cm


 2,2 |  2,8  32x24x17

Manta Pendant light

Body

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Clear crystal	 White	clear + steel cable	integrated LED	1,5W 105 lm 3000K	see power supply options	ØKØ12 E8 A9.KK	CE 800
			integrated LED	1,5W 105 lm 2700K	see power supply options	ØKØ12 E8 A9.W KK	CE 800

On site minimum adjustable overall height 180cm

 4,2 |  5,2  43x38x17,5


Power supply options

INTEGRATED LED 2700K or 3000K


Dimming		Code	PRICE €
not	max 3 pendants	R10400000	23 (net)
1-10V / PUSH	min 2 max 8 pendants	R11100000	39 (net)
1-10V / PUSH / DALI	min 4 max 16 pendants	R10700000	73 (net)

Manta Pendant light


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Clear crystal  White		clear + steel cable	integrated LED	1,5W 105 lm 3000K	no	ØKØ12 E8 A9.	€ 840
			integrated LED	1,5W 105 lm 3000K	PUSH DALI system	ØKØ12 E8 A9.D	€ 1.060
			integrated LED	1,5W 105 lm 2700K	no	ØKØ12 E8 A9.W	€ 840
			integrated LED	1,5W 105 lm 2700K	PUSH DALI system	ØKØ12 E8 A9.WD	€ 1.060

On site minimum adjustable overall height 180cm


 4,2 |
  5,2
  43x38x17,5

Manta 3 Light pendant

Body



Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Clear crystal  White		clear + steel cable	integrated LED	3x1,5W 315 lm 3000K	1-10V PUSH	ØKØ31 E8 A9.	€ 1.975
			integrated LED	3x1,5W 315 lm 3000K	1-10V PUSH DALI system	ØKØ31 E8 A9.D	€ 2.085
			integrated LED	3x1,5W 315 lm 2700K	1-10V PUSH	ØKØ31 E8 A9.W	€ 1.975
			integrated LED	3x1,5W 315 lm 2700K	1-10V PUSH DALI system	ØKØ31 E8 A9.WD	€ 2.085

On site minimum adjustable overall height 170cm


 7 |
  8,4
  47,5x31,5x27,5



Materials

Clear Crystal
Metal

Description



Finishes

Diffuser available in



Clear crystal



Champagne crystal



Cognac crystal



Silver dust
crystal



Gold crystal

Canopy available in



Brushed nickel




White


IP Protection

IP65  on request

Pendants



Multi light pendant




Mizu Pendant light

Body

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Elect. cable	Source	Max power	Dimming	Code	PRICE €
		Clear	G4 LED or G4 Halogen	2W or 10W	see power supply options	ØRØ1S E8 A9.KK	€ 335
			Integrated LED	1,5W 180 lm 3000K - 500mA	see power supply options	ØRØ1S E8 A9.E KK	€ 360
			Integrated LED	1,5W 180 lm 2700K - 500mA	see power supply options	ØRØ1S E8 A9.EW KK	€ 360
		Clear	G4 LED or G4 Halogen	2W or 10W	see power supply options	ØRØ1S E8 H1.KK	€ 345
			Integrated LED	1,5W 180 lm 3000K - 500mA	see power supply options	ØRØ1S E8 H1.E KK	€ 375
			Integrated LED	1,5W 180 lm 2700K - 500mA	see power supply options	ØRØ1S E8 H1.EW KK	€ 375
		Clear	G4 LED or G4 Halogen	2W or 10W	see power supply options	ØRØ1S E8 H4.KK	€ 345
			Integrated LED	1,5W 180 lm 3000K - 500mA	see power supply options	ØRØ1S E8 H4.E KK	€ 375
			Integrated LED	1,5W 180 lm 2700K - 500mA	see power supply options	ØRØ1S E8 H4.EW KK	€ 375
		Clear	G4 LED or G4 Halogen	2W or 10W	see power supply options	ØRØ1S E8 F4.KK	€ 395
			Integrated LED	1,5W 180 lm 3000K - 500mA	see power supply options	ØRØ1S E8 F4.E KK	€ 445
			Integrated LED	1,5W 180 lm 2700K - 500mA	see power supply options	ØRØ1S E8 F4.EW KK	€ 445
		Clear	G4 LED or G4 Halogen	2W or 10W	see power supply options	ØRØ1S E8 A4.KK	€ 480
			Integrated LED	1,5W 180 lm 3000K - 500mA	see power supply options	ØRØ1S E8 A4.E KK	€ 510
			Integrated LED	1,5W 180 lm 2700K - 500mA	see power supply options	ØRØ1S E8 A4.EW KK	€ 510

G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 20cm



2



2,5



16,5x16,5x22,5

Power supply options

G4 HALO

Dimming		Code	PRICE €
IGBT	max 5 pendants	R10300000	23 (net)
DALI system	max 5 pendants	KITELETDALIHALO70	139 (net)

G4 LED


Dimming		Code	PRICE €
IGBT	min 2 max 21 pendants	R10300000	23 (net)
10-100KΩ 0/1-10V PUSH	max 25 pendants	KITELETDALILED60	117 (net)
DALI system	max 43 pendants	KITELETDALILED100	139 (net)

INTEGRATED LED 2700K or 3000K


Dimming		Code	PRICE €
1-10V / PUSH	min 2 max 8 pendants	R11100000	39 (net)
0/1-10V / PUSH / DALI	min 4 max 16 pendants	R10700000	73 (net)

Mizu Pendant light


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Clear crystal	White	Clear	G4 Halogen	10W	IGBT TRIAC	ØR01S E8 A9.	CE 375
			G4 LED	2W	no	ØR01S E8 A9.L	CE CB 375
			G4 LED dimmable or G4 Halogen	3W or 10W	DALI system	ØR01S E8 A9.D*	CE 485
			Integrated LED	1,5W 180 lm 3000K	no	ØR01S E8 A9.E	CE 405
			Integrated LED	1,5W 180 lm 2700K	no	ØR01S E8 A9.EW	CE 405
Clear crystal	Brushed nickel	Clear	G4 Halogen	10W	IGBT TRIAC	ØR01S H4 A9.	CE 375
			G4 LED	2W	no	ØR01S H4 A9.L	CE CB 375

Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
		Clear	G4 LED dimmable or G4 Halogen	3W or 10W	DALI system	ØRØ1S H4 A9.D*	CE 485
			Integrated LED	1,5W 180 lm 3000K	no	ØRØ1S H4 A9.E	CE 405
			Integrated LED	1,5W 180 lm 2700K	no	ØRØ1S H4 A9.EW	CE 405
		Clear	G4 Halogen	10W	IGBT TRIAC	ØRØ1S E8 H1.	CE 390
			G4 LED	2W	no	ØRØ1S E8 H1.L	CE CB 390
			G4 LED dimmable or G4 Halogen	3W or 10W	DALI system	ØRØ1S E8 H1.D*	CE 500
			Integrated LED	1,5W 180 lm 3000K	no	ØRØ1S E8 H1.E	CE 415
			Integrated LED	1,5W 180 lm 2700K	no	ØRØ1S E8 H1.EW	CE 415
			G4 Halogen	10W	IGBT TRIAC	ØRØ1S E8 H4.	CE 390
		Clear	G4 LED	2W	no	ØRØ1S E8 H4.L	CE CB 390
			G4 LED dimmable or G4 Halogen	3W or 10W	DALI system	ØRØ1S E8 H4.D*	CE 500
			Integrated LED	1,5W 180 lm 3000K	no	ØRØ1S E8 H4.E	CE 415
			Integrated LED	1,5W 180 lm 2700K	no	ØRØ1S E8 H4.EW	CE 415
			G4 Halogen	10W	IGBT TRIAC	ØRØ1S H4 F4.	CE 430
			G4 LED	2W	no	ØRØ1S H4 F4.L	CE CB 430
		Clear	G4 LED dimmable or G4 Halogen	3W or 10W	DALI system	ØRØ1S H4 F4.D*	CE 540
			Integrated LED	1,5W 180 lm 3000K	no	ØRØ1S H4 F4.E	CE 455
			Integrated LED	1,5W 180 lm 2700K	no	ØRØ1S H4 F4.EW	CE 455
			G4 Halogen	10W	IGBT TRIAC	ØRØ1S E8 A4.	CE 520
		Clear	G4 LED	2W	no	ØRØ1S E8 A4.L	CE CB 520
			G4 LED dimmable or G4 Halogen	3W or 10W	DALI system	ØRØ1S E8 A4.D*	CE 630
			Integrated LED	1,5W 180 lm 3000K	no	ØRØ1S E8 A4.E	CE 545

Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Gold crystal	 White	Clear	Integrated LED	1,5W 180 lm 2700K	no	ØRØ1S E8 A4.EW	 545


G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 30cm

 2,8 |  2,5 |  16,5x16,5x22,5
* 2,8 | * 3,4 | * 30x30x30

Mizu 3 Light pendant

Body | 3 crystals

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
		Clear	G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 10W	IGBT	ØRØ3S E8 A9.	 1.160
			G4 LED	3 X 2W	no	ØRØ3S E8 A9.L	 CB 1.215
			G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 10W	DALI system	ØRØ3S E8 A9.D	 1.325
			Integrated LED	3 X 1,5W 540 lm 3000K	1-10V PUSH	ØRØ3S E8 A9.E	 1.240
			Integrated LED	3 X 1,5W 540 lm 3000K	DALI system	ØRØ3S E8 A9.ED	 1.405
			Integrated LED	3 X 1,5W 540 lm 2700K	1-10V PUSH	ØRØ3S E8 A9.EW	 1.240
			Integrated LED	3 X 1,5W 540 lm 2700K	DALI system	ØRØ3S E8 A9.EWD	 1.405
			G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 10W	IGBT	ØRØ3S H4 A9.	 1.160
		Clear	G4 LED	3 X 2W	no	ØRØ3S H4 A9.L	 CB 1.215
			G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 10W	DALI system	ØRØ3S H4 A9.D	 1.325
			Integrated LED	3 X 1,5W 540 lm 3000K	1-10V PUSH	ØRØ3S H4 A9.E	 1.240
			Integrated LED	3 X 1,5W 540 lm 3000K	DALI system	ØRØ3S H4 A9.ED	 1.405
			Integrated LED	3 X 1,5W 540 lm 2700K	1-10V PUSH	ØRØ3S H4 A9.EW	 1.240
			Integrated LED	3 X 1,5W 540 lm 2700K	DALI system	ØRØ3S H4 A9.ED	 1.405

Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Clear crystal	 Brushed nickel	Clear	Integrated LED	3 X 1,5W 540 lm 2700K	DALI system	ØR03S H4 A9.EWD	CE 1.405
			G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 10W	IGBT	ØR03S E8 H1.	CE 1.190
			G4 LED	3 X 2W	no	ØR03S E8 H1.L	CE CB 1.245
			G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 10W	DALI system	ØR03S E8 H1.D	CE 1.355
 Champagne crystal	 White	Clear	Integrated LED	3 X 1,5W 540 lm 3000K	1-10V PUSH	ØR03S E8 H1.E	CE 1.275
			Integrated LED	3 X 1,5W 540 lm 3000K	DALI system	ØR03S E8 H1.ED	CE 1.440
			Integrated LED	3 X 1,5W 540 lm 2700K	1-10V PUSH	ØR03S E8 H1.EW	CE 1.275
			Integrated LED	3 X 1,5W 540 lm 2700K	DALI system	ØR03S E8 H1.EWD	CE 1.440
			G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 10W	IGBT	ØR03S E8 H4.	CE 1.190
			G4 LED	3 X 2W	no	ØR03S E8 H4.L	CE CB 1.245
			G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 10W	DALI system	ØR03S E8 H4.D	CE 1.355
			Integrated LED	3 X 1,5W 540 lm 3000K	1-10V PUSH	ØR03S E8 H4.E	CE 1.275
 Cognac crystal	 White	Clear	Integrated LED	3 X 1,5W 540 lm 3000K	DALI system	ØR03S E8 H4.ED	CE 1.440
			Integrated LED	3 X 1,5W 540 lm 2700K	1-10V PUSH	ØR03S E8 H4.EW	CE 1.275
			Integrated LED	3 X 1,5W 540 lm 2700K	DALI system	ØR03S E8 H4.EWD	CE 1.440
			G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 10W	IGBT	ØR03S H4 F4.	CE 1.335
			G4 LED	3 X 2W	no	ØR03S H4 F4.L	CE CB 1.385
			G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 10W	DALI system	ØR03S H4 F4.D	CE 1.500
			Integrated LED	3 X 1,5W 540 lm 3000K	1-10V PUSH	ØR03S H4 F4.E	CE 1.420
			Integrated LED	3 X 1,5W 540 lm 3000K	DALI system	ØR03S H4 F4.ED	CE 1.580
 Silver dust crystal	 Brushed nickel	Clear	Integrated LED	3 X 1,5W 540 lm 2700K	1-10V PUSH	ØR03S H4 F4.EW	CE 1.420
			Integrated LED	3 X 1,5W 540 lm 2700K	DALI system	ØR03S H4 F4.EWD	CE 1.580
			Integrated LED	3 X 1,5W 540 lm 2700K	1-10V PUSH	ØR03S H4 F4.EW	CE 1.420
			Integrated LED	3 X 1,5W 540 lm 2700K	DALI system	ØR03S H4 F4.EWD	CE 1.580

Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Gold crystal  White  Clear			G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 10W	IGBT	ØRØ3S E8 A4.	CE 1.525
			G4 LED	3 X 2W	no	ØRØ3S E8 A4.L	CE CB 1.575
			G4 LED dimmable or G4 Halogen	3 X 2W or 3 X 10W	DALI system	ØRØ3S E8 A4.D	CE 1.685
			Integrated LED	3 X 1,5W 540 lm 3000K	1-10V PUSH	ØRØ3S E8 A4.E	CE 1.605
			Integrated LED	3 X 1,5W 540 lm 3000K	DALI system	ØRØ3S E8 A4.ED	CE 1.770
			Integrated LED	3 X 1,5W 540 lm 2700K	1-10V PUSH	ØRØ3S E8 A4.EW	CE 1.605
			Integrated LED	3 X 1,5W 540 lm 2700K	DALI system	ØRØ3S E8 A4.EWD	CE 1.770

G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 50cm



8



10





31x31x26

Mizu 5 Light pendant

Body | 5 crystals

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Clear crystal  White  Clear			G4 LED dimmable or G4 Halogen	5 X 2W or 5 X 10W	IGBT	ØRØ5S E8 A9.	CE 1.930
			G4 LED dimmable	5 X 2W	1-10V 10V PWM	ØRØ5S E8 A9.L	CE CB 1.980
			G4 LED dimmable or G4 Halogen	5 X 2W or 5 X 10W	DALI system	ØRØ5S E8 A9.D	CE 2.155
			Integrated LED	5 X 1,5W 900 lm 3000K	0/1-10V PUSH DALI system	ØRØ5S E8 A9.E	CE 2.230
			Integrated LED	5 X 1,5W 900 lm 2700K	0/1-10V PUSH DALI system	ØRØ5S E8 A9.EW	CE 2.230
 Clear crystal  Brushed nickel  Clear			G4 LED dimmable or G4 Halogen	5 X 2W or 5 X 10W	IGBT	ØRØ5S H4 A9.	CE 1.930
			G4 LED dimmable	5 X 2W	1-10V 10V PWM	ØRØ5S H4 A9.L	CE CB 1.980

Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Clear crystal	 Brushed nickel	Clear	G4 LED dimmable or G4 Halogen	5 X 2W or 5 X 10W	DALI system	ØRØ5S H4 A9.D	CE 2.155
			Integrated LED	5 X 1,5W 900 lm 3000K	0/1-10V PUSH DALI system	ØRØ5S H4 A9.E	CE 2.230
			Integrated LED	5 X 1,5W 900 lm 2700K	0/1-10V PUSH DALI system	ØRØ5S H4 A9.EW	CE 2.230
 Champagne crystal	 White	Clear	G4 LED dimmable or G4 Halogen	5 X 2W or 5 X 10W	IGBT	ØRØ5S E8 H1.	CE 1.985
			G4 LED dimmable	5 X 2W	1-10V PUSH	ØRØ5S E8 H1.L	CE CB 2.030
			G4 LED dimmable or G4 Halogen	5 X 2W or 5 X 10W	DALI system	ØRØ5S E8 H1.D	CE 2.205
			Integrated LED	5 X 1,5W 900 lm 3000K	0/1-10V PUSH DALI system	ØRØ5S E8 H1.E	CE 2.290
			Integrated LED	5 X 1,5W 900 lm 2700K	0/1-10V PUSH DALI system	ØRØ5S E8 H1.EW	CE 2.290
 Cognac crystal	 White	Clear	G4 LED dimmable or G4 Halogen	5 X 2W or 5 X 10W	IGBT	ØRØ5S E8 H4.	CE 1.985
			G4 LED dimmable	5 X 2W	1-10V PUSH	ØRØ5S E8 H4.L	CE CB 2.030
			G4 LED dimmable or G4 Halogen	5 X 2W or 5 X 10W	DALI system	ØRØ5S E8 H4.D	CE 2.205
			Integrated LED	5 X 1,5W 900 lm 3000K	0/1-10V PUSH DALI system	ØRØ5S E8 H4.E	CE 2.290
			Integrated LED	5 X 1,5W 900 lm 2700K	0/1-10V PUSH DALI system	ØRØ5S E8 H4.EW	CE 2.290
 Silver dust crystal	 Brushed nickel	Clear	G4 LED dimmable or G4 Halogen	5 X 2W or 5 X 10W	IGBT	ØRØ5S H4 F4.	CE 2.205
			G4 LED dimmable	5 X 2W	1-10V 10V PWM	ØRØ5S H4 F4.L	CE CB 2.250
			G4 LED dimmable or G4 Halogen	5 X 2W or 5 X 10W	DALI system	ØRØ5S H4 F4.D	CE 2.425
			Integrated LED	5 X 1,5W 900 lm 3000K	0/1-10V PUSH DALI system	ØRØ5S H4 F4.E	CE 2.505
			Integrated LED	5 X 1,5W 900 lm 2700K	0/1-10V PUSH DALI system	ØRØ5S H4 F4.EW	CE 2.505
 Gold crystal	 White	Clear	G4 LED dimmable or G4 Halogen	5 X 2W or 5 X 10W	IGBT	ØRØ5S E8 A4.	CE 2.580
			G4 LED dimmable	5 X 2W	1-10V 10V PWM	ØRØ5S E8 A4.L	CE CB 2.630
			G4 LED dimmable or G4 Halogen	5 X 2W or 5 X 10W	DALI system	ØRØ5S E8 A4.D	CE 2.800
			Integrated LED	5 X 1,5W 900 lm 3000K	0/1-10V PUSH DALI system	ØRØ5S E8 A4.E	CE 2.880

Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Gold crystal	 White	Clear	Integrated LED	5 X 1,5W 900 lm 2700K	0/1-10V PUSH DALI system	ØRØ5S E8 A4.EW	€ 2.880

G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 80cm



12



15





47,5x31,5x27,5

Mizu 7 light pendant

Body | 7 crystals

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
		Clear	G4 LED dimmable or G4 Halogen	7 X 2W or 7 X 10W	IGBT	ØR07S E8 A9.	CE 2.705
			G4 LED dimmable	7 X 2W	1-10V PWM	ØR07S E8 A9.L	CE CB 2.705
			G4 LED dimmable or G4 Halogen	7 X 2W or 7 X 10W	DALI system	ØR07S E8 A9.D	CE 2.925
			Integrated LED	7 X 1,5W 1260 lm 3000K	0/1-10V PUSH DALI system	ØR07S E8 A9.E	CE 3.060
			Integrated LED	7 X 1,5W 1260 lm 2700K	0/1-10V PUSH DALI system	ØR07S E8 A9.EW	CE 3.060
		Clear	G4 LED dimmable or G4 Halogen	7 X 2W or 7 X 10W	IGBT	ØR07S H4 A9.	CE 2.705
			G4 LED dimmable	7 X 2W	1-10V PWM	ØR07S H4 A9.L	CE CB 2.705
			G4 LED dimmable or G4 Halogen	7 X 2W or 7 X 10W	DALI system	ØR07S H4 A9.D	CE 2.925
			Integrated LED	7 X 1,5W 1260 lm 3000K	0/1-10V PUSH DALI system	ØR07S H4 A9.E	CE 3.060
			Integrated LED	7 X 1,5W 1260 lm 2700K	0/1-10V PUSH DALI system	ØR07S H4 A9.EW	CE 3.060
		Clear	G4 LED dimmable or G4 Halogen	7 X 2W or 7 X 10W	IGBT	ØR07S E8 H1.	CE 2.775
			G4 LED dimmable	7 X 2W	1-10V PWM	ØR07S E8 H1.L	CE CB 2.775
			G4 LED dimmable or G4 Halogen	7 X 2W or 7 X 10W	DALI system	ØR07S E8 H1.D	CE 2.995
			Integrated LED	7 X 1,5W 1260 lm 3000K	0/1-10V PUSH DALI system	ØR07S E8 H1.E	CE 3.135
			Integrated LED	7 X 1,5W 1260 lm 2700K	0/1-10V PUSH DALI system	ØR07S E8 H1.EW	CE 3.135
		Clear	G4 LED dimmable or G4 Halogen	7 X 2W or 7 X 10W	IGBT	ØR07S E8 H4.	CE 2.775
			G4 LED dimmable	7 X 2W	1-10V PWM	ØR07S E8 H4.L	CE CB 2.775

Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Cognac crystal	 White	Clear	G4 LED dimmable or G4 Halogen	7 X 2W or 7 X 10W	DALI system	ØRØ7S E8 H4.D	CE 2.995
			Integrated LED	7 X 1,5W 1260 lm 3000K	0/1-10V PUSH DALI system	ØRØ7S E8 H4.E	CE 3.135
			Integrated LED	7 X 1,5W 1260 lm 2700K	0/1-10V PUSH DALI system	ØRØ7S E8 H4.EW	CE 3.135
 Silver dust crystal	 Brushed nickel	Clear	G4 LED dimmable or G4 Halogen	7 X 2W or 7 X 10W	IGBT	ØRØ7S H4 F4.	CE 3.085
			G4 LED dimmable	7 X 2W	1-10V PWM	ØRØ7S H4 F4.L	CE CB 3.085
			G4 LED dimmable or G4 Halogen	7 X 2W or 7 X 10W	DALI system	ØRØ7S H4 F4.D	CE 3.310
			Integrated LED	7 X 1,5W 1260 lm 3000K	0/1-10V PUSH DALI system	ØRØ7S H4 F4.E	CE 3.445
			Integrated LED	7 X 1,5W 1260 lm 2700K	0/1-10V PUSH DALI system	ØRØ7S H4 F4.EW	CE 3.445
			G4 LED dimmable or G4 Halogen	7 X 2W or 7 X 10W	IGBT	ØRØ7S E8 A4.	CE 3.585
 Gold crystal	 White	Clear	G4 LED dimmable	7 X 2W	1-10V PWM	ØRØ7S E8 A4.L	CE CB 3.585
			G4 LED dimmable or G4 Halogen	7 X 2W or 7 X 10W	DALI system	ØRØ7S E8 A4.D	CE 3.805
			Integrated LED	7 X 1,5W 1260 lm 3000K	0/1-10V PUSH DALI system	ØRØ7S E8 A4.E	CE 3.945
			Integrated LED	7 X 1,5W 1260 lm 2700K	0/1-10V PUSH DALI system	ØRØ7S E8 A4.EW	CE 3.945


G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 80cm



Mizu 15 Rectangular multi light pendant

Body | 15 crystals

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
		Clear	G4 LED dimmable or G4 Halogen	15 X 2W or 15 X 10W	IGBT	ØR15S E8 A9.R	CE 6.785
			G4 LED dimmable	15 X 2W	1-10V PWM	ØR15S E8 A9.RL	CE CB 6.785
			G4 LED dimmable or G4 Halogen	15 X 2W or 15 X 10W	DALI system	ØR15S E8 A9.RD	CE 7.115
			Integrated LED	15 X 1,5W 2700 lm 3000K	0/1-10V PUSH DALI system	ØR15S E8 A9.RE	CE 7.195
			Integrated LED	15 X 1,5W 2700 lm 2700K	0/1-10V PUSH DALI system	ØR15S E8 A9.REW	CE 7.195
		Clear	G4 LED dimmable or G4 Halogen	15 X 2W or 15 X 10W	IGBT	ØR15S E8 H1.R	CE 6.945
			G4 LED dimmable	15 X 2W	1-10V PWM	ØR15S E8 H1.RL	CE CB 6.945
			G4 LED dimmable or G4 Halogen	15 X 2W or 15 X 10W	DALI system	ØR15S E8 H1.RD	CE 7.275
			Integrated LED	15 X 1,5W 2700 lm 3000K	0/1-10V PUSH DALI system	ØR15S E8 H1.RE	CE 7.360
			Integrated LED	15 X 1,5W 2700 lm 2700K	0/1-10V PUSH DALI system	ØR15S E8 H1.REW	CE 7.360
		Clear	G4 LED dimmable or G4 Halogen	15 X 2W or 15 X 10W	IGBT	ØR15S E8 H4.R	CE 6.945
			G4 LED dimmable	15 X 2W	1-10V PWM	ØR15S E8 H4.RL	CE CB 6.945
			G4 LED dimmable or G4 Halogen	15 X 2W or 15 X 10W	DALI system	ØR15S E8 H4.RD	CE 7.275
			Integrated LED	15 X 1,5W 2700 lm 3000K	0/1-10V PUSH DALI system	ØR15S E8 H4.RE	CE 7.360
			Integrated LED	15 X 1,5W 2700 lm 2700K	0/1-10V PUSH DALI system	ØR15S E8 H4.REW	CE 7.360
		Clear	G4 LED dimmable or G4 Halogen	15 X 2W or 15 X 10W	IGBT	ØR15S E8 F4.R	CE 7.665

Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Silver dust crystal	 White	Clear	G4 LED dimmable	15 X 2W	1-10V PWM	ØR15S E8 F4.RL	CE CB 7.665
			G4 LED dimmable or G4 Halogen	15 X 2W or 15 X 10W	DALI system	ØR15S E8 F4.RD	CE 7.995
			Integrated LED	15 X 1,5W 2700 lm 3000K	0/1-10V PUSH DALI system	ØR15S E8 F4.RE	CE 8.075
			Integrated LED	15 X 1,5W 2700 lm 2700K	0/1-10V PUSH DALI system	ØR15S E8 F4.REW	CE 8.075
 Gold crystal	 White	Clear	G4 LED dimmable or G4 Halogen	15 X 2W or 15 X 10W	IGBT	ØR15S E8 A4.R	CE 8.800
			G4 LED dimmable	15 X 2W	1-10V PWM	ØR15S E8 A4.RL	CE CB 8.800
			G4 LED dimmable or G4 Halogen	15 X 2W or 15 X 10W	DALI system	ØR15S E8 A4.RD	CE 9.130
			Integrated LED	15 X 1,5W 2700 lm 3000K	0/1-10V PUSH DALI system	ØR15S E8 A4.RE	CE 9.215
			Integrated LED	15 X 1,5W 2700 lm 2700K	0/1-10V PUSH DALI system	ØR15S E8 A4.REW	CE 9.215


G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 30cm

 36 |  40  77x77x30

Mizu 15 Round multi light pendant

Body | 15 crystals

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
		Clear	G4 LED dimmable or G4 Halogen	15 X 2W or 15 X 10W	IGBT	ØR15S E8 A9.T	CE 6.785
			G4 LED dimmable	15 X 2W	1-10V PWM	ØR15S E8 A9.TL	CE CB 6.785
			G4 LED dimmable or G4 Halogen	15 X 2W or 15 X 10W	DALI system	ØR15S E8 A9.TD	CE 7.115
			Integrated LED	15 X 1,5W 2700 lm 3000K	0/1-10V PUSH DALI system	ØR15S E8 A9.TE	CE 7.195
			Integrated LED	15 X 1,5W 2700 lm 2700K	0/1-10V PUSH DALI system	ØR15S E8 A9.TEW	CE 7.195
		Clear	G4 LED dimmable or G4 Halogen	15 X 2W or 15 X 10W	IGBT	ØR15S E8 H1.T	CE 6.945
			G4 LED dimmable	15 X 2W	1-10V PWM	ØR15S E8 H1.TL	CE CB 6.945
			G4 LED dimmable or G4 Halogen	15 X 2W or 15 X 10W	DALI system	ØR15S E8 H1.TD	CE 7.275
			Integrated LED	15 X 1,5W 2700 lm 3000K	0/1-10V PUSH DALI system	ØR15S E8 H1.TE	CE 7.360
			Integrated LED	15 X 1,5W 2700 lm 2700K	0/1-10V PUSH DALI system	ØR15S E8 H1.TEW	CE 7.360
		Clear	G4 LED dimmable or G4 Halogen	15 X 2W or 15 X 10W	IGBT	ØR15S E8 H4.T	CE 6.945
			G4 LED dimmable	15 X 2W	1-10V PWM	ØR15S E8 H4.TL	CE CB 6.945
			G4 LED dimmable or G4 Halogen	15 X 2W or 15 X 10W	DALI system	ØR15S E8 H4.TD	CE 7.275
			Integrated LED	15 X 1,5W 2700 lm 3000K	0/1-10V PUSH DALI system	ØR15S E8 H4.TE	CE 7.360
			Integrated LED	15 X 1,5W 2700 lm 2700K	0/1-10V PUSH DALI system	ØR15S E8 H4.TEW	CE 7.360
		Clear	G4 LED dimmable or G4 Halogen	15 X 2W or 15 X 10W	IGBT	ØR15S E8 F4.T	CE 7.665
			G4 LED dimmable	15 X 2W	1-10V PWM	ØR15S E8 F4.TL	CE CB 7.665

Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
		Clear	G4 LED dimmable or G4 Halogen	15 X 2W or 15 X 10W	DALI system	ØR15S E8 F4.TD	CE 7.995
			Integrated LED	15 X 1,5W 2700 lm 3000K	0/1-10V PUSH DALI system	ØR15S E8 F4.TE	CE 8.075
			Integrated LED	15 X 1,5W 2700 lm 2700K	0/1-10V PUSH DALI system	ØR15S E8 F4.TEW	CE 8.075
		Clear	G4 LED dimmable or G4 Halogen	15 X 2W or 15 X 10W	IGBT	ØR15S E8 A4.T	CE 8.800
			G4 LED dimmable	15 X 2W	1-10V PWM	ØR15S E8 A4.TL	CE CB 8.800
			G4 LED dimmable or G4 Halogen	15 X 2W or 15 X 10W	DALI system	ØR15S E8 A4.TD	CE 9.130
			Integrated LED	15 X 1,5W 2700 lm 3000K	0/1-10V PUSH DALI system	ØR15S E8 A4.TE	CE 9.215
			Integrated LED	15 X 1,5W 2700 lm 2700K	0/1-10V PUSH DALI system	ØR15S E8 A4.TEW	CE 9.215


G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 70cm



Mizu 26 Square multi light pendant

Body | 26 crystals

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
		Clear	G4 LED dimmable or G4 Halogen	26 X 2W or 26 X 10W	IGBT	ØR26S E8 A9.Q	CE 11.450
			G4 LED dimmable	26 X 2W	1-10V PWM	ØR26S E8 A9.QL	CE CB 11.450
			G4 LED dimmable or G4 Halogen	26 X 2W or 26 X 10W	DALI system	ØR26S E8 A9.QD	CE 11.900
			Integrated LED	26 X 1,5W 4680 lm 3000K	0/1-10V PUSH DALI system	ØR26S E8 A9.QE	CE 12.150
			Integrated LED	26 X 1,5W 4680 lm 2700K	0/1-10V PUSH DALI system	ØR26S E8 A9.QEW	CE 12.150
		Clear	G4 LED dimmable or G4 Halogen	26 X 2W or 26 X 10W	IGBT	ØR26S E8 H1.Q	CE 11.750

Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Champagne crystal	 White	Clear	G4 LED dimmable	26 X 2W	1-10V PWM	ØR26S E8 H1 .QL	CE CB 11.750
			G4 LED dimmable or G4 Halogen	26 X 2W or 26 X 10W	DALI system	ØR26S E8 H1 .QD	CE 12.150
			Integrated LED	26 X 1,5W 4680 lm 3000K	0/1-10V PUSH DALI system	ØR26S E8 H1 .QE	CE 12.450
			Integrated LED	26 X 1,5W 4680 lm 2700K	0/1-10V PUSH DALI system	ØR26S E8 H1 .QEW	CE 12.450
 Cognac crystal	 White	Clear	G4 LED dimmable or G4 Halogen	26 X 2W or 26 X 10W	IGBT	ØR26S E8 H4 .Q	CE 11.750
			G4 LED dimmable	26 X 2W	1-10V PWM	ØR26S E8 H4 .QL	CE CB 11.750
			G4 LED dimmable or G4 Halogen	26 X 2W or 26 X 10W	DALI system	ØR26S E8 H4 .QD	CE 12.150
			Integrated LED	26 X 1,5W 4680 lm 3000K	0/1-10V PUSH DALI system	ØR26S E8 H4 .QE	CE 12.450
 Silver dust crystal	 White	Clear	Integrated LED	26 X 1,5W 4680 lm 2700K	0/1-10V PUSH DALI system	ØR26S E8 H4 .QEW	CE 12.450
			G4 LED dimmable or G4 Halogen	26 X 2W or 26 X 10W	IGBT	ØR26S E8 F4 .Q	CE 12.950
			G4 LED dimmable	26 X 2W	1-10V PWM	ØR26S E8 F4 .QL	CE CB 12.950
			G4 LED dimmable or G4 Halogen	26 X 2W or 26 X 10W	DALI system	ØR26S E8 F4 .QD	CE 13.400
 Gold crystal	 White	Clear	Integrated LED	26 X 1,5W 4680 lm 3000K	0/1-10V PUSH DALI system	ØR26S E8 F4 .QE	CE 13.700
			Integrated LED	26 X 1,5W 4680 lm 2700K	0/1-10V PUSH DALI system	ØR26S E8 F4 .QEW	CE 13.700
			G4 LED dimmable or G4 Halogen	26 X 2W or 26 X 10W	IGBT	ØR26S E8 A4 .Q	CE 14.700
			G4 LED dimmable	26 X 2W	1-10V PWM	ØR26S E8 A4 .QL	CE CB 14.700
 Gold crystal	 White	Clear	G4 LED dimmable or G4 Halogen	26 X 2W or 26 X 10W	DALI system	ØR26S E8 A4 .QD	CE 15.150
			Integrated LED	26 X 1,5W 4680 lm 3000K	0/1-10V PUSH DALI system	ØR26S E8 A4 .QE	CE 15.400
			Integrated LED	26 X 1,5W 4680 lm 2700K	0/1-10V PUSH DALI system	ØR26S E8 A4 .QEW	CE 15.400



Quick system included (for further information see page 216-217)
G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 30cm



Mizu 26 Round multi light pendant

Body | 26 crystals

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
		Clear	G4 LED dimmable or G4 Halogen	26 X 2W or 26 X 10W	IGBT	ØR26S E8 A9.T	CE 11.450
			G4 LED dimmable	26 X 2W	1-10V PWM	ØR26S E8 A9.TL	CE CB 11.450
			G4 LED dimmable or G4 Halogen	26 X 2W or 26 X 10W	DALI system	ØR26S E8 A9.TD	CE 11.900
			Integrated LED	26 X 1,5W 4680 lm 3000K	0/1-10V PUSH DALI system	ØR26S E8 A9.TE	CE 12.150
			Integrated LED	26 X 1,5W 4680 lm 2700K	0/1-10V PUSH DALI system	ØR26S E8 A9.TEW	CE 12.150
		Clear	G4 LED dimmable or G4 Halogen	26 X 2W or 26 X 10W	IGBT	ØR26S E8 H1.T	CE 11.750
			G4 LED dimmable	26 X 2W	1-10V PWM	ØR26S E8 H1.TL	CE CB 11.750
			G4 LED dimmable or G4 Halogen	26 X 2W or 26 X 10W	DALI system	ØR26S E8 H1.TD	CE 12.150
			Integrated LED	26 X 1,5W 4680 lm 3000K	0/1-10V PUSH DALI system	ØR26S E8 H1.TE	CE 12.450
			Integrated LED	26 X 1,5W 4680 lm 2700K	0/1-10V PUSH DALI system	ØR26S E8 H1.TEW	CE 12.450
		Clear	G4 LED dimmable or G4 Halogen	26 X 2W or 26 X 10W	IGBT	ØR26S E8 H4.T	CE 11.750
			G4 LED dimmable	26 X 2W	1-10V PWM	ØR26S E8 H4.TL	CE CB 11.750
			G4 LED dimmable or G4 Halogen	26 X 2W or 26 X 10W	DALI system	ØR26S E8 H4.TD	CE 12.150
			Integrated LED	26 X 1,5W 4680 lm 3000K	0/1-10V PUSH DALI system	ØR26S E8 H4.TE	CE 12.450
			Integrated LED	26 X 1,5W 4680 lm 2700K	0/1-10V PUSH DALI system	ØR26S E8 H4.TEW	CE 12.450
		Clear	G4 LED dimmable or G4 Halogen	26 X 2W or 26 X 10W	IGBT	ØR26S E8 F4.T	CE 12.950
			G4 LED dimmable	26 X 2W	1-10V PWM	ØR26S E8 F4.TL	CE CB 12.950

Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Silver dust crystal	 White	Clear	G4 LED dimmable or G4 Halogen	26 X 2W or 26 X 10W	DALI system	ØR26S E8 F4.TD	CE 13.400
			Integrated LED	26 X 1,5W 4680 lm 3000K	0/1-10V PUSH DALI system	ØR26S E8 F4.TE	CE 13.700
			Integrated LED	26 X 1,5W 4680 lm 2700K	0/1-10V PUSH DALI system	ØR26S E8 F4.TEW	CE 13.700
 Gold crystal	 White	Clear	G4 LED dimmable or G4 Halogen	26 X 2W or 26 X 10W	IGBT	ØR26S E8 A4.T	CE 14.700
			G4 LED dimmable	26 X 2W	1-10V PWM	ØR26S E8 A4.TL	CE CB 14.700
			G4 LED dimmable or G4 Halogen	26 X 2W or 26 X 10W	DALI system	ØR26S E8 A4.TD	CE 15.150
			Integrated LED	26 X 1,5W 4680 lm 3000K	0/1-10V PUSH DALI system	ØR26S E8 A4.TE	CE 15.400
			Integrated LED	26 X 1,5W 4680 lm 2700K	0/1-10V PUSH DALI system	ØR26S E8 A4.TEW	CE 15.400

Quick system included (for further information see page 216-217)
G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 105cm



60



67




90x90x35

Bespoke |

You should indicate in your purchase order



Canopy type
Canopy finish
Canopy dimension
Pendant height min and max
Pendants number
Pendants finish
Light source type
Dimming




Various customizations are available on request.

Please contact our offices for any further information or download the price calculator from our reserved area:

<https://www.terzani.com/en/reserved-area>

Canopy	Dimension	Type *	Finish
	 _____ cm ☐	 Standard ☐ With quick system ☐ Without quick system	☐ White ☐ Mirror Stainless steel ☐ Brushed Stainless steel ☐ Other _____
	 _____ cm ☐	 Flush ☐ Available only with quick	
	 _____ cm ☐	 Radial system ☐	
	 _____ cm ☐	 Disc ☐	

Height	Pendant height
	
	min _____ cm max _____ cm

Diffuser	Finish	Number of pendants
	Clear ☐ Silver Dust ☐ Gold ☐ Cognac ☐ Champagne ☐	

Light Source	Voltage	Type	Dimming
	120V ☐ 230V ☐	Bulb ☐ Halo ☐ Led ☐ Integrated Led 3000K ☐ 3000K IP65 ☐ 2700K ☐ 2700K IP65 ☐	☐ IGBT ☐ 1-10V ☐ TRIAC ☐ PUSH ☐ DALI ☐ Other _____

Sketch and note

Moiré | Design Christian Lava



Materials

Metal

Finishes

Diffuser available in



Nickel



Gold plated

Canopy available in




Nickel




Gold plated

Description



Pendant




Bespoke


Various customizations are available on request. Please contact our offices for any further information.

Moiré Pendant light

Body



Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Nickel	 Nickel	clear + steel cable	integrated LED	15W 1950 lm 3000K	1-10V PUSH	ØM1ØS E7 C8.	€ 5.460
			integrated LED	15W 1950 lm 3000K	DALI system	ØM1ØS E7 C8.D	€ 5.625
 Gold plated	 Gold plated	clear + steel cable	integrated LED	15W 1950 lm 3000K	1-10V PUSH	ØM1ØS L6 C8.	€ 6.450
			integrated LED	15W 1950 lm 3000K	DALI system	ØM1ØS L6 C8.D	€ 6.615

On site minimum adjustable overall height 90cm

 10,5 |  25  83x78x95



Materials

Metal

Finishes


Diffuser available in

- Nickel
- Gold plated


Canopy available in

- Nickel
- Gold plated

Description



Pendants



Ceiling lamp







Table lamp



Floor lamp



Wall sconce



Bespoke

Various customizations are available on request. Please contact our offices for any further information.

Orten'zia Small mini pendant light

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	clear	G9 LED dimmable	3,5W	all systems	ØM47S E7 C8.	€ 255
Gold plated	Gold plated	clear	G9 LED dimmable	3,5W	all systems	ØM47S L6 C8.	€ 330


G9 Led light bulbs are not included
On site minimum adjustable overall height 35cm

0,5 | 1 20x20x20

Orten'zia Large mini pendant light

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	red fabric	E14 LED dimmable	4W	all systems	ØM4ØS E7 C8.	€ 440
Gold plated	Gold plated	black fabric	E14 LED dimmable	4W	all systems	ØM4ØS L6 C8.	€ 505


E14 Led light bulbs are not included
On site minimum adjustable overall height 45cm

1,2 | 2 30x30x30

Orten'zia Small pendant light

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	red fabric + steel cable	E27 LED dimmable	15W	all systems	ØM46S E7 C8.	€ 1.465
Gold plated	Gold plated	black fabric + steel cable	E27 LED dimmable	15W	all systems	ØM46S L6 C8.	€ 1.805


E27 Led light bulbs are not included
On site minimum adjustable overall height 90cm



Orten'zia Large pendant light

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	red fabric + steel cable	E27 LED dimmable	15W	all systems	ØM51S E7 C8.	€ 3.295
Gold plated	Gold plated	black fabric + steel cable	E27 LED dimmable	15W	all systems	ØM51S L6 C8.	€ 4.300

E27 Led light bulbs are not included
On site minimum adjustable overall height 120cm






Orten'zia Small round ceiling light | Wall sconce

Body | ceiling lamp

Body | wall sconce

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	-	G9 LED dimmable	3,5W	all systems	ØM57L E7 C8.	€ 265
Gold plated	Gold plated	-	G9 LED dimmable	3,5W	all systems	ØM57L L6 C8.	€ 295

G9 Led light bulbs are not included

0,5



0,8

20x20x20

Orten'zia Large round ceiling light

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	-	G9 LED dimmable	4W	all systems	ØM85L E7 C8.	€ 485
Gold plated	Gold plated	-	G9 LED dimmable	4W	all systems	ØM85L L6 C8.	€ 540

G9 Led light bulbs are not included

1


1,5

30x30x30

Orten'zia Small ceiling light

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	-	R7s Halogen	120W	all systems	ØM44L E7 C8.	€ 740
Gold plated	Gold plated	-	R7s Halogen	120W	all systems	ØM44L L6 C8.	€ 855


R7s Halogen light bulbs are not included

2,5 | 4 50x50x25

Orten'zia Medium ceiling light

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	-	E27 LED dimmable	11W	all systems	ØM43L E7 C8.	€ 1.430
Gold plated	Gold plated	-	E27 LED dimmable	11W	all systems	ØM43L L6 C8.	€ 1.760

E27 Led light bulbs are not included




5 | 8,6 77x77x30

Orten'zia Large ceiling light

Body

Canopy

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	-	E27 LED dimmable	15W	all systems	ØM42L E7 C8.	€ 1.650
Gold plated	Gold plated	-	E27 LED dimmable	15W	all systems	ØM42L L6 C8.	€ 2.090

E27 Led light bulbs are not included

5,5



10

83x80x43,5

Orten'zia Small table | floor

Body

Base



Diffuser	Base	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Clear	red fabric	E14 LED dimmable	4W	integrated dimmer	ØM41B E7 C8.	€ 535
Gold plated	Clear	black fabric	E14 LED dimmable	4W	integrated dimmer	ØM41B L6 C8.	€ 565

E14 Led light bulbs are not included

1,2


2

30x30x30

Orten'zia Medium table | floor*

Body

Base



Diffuser	Base	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Clear	red fabric	E27 LED dimmable	11W	integrated dimmer	ØM48P E7 C8.	€ 1.600
Gold plated	Clear	black fabric	E27 LED dimmable	11W	integrated dimmer	ØM48P L6 C8.	€ 2.040


E27 Led light bulbs are not included



Orten'zia Large table | floor*

Body

Base



Diffuser	Base	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Clear	red fabric	E27 LED dimmable	15W	integrated dimmer	ØM49P E7 C8.	€ 3.420
Gold plated	Clear	black fabric	E27 LED dimmable	15W	integrated dimmer	ØM49P L6 C8.	€ 4.300


E27 Led light bulbs are not included



* Product available while stock lasts, contact customer service to check availability

Orten'zia Wall sconce

Body





Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Nickel	 Nickel	-	G9 LED dimmable	3,5W	all systems	ØM56A E7 C8.	€ 400
 Gold plated	 Gold plated	-	G9 LED dimmable	3,5W	all systems	ØM56A L6 C8.	€ 480

G9 Led light bulbs are not included

 1,5 |  2  20x20x20


Oscar | Design Dodo Arslan



Materials

Brass and Glass

Description



Finishes

Structure available in

Diffuser available in



Nickel



Satin white



Satin brass



Black



White




Gold plated




Rose gold

Table lamp



Oscar Table lamp

Body



Diffuser	Structure	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Satin white	Nickel	white fabric	E14 LED dimmable	7W	Integrated dimmer	ØCØ2B E7 F5.	€€ 400
Satin white	Satin brass	white fabric	E14 LED dimmable	7W	Integrated dimmer	ØCØ2B N9 F5.	€€ 400
Satin white	Black	black fabric	E14 LED dimmable	7W	Integrated dimmer	ØCØ2B G2 F5.	€€ 400
Satin white	White	white fabric	E14 LED dimmable	7W	Integrated dimmer	ØCØ2B M2 F5.	€€ 400
Satin white	Gold plated	white fabric	E14 LED dimmable	7W	Integrated dimmer	ØCØ2B L6 F5.	€€ 450
Satin white	Rose gold	white fabric	E14 LED dimmable	7W	Integrated dimmer	ØCØ2B N4 F5.	€€ 450

E14 Led light bulbs are not included

1,2 | 2,8 41x41x41

Pug |

Design Jean-François Crochet



Materials

Brass and Glass

Finishes

Diffuser available in

Canopy available in



Raw brass
and clear glass




White




Polished brass
and satin white glass


Description



Pendants



3 Light pendant





Pug Pendant light

Body

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Raw brass and clear glass	 White	clear + steel cable	G4 LED dimmable	1,5W	see power supply options	ØUØ1S P1 A9.KK	€ 345
 Polished brass and satin white glass	 White	clear + steel cable	G4 LED dimmable	1,5W	see power supply options	ØUØ1S N5 A3.KK	€ 380

G4 Led light bulbs are not included
On site minimum adjustable overall height 25cm

 0,9 |  1,1  16,5x16,5x22,5

Power supply options

G4 LED




Dimming		Code	PRICE €
IGBT	max 28 pendants	R1Ø3ØØØØ	23 (net)
10-100KΩ 0/1-10V PUSH	max 34 pendants	KITELETDALILED6Ø	117 (net)
DALI system	max 57 pendants	KITELETDALILED1ØØ	139 (net)

Pug Pendant light

Body

Canopy

Canopy for DALI



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Raw brass and clear glass	 White	clear + steel cable	G4 LED	1,5W	no	ØUØ1S P1 A9.	€ 390
			G4 LED dimmable	3W	DALI system	ØUØ1S P1 A9.D	€ 500

Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Polished brass and satin white glass	 White	clear + steel cable	G4 LED	1,5W	no	ØUØ1S N5 A3.	€ 420
			G4 LED dimmable	3W	DALI system	ØUØ1S N5 A3.D	€ 530
-	-	-	G4 LED dimmable	1,5 W 3000K	-	J1320000	10 (net)

G4 Led light bulbs are not included
On site minimum adjustable overall height 30cm


 0,9 |
  1,1 |
  16,5x16,5x22,5

Pug 3 Light pendant

Body



Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Raw brass and clear glass	 White	clear + steel cable	G4 LED dimmable	3 X 1,5W	IGBT	ØUØ3S P1 A9.	€ 1.095
			G4 LED dimmable	3 X 1,5W	DALI system	ØUØ3S P1 A9.D	€ 1.210
 Polished brass and satin white glass	 White	clear + steel cable	G4 LED dimmable	3 X 1,5W	IGBT	ØUØ3S N5 A3.	€ 1.210
			G4 LED dimmable	3 X 1,5W	DALI system	ØUØ3S N5 A3.D	€ 1.320
-	-	-	G4 LED dimmable	1,5 W 3000K	-	J1320000	10 (net)


G4 Led light bulbs are not included
On site minimum adjustable overall height 30cm

 2 |
  3,2 |
  31x31x26

Bespoke |

You should indicate in your purchase order



Canopy type
Canopy finish
Canopy dimension
Pendant height min and max
Pendants number
Pendants finish
Light source type
Dimming




Various customizations are available on request.

Please contact our offices for any further information or download the price calculator from our reserved area:

<https://www.terzani.com/en/reserved-area>


Canopy	Dimension	Type *	Finish
	 _____ cm ☐	 Standard ☐ With quick system ☐ Without quick system	☐ White ☐ Other _____
	 _____ cm ☐		
	 _____ cm ☐		
	 _____ cm ☐	 Flush ☐ Available only with quick	
		 Disc ☐	

Height	Pendant height
	 min _____ cm max _____ cm

Diffuser	Glass finish	Structure finish	Number of pendants
	Clear ☐ Satin white ☐	Raw brass ☐ Polished brass ☐	

Light Source	Voltage	Type	Dimming
	120V ☐ 230V ☐	Led ☐	☐ IGBT ☐ TRIAC ☐ DALI ☐ Other _____

Sketch and note




Materials

Brass chains and metal structure plated


Finishes

Diffuser available in	Canopy available in
 Nickel	 Nickel
 Brushed nickel	 Brushed nickel
 Brushed bronze	 Brushed bronze
 Brushed bronze	 Brushed bronze
 Gold plated	 Gold plated
 Brushed gold	 Brushed gold
 Champagne	 Champagne
 Brushed champagne	 Brushed champagne


Description



Chandelier



Ceiling lamp




Bespoke

Various customizations are available on request. Please contact our offices for any further information.

Soscik Small chandelier

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel Brushed nickel	Nickel	clear + steel cable	G9 LED dimmable	8 x 3,5W	all systems	ØG55S H4 C8.	€ 9.650
Brushed bronze	Brushed bronze	clear + steel cable	G9 LED dimmable	8 x 3,5W	all systems	ØG55S F7 C8.	€ 11.700
Gold plated Brushed gold	Gold plated	clear + steel cable	G9 LED dimmable	8 x 3,5W	all systems	ØG55S L8 C8.	€ 12.100
Champagne Brushed champagne	Champagne	clear + steel cable	G9 LED dimmable	8 x 3,5W	all systems	ØG55S N1 C8.	€ 12.100


G9 Led light bulbs are not included
On site minimum adjustable overall height 115cm

20 | 36 83x78x95

Soscik Medium chandelier

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel Brushed nickel	Nickel	clear + steel rope	G9 LED dimmable	12 x 3,5W	all systems	ØG56S H4 C8.	€ 19.950
Brushed bronze	Brushed bronze	clear + steel rope	G9 LED dimmable	12 x 3,5W	all systems	ØG56S F7 C8.	€ 22.980
Gold plated Brushed gold	Gold plated	clear + steel rope	G9 LED dimmable	12 x 3,5W	all systems	ØG56S L8 C8.	€ 24.600
Champagne Brushed champagne	Champagne	clear + steel rope	G9 LED dimmable	12 x 3,5W	all systems	ØG56S N1 C8.	€ 24.600


G9 Led light bulbs are not included
Not adjustable on site

65 | 155 115x115x184

Soscik Large chandelier

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel Brushed nickel	Nickel	clear + steel rope	G9 LED dimmable	14 x 3,5W	all systems	ØG57S H4 C8.	€€ 33.950
Brushed bronze	Brushed bronze	clear + steel rope	G9 LED dimmable	14 x 3,5W	all systems	ØG57S F7 C8.	€€ 39.500
Gold plated Brushed gold	Gold plated	clear + steel rope	G9 LED dimmable	14 x 3,5W	all systems	ØG57S L8 C8.	€€ 41.900
Champagne Brushed champagne	Champagne	clear + steel rope	G9 LED dimmable	14 x 3,5W	all systems	ØG57S N1 C8.	€€ 41.900


G9 Led light bulbs are not included
Not adjustable on site

133 | 387 185x185x224

Soscik Small ceiling light

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel Brushed nickel	Nickel	-	G9 LED dimmable	8 x 3,5W	all systems	ØG6ØL H4 C8.	€€ 4.080
Brushed bronze	Brushed bronze	-	G9 LED dimmable	8 x 3,5W	all systems	ØG6ØL F7 C8.	€€ 5.130
Gold plated Brushed gold	Gold plated	-	G9 LED dimmable	8 x 3,5W	all systems	ØG6ØL L8 C8.	€€ 5.350
Champagne Brushed champagne	Champagne	-	G9 LED dimmable	8 x 3,5W	all systems	ØG6ØL N1 C8.	€€ 5.350


G9 Led light bulbs are not included

11,5 | 16 77x77x30

Soscik Medium ceiling light

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel Brushed nickel	Nickel	-	G9 LED dimmable	10 x 3,5W	all systems	ØG61L H4 C8.	€€ 10.900
Brushed bronze	Brushed bronze	-	G9 LED dimmable	10 x 3,5W	all systems	ØG61L F7 C8.	€€ 13.400
Gold plated Brushed gold	Gold plated	-	G9 LED dimmable	10 x 3,5W	all systems	ØG61L L8 C8.	€€ 13.950
Champagne Brushed champagne	Champagne	-	G9 LED dimmable	10 x 3,5W	all systems	ØG61L N1 C8.	€€ 13.950


G9 Led light bulbs are not included

36 | 75 115x115x66

Soscik Large ceiling light

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel Brushed nickel	Nickel	-	G9 LED dimmable	12 x 3,5W	all systems	ØG62L H4 C8.	€€ 18.350
Brushed bronze	Brushed bronze	-	G9 LED dimmable	12 x 3,5W	all systems	ØG62L F7 C8.	€€ 21.650
Gold plated Brushed gold	Gold plated	-	G9 LED dimmable	12 x 3,5W	all systems	ØG62L L8 C8.	€€ 22.500
Champagne Brushed champagne	Champagne	-	G9 LED dimmable	12 x 3,5W	all systems	ØG62L N1 C8.	€€ 22.500

G9 Led light bulbs are not included

65 | 122 160x160x79

Stream | Design Christian Lava



Materials

Brass chains and metal structure plated

Finishes


Diffuser available in

- Nickel
- Black nickel
- Gold plated


Canopy available in

- Nickel
- Black nickel
- Gold plated


Description




Chandelier




Ceiling lamp



Wall sconce



Floor lamp





Bespoke

Various customizations are available on request. Please contact our offices for any further information.

Stream Mini chandelier

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	clear + chain	G9 LED dimm. + GU10 LED dimm.	4 x 3,5W + 5W	all systems	ØJ54S E7 C8.	€ 2.865
Black nickel	Black nickel	clear + chain	G9 LED dimm. + GU10 LED dimm.	4 x 3,5W + 5W	all systems	ØJ54S E9 C8.	€ 3.120
Gold plated	Gold plated	clear + chain	G9 LED dimm. + GU10 LED dimm.	4 x 3,5W + 5W	all systems	ØJ54S L6 C8.	€ 3.530



G9 Led and GU10 Led light bulbs are not included
On site minimum adjustable overall height 80cm

5,5 | 6,5 46x39x32

Stream Small chandelier

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	clear + steel rope	E14 LED dimm. + GU10 LED dimm.	18 x 4W + 5W	all systems	ØJ51S E7 C8.	€ 21.350
Black nickel	Black nickel	clear + steel rope	E14 LED dimm. + GU10 LED dimm.	18 x 4W + 5W	all systems	ØJ51S E9 C8.	€ 23.900
Gold plated	Gold plated	clear + steel rope	E14 LED dimm. + GU10 LED dimm.	18 x 4W + 5W	all systems	ØJ51S L6 C8.	€ 27.050



E14 Led and GU10 Led light bulbs are not included
Not adjustable on site

40 | 93 115x115x124

Stream Large chandelier

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	clear + steel rope	E14 LED dimm. + GU10 LED dimm.	20 x 4W + 5W	all systems	ØJ5ØS E7 C8.	€ 26.500
Black nickel	Black nickel	clear + steel rope	E14 LED dimm. + GU10 LED dimm.	20 x 4W + 5W	all systems	ØJ5ØS E9 C8.	€ 29.500
Gold plated	Gold plated	clear + steel rope	E14 LED dimm. + GU10 LED dimm.	20 x 4W + 5W	all systems	ØJ5ØS L6 C8.	€ 31.850



E14 Led and GU10 Led light bulbs are not included
Not adjustable on site

63 | 140 135x135x144

Stream Linear chandelier

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	clear + chain	G9 LED dimm. + GU10 LED dimm.	12 x 3,5W + 3 x 5W	all systems	ØJ52S E7 C8.	€ 17.300
Black nickel	Black nickel	clear + chain	G9 LED dimm. + GU10 LED dimm.	12 x 3,5W + 3 x 5W	all systems	ØJ52S E9 C8.	€ 18.950
Gold plated	Gold plated	clear + chain	G9 LED dimm. + GU10 LED dimm.	12 x 3,5W + 3 x 5W	all systems	ØJ52S L6 C8.	€ 21.200



G9 Led and GU10 Led light bulbs are not included
On site minimum adjustable overall height 100cm

48 | 86 170x55x99

Stream Ceiling light


Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	-	G9 LED dimm. + GU10 LED dimm.	8 x 3,5W + 5W	all systems	ØJ7ØL E7 C8.	€ 9.650
Black nickel	Black nickel	-	G9 LED dimm. + GU10 LED dimm.	8 x 3,5W + 5W	all systems	ØJ7ØL E9 C8.	€ 10.700
Gold plated	Gold plated	-	G9 LED dimm. + GU10 LED dimm.	8 x 3,5W + 5W	all systems	ØJ7ØL L6 C8.	€ 11.700



G9 Led and GU10 Led light bulbs are not included
Not adjustable on site



Stream Wall sconce

Body

Canopy




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	-	E14 LED dimmbable	2 x 6W	all systems	ØJ6ØA E7 C8.	€ 1.095
Black nickel	Black nickel	-	E14 LED dimmbable	2 x 6W	all systems	ØJ6ØA E9 C8.	€ 1.215
Gold plated	Gold plated	-	E14 LED dimmbable	2 x 6W	all systems	ØJ6ØA L6 C8.	€ 1.380

E14 Led light bulbs are not included




Stream Floor lamp

Body



Base



Diffuser	Base	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Nickel	Nickel	black cable	E14 LED dimmable	6 x 6W	integrated dimmer	ØJ65P E7 C8.	€ 4.360
Black nickel	Black nickel	black cable	E14 LED dimmable	6 x 6W	integrated dimmer	ØJ65P E9 C8.	€ 4.800
Gold plated	Gold plated	black cable	E14 LED dimmable	6 x 6W	integrated dimmer	ØJ65P L6 C8.	€ 5.460

E14 Led light bulbs are not included

16,5 | 23,5 191x46x46

Tresor | Design Jean François Crochet



Materials

Metal

Finishes

Diffuser available in



Silver leaf



Gold leaf

Canopy available in




Silver leaf




Gold leaf

Description




Chandelier



Wall sconce



Ceiling lamp



Bespoke


Various customizations are available on request. Please contact our offices for any further information.

Tresor Chandelier

*

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Silver leaf	Silver leaf	red fabric + steel cable	G9 LED dimmable	9 x 3,5 W	all systems	ØN6ØS H6 C8.	€€ 9.925
Gold leaf	Gold leaf	black fabric + steel cable	G9 LED dimmable	9 x 3,5 W	all systems	ØN6ØS H5 C8.	€€ 9.925

G9 Led light bulbs are not included
On site minimum adjustable overall height 100cm

49 | 78 98x94x34

Tresor Small wall sconce

*

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Silver leaf	Silver leaf	-	G9 LED dimmable	4 W	all systems	ØN62A H6 C8.	€€ 770
Gold leaf	Gold leaf	-	G9 LED dimmable	4 W	all systems	ØN62A H5 C8.	€€ 770

G9 Led light bulbs are not included

1,9 | 3 41x41x21

* Product available while stock lasts, contact customer service to check availability

Tresor Large wall sconce *

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Silver leaf	Silver leaf	-	G9 LED dimmable	2 x 4 W	all systems	ØN63A H6 C8.	€ 1.490
Gold leaf	Gold leaf	-	G9 LED dimmable	2 x 4 W	all systems	ØN63A H5 C8.	€ 1.490

G9 Led light bulbs are not included

4 | 5,7 50x50x25

Tresor Small ceiling light *

Body

Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Silver leaf	Silver leaf	-	G9 LED dimmable	6 x 3,5 W	all systems	ØN66L H6 C8.	€ 1.545
Gold leaf	Gold leaf	-	G9 LED dimmable	6 x 3,5 W	all systems	ØN66L H5 C8.	€ 1.545


G9 Led light bulbs are not included

4 | 7 67x67x30

* Product available while stock lasts, contact customer service to check availability

Tresor Large ceiling light *

Body Canopy



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
Silver leaf	Silver leaf	-	G9 LED dimmable	6 x 3,5 W	all systems	ØN65L H6 C8.	€ 2.095
Gold leaf	Gold leaf	-	G9 LED dimmable	6 x 3,5 W	all systems	ØN65L H5 C8.	€ 2.095

G9 Led light bulbs are not included

6 | 9 67x67x30

* Product available while stock lasts, contact customer service to check availability




Materials

Brass chains and metal structure plated




Description



Finishes

Diffuser available in	Canopy available in
 Nickel	 Nickel
 Black nickel	 Black nickel
 Brushed bronze	 Brushed bronze
 Gold plated	 Gold plated

Chandelier




Bespoke


Various customizations are available on request. Please contact our offices for any further information.

Volver Small linear chandelier


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
		clear + steel cable	integrated LED boards	7 x 4,5W 3710 lm CRI 90 3000K	1-10V PWM 10-100KΩ	ØL63S E7 C8.	CE 8.270
			integrated LED boards	7 x 4,5W 3710 lm CRI 90 3000K	PUSH DALI system	ØL63S E7 C8.D	CE 8.380
			integrated LED boards	7 x 4,5W 3710 lm CRI 90 2700K	1-10V PWM 10-100KΩ	ØL63S E7 C8.W	CE 8.270
			integrated LED boards	7 x 4,5W 3710 lm CRI 90 2700K	PUSH DALI system	ØL63S E7 C8.WD	CE 8.380
		clear + steel cable	integrated LED boards	7 x 4,5W 3710 lm CRI 90 3000K	1-10V PWM 10-100KΩ	ØL63S E9 C8.	CE 9.150
			integrated LED boards	7 x 4,5W 3710 lm CRI 90 3000K	PUSH DALI system	ØL63S E9 C8.D	CE 9.260
			integrated LED boards	7 x 4,5W 3710 lm CRI 90 2700K	1-10V PWM 10-100KΩ	ØL63S E9 C8.W	CE 9.150
			integrated LED boards	7 x 4,5W 3710 lm CRI 90 2700K	PUSH DALI system	ØL63S E9 C8.WD	CE 9.260
		clear + steel cable	integrated LED boards	7 x 4,5W 3710 lm CRI 90 3000K	1-10V PWM 10-100KΩ	ØL63S F7 C8.	CE 9.870
			integrated LED boards	7 x 4,5W 3710 lm CRI 90 3000K	PUSH DALI system	ØL63S F7 C8.D	CE 9.980
			integrated LED boards	7 x 4,5W 3710 lm CRI 90 2700K	1-10V PWM 10-100KΩ	ØL63S F7 C8.W	CE 9.870
			integrated LED boards	7 x 4,5W 3710 lm CRI 90 2700K	PUSH DALI system	ØL63S F7 C8.WD	CE 9.980
		clear + steel cable	integrated LED boards	7 x 4,5W 3710 lm CRI 90 3000K	1-10V PWM 10-100KΩ	ØL63S L6 C8.	CE 10.255
			integrated LED boards	7 x 4,5W 3710 lm CRI 90 3000K	PUSH DALI system	ØL63S L6 C8.D	CE 10.365
			integrated LED boards	7 x 4,5W 3710 lm CRI 90 2700K	1-10V PWM 10-100KΩ	ØL63S L6 C8.W	CE 10.255
			integrated LED boards	7 x 4,5W 3710 lm CRI 90 2700K	PUSH DALI system	ØL63S L6 C8.WD	CE 10.365

On site minimum adjustable overall height 95cm




Volver Medium linear chandelier


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
		clear + steel cable	integrated LED boards	10 x 4,5W 5300 lm CRI 90 3000K	0-10V	ØL6ØS E7 C8.	16.750
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 3000K	PUSH DALI system	ØL6ØS E7 C8.D	16.850
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 2700K	0-10V	ØL6ØS E7 C8.W	16.750
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 2700K	PUSH DALI system	ØL6ØS E7 C8.WD	16.850
		clear + steel cable	integrated LED boards	10 x 4,5W 5300 lm CRI 90 3000K	0-10V	ØL6ØS E9 C8.	18.950
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 3000K	PUSH DALI system	ØL6ØS E9 C8.D	19.050
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 2700K	0-10V	ØL6ØS E9 C8.W	18.950
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 2700K	PUSH DALI system	ØL6ØS E9 C8.WD	19.050
		clear + steel cable	integrated LED boards	10 x 4,5W 5300 lm CRI 90 3000K	0-10V	ØL6ØS F7 C8.	20.550
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 3000K	PUSH DALI system	ØL6ØS F7 C8.D	20.650
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 2700K	0-10V	ØL6ØS F7 C8.W	20.550
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 2700K	PUSH DALI system	ØL6ØS F7 C8.WD	20.650
		clear + steel cable	integrated LED boards	10 x 4,5W 5300 lm CRI 90 3000K	0-10V	ØL6ØS L6 C8.	20.950
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 3000K	PUSH DALI system	ØL6ØS L6 C8.D	21.100
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 2700K	0-10V	ØL6ØS L6 C8.W	20.950
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 2700K	PUSH DALI system	ØL6ØS L6 C8.WD	21.100

On site minimum adjustable overall height 95cm


36,5 | 72 148x55x99

Volver Large linear chandelier


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
		clear + steel cable	integrated LED boards	20 x 4,5W 10600 lm CRI 90 3000K	0-10V	ØL62S E7 C8.	CE 22.800
			integrated LED boards	20 x 4,5W 10600 lm CRI 90 3000K	PUSH DALI system	ØL62S E7 C8.D	CE 22.950
			integrated LED boards	20 x 4,5W 10600 lm CRI 90 2700K	0-10V	ØL62S E7 C8.W	CE 22.800
			integrated LED boards	20 x 4,5W 10600 lm CRI 90 2700K	PUSH DALI system	ØL62S E7 C8.WD	CE 22.950
		clear + steel cable	integrated LED boards	20 x 4,5W 10600 lm CRI 90 3000K	0-10V	ØL62S E9 C8.	CE 25.800
			integrated LED boards	20 x 4,5W 10600 lm CRI 90 3000K	PUSH DALI system	ØL62S E9 C8.D	CE 25.950
			integrated LED boards	20 x 4,5W 10600 lm CRI 90 2700K	0-10V	ØL62S E9 C8.W	CE 25.800
			integrated LED boards	20 x 4,5W 10600 lm CRI 90 2700K	PUSH DALI system	ØL62S E9 C8.WD	CE 25.950
		clear + steel cable	integrated LED boards	20 x 4,5W 10600 lm CRI 90 3000K	0-10V	ØL62S F7 C8.	CE 28.100
			integrated LED boards	20 x 4,5W 10600 lm CRI 90 3000K	PUSH DALI system	ØL62S F7 C8.D	CE 28.350
			integrated LED boards	20 x 4,5W 10600 lm CRI 90 2700K	0-10V	ØL62S F7 C8.W	CE 28.100
			integrated LED boards	20 x 4,5W 10600 lm CRI 90 2700K	PUSH DALI system	ØL62S F7 C8.WD	CE 28.350
		clear + steel cable	integrated LED boards	20 x 4,5W 10600 lm CRI 90 3000K	0-10V	ØL62S L6 C8.	CE 29.200
			integrated LED boards	20 x 4,5W 10600 lm CRI 90 3000K	PUSH DALI system	ØL62S L6 C8.D	CE 29.400
			integrated LED boards	20 x 4,5W 10600 lm CRI 90 2700K	0-10V	ØL62S L6 C8.W	CE 29.200
			integrated LED boards	20 x 4,5W 10600 lm CRI 90 2700K	PUSH DALI system	ØL62S L6 C8.WD	CE 29.400

On site minimum adjustable overall height 95cm




Volver Round chandelier


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
		clear + steel cable	integrated LED boards	10 x 4,5W 5300 lm CRI 90 3000K	0-10V	ØL61S E7 C8.	19.950
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 3000K	PUSH DALI system	ØL61S E7 C8.D	20.100
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 2700K	0-10V	ØL61S E7 C8.W	19.950
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 2700K	PUSH DALI system	ØL61S E7 C8.WD	20.100
		clear + steel cable	integrated LED boards	10 x 4,5W 5300 lm CRI 90 3000K	0-10V	ØL61S E9 C8.	22.050
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 3000K	PUSH DALI system	ØL61S E9 C8.D	22.200
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 2700K	0-10V	ØL61S E9 C8.W	22.050
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 2700K	PUSH DALI system	ØL61S E9 C8.WD	22.200
		clear + steel cable	integrated LED boards	10 x 4,5W 5300 lm CRI 90 3000K	0-10V	ØL61S F7 C8.	23.350
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 3000K	PUSH DALI system	ØL61S F7 C8.D	23.450
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 2700K	0-10V	ØL61S F7 C8.W	23.350
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 2700K	PUSH DALI system	ØL61S F7 C8.WD	23.450
		clear + steel cable	integrated LED boards	10 x 4,5W 5300 lm CRI 90 3000K	0-10V	ØL61S L6 C8.	24.400
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 3000K	PUSH DALI system	ØL61S L6 C8.D	24.500
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 2700K	0-10V	ØL61S L6 C8.W	24.400
			integrated LED boards	10 x 4,5W 5300 lm CRI 90 2700K	PUSH DALI system	ØL61S L6 C8.WD	24.500

On site minimum adjustable overall height 95cm





Materials

Metal



Finishes

Diffuser available in



Nickel



Gold plated

Canopy available in



Nickel



Gold plated

Description



Light source

Diffuser


Wall sconce



Wabi Wall sconce

*

Body



Diffuser	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Nickel	 Nickel	-	R7s Halogen	48 W	all systems	ØN74A E7 C8.	€ 215
 Gold plated	 Gold plated	-	R7s Halogen	48 W	all systems	ØN74A L6 C8.	€ 230

R7s Halogen light bulbs are not included

 1 |  1,4  28x19x16

* Product available while stock lasts, contact customer service to check availability

Phantom | Design Jean François Crochet



Materials

Metal and glass

Finishes

Diffuser available in



Satin nickel
and white glass



Rusty and
gold glass



Gold and
white glass

Canopy available in



Satin nickel




Rusty



Gold

Description




Light source

Diffuser

Structure


Wall sconce



Phantom Wall sconce

*

Body



Structure	Canopy	Elect. cable	Source	Max power	Dimming	Code	PRICE €
 Satin nickel and white glass	 Satin nickel	-	E14 LED dimmable	4 W	all systems	ØB2ØA F3 A1 .	€ 420
 Rusty and gold glass	 Rusty	-	E14 LED dimmable	4 W	all systems	ØB2ØA F1 A7 .	€ 540
 Gold and white glass	 Gold	-	E14 LED dimmable	4 W	all systems	ØB2ØA F6 A1 .	€ 520

E14 Led light bulb is not included

 1,5


 2,5

 43x25x25


* Product available while stock lasts, contact customer service to check availability

Systems |


Standard




Flush



Radial



Disc





Glasses and Components

Item	Description	Code	€	Item	Description	Code	€
Abacus	Satin White	W389V6CV	23	Mizu	Clear	W341V000	220
Angel Falls	Clear	W349V6G0	195		Champagne	W341V8N0	235
Bond	White Gold Ø12	W319V8CL	290		Cognac	W395V6J0	235
	Black Gold Ø12	W322V8DL	290		Silver dust	W366V8M0	285
	White Gold Ø20	W320V8C0	390		Gold	W351V8L0	405
Calle	Clear	W356V6G0	535	Oscar	Satin White	W390V6CA	210
Frame	Clear Ø7 wall sc.	W367V000	180	Petit theatre	Amber Gold H61 R	W245V7U0	360
	Clear Ø7 susp.	W344V000	210		White H60 L	W242V6A0	290
	Clear Ø10 susp.	W343V000	310	Phantom	White	W008V6A0	290
	Clear cone susp.	W352V000	355		Gold	W022V7J0	360
Glamour	Glass	W325V6A0	120	Pug	Clear	W391V000	100
Iceberg	"A" module	X287P000	70		Satin White	W392V6CA	160
	"B" module	X288P000	70	Solune	Amber F62	W004V6L0	380
	"C" module	X292P000	70		Amber G31	W193V6L0	225
	"F" module	X290P000	70		Amber F63 Ø40	W188V6L0	710
	"E" module	X289P000	70		Amber F60 F61 F64 Ø55	W041V6L0	810
	"G" module	X291P000	70				
	"GM" module	X291P00L	70				
Manta	Clear Ø20	W379V6G0	355				
	Clear Ø26	W380V6G0	540				

Condizioni Generali di vendita e consegna

Validità

Il presente listino annulla e sostituisce il precedente. La Terzani Srl si riserva il diritto di apportare modifiche al listino in qualunque momento e senza preavviso e declina ogni responsabilità per eventuali inesattezze in esso contenute derivanti da errori di stampa o trascrizione.

Prezzi

Tutti i prezzi indicati su questo listino sono espressi in euro e sono al pubblico I.V.A. esclusa. Sui prezzi netti (net) presenti nel listino non sono applicabili sconti commerciali. Le offerte emesse da Terzani srl hanno una validità di 30 giorni. Decorso detto termine la Terzani srl si riserva il diritto di apportare eventuali modifiche ai prezzi senza preavviso.

Pagamenti

50% anticipo all'ordine, saldo (incluso le spese di trasporto) prima del ritiro/della spedizione.

Modifiche e annullamento ordini

La modifica o la cancellazione dell'ordine dopo la data di conferma non è valida se non previa accettazione scritta da parte di Terzani. Non è comunque in ogni caso ammesso l'annullamento di ordini per prodotti su misura.

Consegna

I termini eventualmente fissati per la consegna della merce sono puramente indicativi.

La loro mancata osservanza non darà luogo a penalità di sorta né potrà originare richieste di risarcimento danni.

Garanzia & Responsabilità

La garanzia ha la durata di 2 anni a decorrere dalla data di fatturazione della merce. Durante il periodo di validità, la garanzia dà diritto alla riparazione o sostituzione della merce o parte di essa. La presente garanzia non si applica ai danni derivanti da incidenti, alterazioni, manomissioni, uso improprio, negligenza o abuso. Terzani Srl non fornisce garanzie in caso di utilizzo errato o inappropriato, installazione/disinstallazione errata, uso improprio e manutenzione errata, pertanto nessuna responsabilità può essere attribuita alla società e nessuna richiesta di risarcimento sarà accettata.

Limitazione di Responsabilità

TERZANI SRL NON E' RESPONSABILE PER DANNI INDIRETTI, SPECIALI, ACCIDENTALI O CONSEGUENZIALI DI QUALSIASI NATURA.

Inoltre, Terzani Srl non è responsabile per quanto segue:

- Eventuali costi relativi all'installazione, reinstallazione, rimozione o riparazione
- Danni causati da installazione o assemblaggio improprio da parte dell'acquirente o di terzi
- Danni causati dall'esposizione alle intemperie o da un ambiente improprio
- Danni causati da soluzioni o metodi di pulizia impropri
- Qualsiasi cambiamento nell'aspetto o patina causato dall'usura naturale

Spese di Trasporto

Per le spedizioni in Italia di importo

superiori a € 750 il trasporto è franco destino

inferiore a € 749 sarà addebitato in fattura un contributo di € 35 .

Rotture Trasporto

Terzani srl non è responsabile per danni alle merci che si verificano durante il trasporto o lo stoccaggio. Al momento della consegna il destinatario deve accertarsi che i colli siano integri; in caso di colli scondizionati, manomessi, mancanti o quanto altro possa far intuire un danno o una rottura, la merce deve essere accettata annotando sul documento di trasporto: "Riserva di controllo del contenuto". Specificando la motivazione per cui è posta la riserva al fine di presentare eventuale reclamo per iscritto alla Terzani srl entro 8 giorni lavorativi dalla data dell'accettazione con riserva della merce.

Contestazioni

Eventuali contestazioni sulla qualità e quantità della merce ricevuta dovranno essere notificate dall'acquirente alla Terzani Srl esclusivamente in forma scritta o per e-mail entro 8 giorni dall'avvenuta consegna. Non si accettano contestazioni per prodotti già installati o manomessi.

Resi

Non sarà accettata la restituzione dei prodotti senza il consenso scritto e le istruzioni di spedizione di Terzani Srl. Qualsiasi operazione di reso si intende "Franco nostro stabilimento". La merce deve essere perfettamente imballata, possibilmente nell'imballo originale. La Terzani Srl non sarà responsabile per danni o rotture avvenuti durante il trasporto per merce non adeguatamente imballata. La restituzione della merce installata non sarà accettata. La restituzione di beni non difettosi, una volta approvata, sarà soggetta ad un costo pari al 30% del prezzo di acquisto sostenuto dal cliente.

Caratteristiche del prodotto/Unità di misura

Tutti i prodotti sono fatti a mano e sono tutti oggetti unici. I vetri soffiati e o rifiniti a mano possono presentare bolle d'aria, strisce leggere o scoloriture. Questi aspetti sono tipici dell'alta qualità dei prodotti in vetro soffiato e rifinito a mano e non possono essere considerati difetti di lavorazione e non possono essere oggetto di reclamo. Tutte le misure nel listino prezzi sono in centimetri.

OAH (overall height) – Soltanto un elettricista certificato può aggiustare/accorciare l'altezza totale del/dei pendente/i.

Prodotti e Modifiche

Per motivi di produzione e/o miglioramento, Terzani Srl si riserva il diritto di modificare, in qualsiasi momento e senza preavviso, le specifiche tecniche e/o progettuali di qualsiasi prodotto illustrato nel catalogo. Questo non potrà essere oggetto di rivalsa su prodotti già forniti.

Lampadine

Le lampadine non sono incluse ad eccezione dei led integrati.

Foro Competente

Per qualsiasi contestazione si considera competente soltanto l'Autorità Giudiziaria di Firenze.

General terms and conditions of sales and delivery

Validity

This price list cancels out the previous one and replaces it. Terzani Srl reserves the right to make changes to the price list at any time and without prior notice, and assumes no liability for inaccuracies contained therein due to printing or transcription errors.

Prices

All prices indicated on this price list are expressed in euros and exclude VAT for the general public. No commercial discounts can be applied to the net prices on the price list. The quotes issued by Terzani srl are valid for 30 days. After the term mentioned above, Terzani srl reserves the right to make any changes to the prices without prior notice.

Payments

50% in advance at the time of ordering, the remaining balance (including transport costs) before collection/shipment.

Changes and cancellation of orders

Changes in or cancellation of orders after the confirmation date are not valid unless prior written acceptance has been provided by Terzani. In any case, orders for customized products cannot be cancelled.

Delivery

Any terms established for the delivery of the goods are purely indicative.

Failure to meet these terms will not result in penalties of any kind or lead to claims for damages.

Warranty & Liability

Terzani SRL warrants that the goods will be free from material defects, are made with workmanlike quality, and will conform, within normal commercial tolerances, to the applicable specifications for a period of 2 years from the date the goods are invoiced, subject to the notice and exclusions below. The sole remedy for breach of this limited warranty will be Terzani SRL repairing, replacing, or providing replacement parts, at Terzani SRL's discretion. Purchaser shall notify Terzani SRL of any such defect or nonconformity immediately after delivery or discovery, if not readily apparent on delivery. This limited warranty does not extend to any goods purchaser improperly uses, installs, or uninstalls, or otherwise modifies, alters, tampers with, abuses, neglects, improperly maintains, or otherwise misuses according to the applicable documentation or specifications, or to any goods purchaser has had repaired or altered by a person other than Terzani SRL.

Limitation on Liability

TERZANI SRL HEREBY EXPRESSLY EXCLUDES ANY LIABILITY FOR INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY NATURE UNDER THE TERMS OF THIS WARRANTY.

Additionally, Terzani Srl is not responsible for the following:

- Any costs related to installation, re-installation, removal, or repair
- Damage caused by improper installation or assembly by the purchaser or a third party
- Damage caused by exposure to weather or improper environment
- Damage caused by improper cleaning solutions or methods

Any change in appearance or patina caused by natural wear

Shipping charges

For shipments in Austria, Belgium, France, Germany, Greece, Luxemburg, Netherland, Poland, Spain amounting to more than € 850, transport is DDU

less than € 849, there will be a charge € 50 added to the invoice.

Breakages during Transport

Terzani srl is not liable for damage to goods that occurs during transport or storage. At the time of delivery, the recipient must ascertain that the packages are intact; in the case of packages that, on arrival, are in bad condition, tampered with, missing, or anything else that might suggest damage or breakage, the goods must be accepted, and on the transport document, in writing, there must be the words: "Riserva di controllo del contenuto (With reservations - subject to inspection)", specifying the reason for the reservations, for the purposes of lodging a complaint in writing to Terzani srl within 8 working days from the date that the goods are accepted with reservations.

Complaints

In regard to any complaints over the quality and quantity of the goods received, the purchaser must notify Terzani Srl exclusively in writing or by e-mail within 8 days of delivery. Complaints about products already installed or tampered with will not be accepted.

Returns

Products may not be returned without written consent and shipping instructions from Terzani Srl. Any return operation is understood as "free from our factory". The goods must be packed perfectly, preferably in the original packaging. Terzani Srl will not be liable for damages or breakages that take place during the transport of goods that are not properly packed. The return of already installed goods will not be accepted. The return of non-defective goods, once approved, will be subject to a cost equal to 30% of the purchase price paid by the customer.

Product features / Units of measurement

All the products are made by hand and unique. Blown glass and/or hand-finished glass may have air bubbles, light stripes or discolouration. These are typical features in high-quality blown glass and hand-finished glass products and cannot be considered manufacturing defects and nor may be subject to complaints.

All measurements in the price list are in centimeters.

OAH (overall height) - The total height of the pendant (s) may only be adjusted/shortened by a certified electrician.

Products and modifications

Terzani SRL reserves the right to modify the technical and/or design specifications of any product illustrated in the catalogue at any time and without notice for product production reasons and/or product improvement. Any such modifications shall not be grounds for returning a product once such product is delivered.

Light bulbs

Light bulbs, except for the integrated LEDs, are not included.

Place of jurisdiction

The judicial authorities in Florence shall have exclusive jurisdiction in any dispute.

All products in the Terzani collections are inspired by a return to noble artisan traditions. Every object is carefully created using craft techniques and for this reason certain details may vary from product to product. These variations are not imperfections but characteristic peculiarities of the production process. Terzani reserves the right to modify its products in order to improve its features.

Product reproduction on paper may result in a misrepresentation of some colors. For updated technical data please refer to our current price list or our website. For informations about Patent & Design Registration please visit: www.terzani.com/patents

Terzani srl

Via Castelpulci Int.9
50018 Scandicci Firenze Italy
Office +39 055 722021
info@terzani.com

Creative Direction Terzani
Art Direction Camilla Cordella
Photos Leonardo Beglieri
Digital imaging Fulvio Gallotti
Printed on  eco-friendly paper
Eu (Italy) 2022

terzani.com

© terzani 2022





terzani.com