



Price List
06/2022

Alle Preise zzgl. ges. MwSt.



Price List
06/2022

Floor/Table

Wall & ceiling

Suspension

Recessed

Bathroom

Track

Outdoor


Productcodes

Glossary

Index

Floor/Table	p.7
Wall & ceiling	p.14
Suspension	p.74
Recessed	p.114
Bathroom	p.150
Track	p.158
Outdoor	p.172
Productcodes	p.180
Glossary	p.192

Floor/Table



2Thirty
2Thirty-Floor 1 9
2Thirty-Floor 2 9



Aude
Aude-Table 11



Bouly
Bouly Table 12
Bouly Table built-in 12



Aude
Aude-Floor 10




Austere
Austere-Floor 12
Austere-Table 12



Scar-Led
Scar-Led Table 13
Scar-Led Table built-in 13


2Thirty-Floor 1 with honeycomb



	RING	DIM	BASE ROD FRAME SWIVEL	RETAIL PRICE VAT. EXCL.
	●	●	●	●
EU plug	●	PU	THF EU 12H ◆	845€
EU plug	●	PU	THF EU 17H ◆	845€
EU plug	●	PU	THF EU 18H ◆	845€
UK plug	●	PU	THF UK 12H ◆	845€
UK plug	●	PU	THF UK 17H ◆	845€
UK plug	●	PU	THF UK 18H ◆	845€
US plug	●	PU	THF US 12H ◆	845€
US plug	●	PU	THF US 17H ◆	845€
US plug	●	PU	THF US 18H ◆	845€
AU plug	●	PU	THF AU 12H ◆	845€
AU plug	●	PU	THF AU 17H ◆	845€
AU plug	●	PU	THF AU 18H ◆	845€

110V-230V - **PUSH-DIM on armature**
1 x LED array 11,8W (**LED incl.**) - 350mA - 1 x 1241lm - 2700K - CRI >97
◆ **Choose beam:** N=narrow 12° or M=medium 24°
Support disc (Ø 170mm x H 2mm) for uneven surfaces included.
FLOOR -

2Thirty-Floor 2 with honeycomb



EU plug	●	PU	THF EU 22H ▲▼	1.225€
EU plug	●	PU	THF EU 27H ▲▼	1.225€
EU plug	●	PU	THF EU 28H ▲▼	1.225€
UK plug	●	PU	THF UK 22H ▲▼	1.225€
UK plug	●	PU	THF UK 27H ▲▼	1.225€
UK plug	●	PU	THF UK 28H ▲▼	1.225€
US plug	●	PU	THF US 22H ▲▼	1.225€
US plug	●	PU	THF US 27H ▲▼	1.225€
US plug	●	PU	THF US 28H ▲▼	1.225€
AU plug	●	PU	THF AU 22H ▲▼	1.225€
AU plug	●	PU	THF AU 27H ▲▼	1.225€
AU plug	●	PU	THF AU 28H ▲▼	1.225€

110V-230V - **PUSH-DIM on armature**
2 x LED array 11,8W (**LED incl.**) - 350mA - 2 x 1241lm - 2700K - CRI >97
▲ = **Choose beam upper lightsource:** N=narrow 12° or M=medium 24°
▼ = **Choose beam lower lightsource:** N=narrow 12° or M=medium 24°
Support disc (Ø 170mm x H 2mm) for uneven surfaces included.
FLOOR -

Aude-Floor




	COLOR LED	DIM	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
EU plug	2700K	PU	ADFL 1273		810€
EU plug	2700K	PU		ADFL 1274	960€
UK plug	2700K	PU	ADFL 1273UK		810€
UK plug	2700K	PU		ADFL 1274UK	960€
US plug	2700K	PU	ADFL 1273US		810€
US plug	2700K	PU		ADFL 1274US	960€
AU plug	2700K	PU	ADFL 1273AU		810€
AU plug	2700K	PU		ADFL 1274AU	960€
EU plug	3000K	PU	ADFL 1303		810€
EU plug	3000K	PU		ADFL 1304	960€
UK plug	3000K	PU	ADFL 1303UK		810€
UK plug	3000K	PU		ADFL 1304UK	960€
US plug	3000K	PU	ADFL 1303US		810€
US plug	3000K	PU		ADFL 1304US	960€
AU plug	3000K	PU	ADFL 1303AU		810€
AU plug	3000K	PU		ADFL 1304AU	960€

100V-240V - plugdriver with PUSH-DIM button on cable

1 x LED array 4,32W (LED incl.) - 500mA - 487lm - 2700K - CRI >95
 or 1 x LED array 4,32W (LED incl.) - 500mA - 517lm - 3000K - CRI >95

FLOOR - CE IP50 eco

Aude-Floor with honeycomb




EU plug	2700K	PU	ADFL 1273H		820€
EU plug	2700K	PU		ADFL 1274H	970€
UK plug	2700K	PU	ADFL 1273HUK		820€
UK plug	2700K	PU		ADFL 1274HUK	970€
US plug	2700K	PU	ADFL 1273HUS		820€
US plug	2700K	PU		ADFL 1274HUS	970€
AU plug	2700K	PU	ADFL 1273HAU		820€
AU plug	2700K	PU		ADFL 1274HAU	970€
EU plug	3000K	PU	ADFL 1303H		820€
EU plug	3000K	PU		ADFL 1304H	970€
UK plug	3000K	PU	ADFL 1303HUK		820€
UK plug	3000K	PU		ADFL 1304HUK	970€
US plug	3000K	PU	ADFL 1303HUS		820€
US plug	3000K	PU		ADFL 1304HUS	970€
AU plug	3000K	PU	ADFL 1303HAU		820€
AU plug	3000K	PU		ADFL 1304HAU	970€

100V-240V - plugdriver with PUSH-DIM button on cable

1 x LED array 4,32W (LED incl.) - 500mA - 487lm - 2700K - CRI >95
 or 1 x LED array 4,32W (LED incl.) - 500mA - 517lm - 3000K - CRI >95

FLOOR - CE IP50 eco




Aude-Table

	COLOR LED	DIM	FRAME	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
EU plug	2700K	PU	ADTA 1273	ADTA 1272		595€
EU plug	2700K	PU			ADTA 1274	680€
UK plug	2700K	PU	ADTA 1273UK	ADTA 1272UK		595€
UK plug	2700K	PU			ADTA 1274UK	680€
US plug	2700K	PU	ADTA 1273US	ADTA 1272US		595€
US plug	2700K	PU			ADTA 1274US	680€
AU plug	2700K	PU	ADTA 1273AU	ADTA 1272AU		595€
AU plug	2700K	PU			ADTA 1274AU	680€
EU plug	3000K	PU	ADTA 1303	ADTA 1302		595€
EU plug	3000K	PU			ADTA 1304	680€
UK plug	3000K	PU	ADTA 1303UK	ADTA 1302UK		595€
UK plug	3000K	PU			ADTA 1304UK	680€
US plug	3000K	PU	ADTA 1303US	ADTA 1302US		595€
US plug	3000K	PU			ADTA 1304US	680€
AU plug	3000K	PU	ADTA 1303AU	ADTA 1302AU		595€
AU plug	3000K	PU			ADTA 1304AU	680€

100V-240V - **plugdriver with PUSH-DIM button on cable**
1 x LED array 4,32W (**LED incl.**) - 500mA - 487lm - 2700K - CRI >95
or 1 x LED array 4,32W (**LED incl.**) - 500mA - 517lm - 3000K - CRI >95
TABLE -


Aude-Table with honeycomb



EU plug	2700K	PU	ADTA 1273H	ADTA 1272H		605€
EU plug	2700K	PU			ADTA 1274H	690€
UK plug	2700K	PU	ADTA 1273HUK	ADTA 1272HUK		605€
UK plug	2700K	PU			ADTA 1274HUK	690€
US plug	2700K	PU	ADTA 1273HUS	ADTA 1272HUS		605€
US plug	2700K	PU			ADTA 1274HUS	690€
AU plug	2700K	PU	ADTA 1273HAU	ADTA 1272HAU		605€
AU plug	2700K	PU			ADTA 1274HAU	690€
EU plug	3000K	PU	ADTA 1303H	ADTA 1302H		605€
EU plug	3000K	PU			ADTA 1304H	690€
UK plug	3000K	PU	ADTA 1303HUK	ADTA 1302HUK		605€
UK plug	3000K	PU			ADTA 1304HUK	690€
US plug	3000K	PU	ADTA 1303HUS	ADTA 1302HUS		605€
US plug	3000K	PU			ADTA 1304HUS	690€
AU plug	3000K	PU	ADTA 1303HAU	ADTA 1302HAU		605€
AU plug	3000K	PU			ADTA 1304HAU	690€

100V-240V - **plugdriver with PUSH-DIM button on cable**
1 x LED array 4,32W (**LED incl.**) - 500mA - 487lm - 2700K - CRI >95
or 1 x LED array 4,32W (**LED incl.**) - 500mA - 517lm - 3000K - CRI >95
TABLE -


Austere-Floor



	DIM	FRAME	FRAME	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
EU plug	▲	●	●	○	●	745€
EU plug	▲				HVFL 1004	875€
UK plug	▲	HVFL 1003UK	HVFL 1002UK	HVFL 1001UK		745€
UK plug	▲				HVFL 1004UK	875€
US plug	▲	HVFL 1003US	HVFL 1002US	HVFL 1001US		745€
US plug	▲				HVFL 1004US	875€
AU plug	▲	HVFL 1003AU	HVFL 1002AU	HVFL 1001AU		745€
AU plug	▲				HVFL 1004AU	875€

100V-240V - **plugdriver with PUSH-DIM button on cable**
 1 x LED array 6W (**LED incl.**) - 350mA - 634lm - 2700K - CRI >93
 The base bracket is standard included and recommended for optimal stability.
FLOOR -


Austere-Table



EU plug	▲	HVTA 1003	HVTA 1002	HVTA 1001		685€
EU plug	▲				HVTA 1004	815€
UK plug	▲	HVTA 1003UK	HVTA 1002UK	HVTA 1001UK		685€
UK plug	▲				HVTA 1004UK	815€
US plug	▲	HVTA 1003US	HVTA 1002US	HVTA 1001US		685€
US plug	▲				HVTA 1004US	815€
AU plug	▲	HVTA 1003AU	HVTA 1002AU	HVTA 1001AU		685€
AU plug	▲				HVTA 1004AU	815€

100V-240V - **plugdriver with PUSH-DIM button on cable**
 1 x LED array 6W (**LED incl.**) - 350mA - 634lm - 2700K - CRI >93
TABLE -


Bouly Table



	DIM	FRAME	FRAME	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
		●	○	●	●	
	▲	BOWW 5202	BOWW 5201	BOWW 5203		445€
	▲				BOWW 5209	490€

230V - **EU-plugdriver with PUSH-DIM button on cable**
 1 x 4 LED 0.96W (**LED incl.**) - 350mA - 456lm - 2700K (on demand 6000K) - CRI >93
TABLE -


Bouly Table built-in



	▲	BOWW 4202	BOWW 4201	BOWW 4203		360€
	▲				BOWW 4209	405€

230V - **EU-plugdriver with PUSH-DIM button on cable**
 1 x 4 LED 0.96W (**LED incl.**) - 350mA - 456lm - 2700K (on demand 6000K) - CRI >93
TABLE -

	FLEX LENGTH		FRAME		FLEX		FRAME		FLEX		FRAME		FLEX		FRAME		FLEX		RETAIL PRICE VAT. EXCL.
Scar-Led Table	L 1000		SCAR 2851	◆	SCAR 2852	◆	SCAR 2850	◆	SCAR 2853	◆	SCAR 2857	◆							285€
																			
230V - EU-plugdriver with switch on cable																			
1 x LED 0.96W (LED incl.) - 350mA - 114lm - 2700K (on demand 6000K) - CRI >93																			
◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°																			
TABLE -   IP40 																			

Scar-Led Table built-in	L 200		SCAR 2836	◆	SCAR 2736	◆	SCAR 2936	◆	SCAR 2536	◆	SCAR 2336	◆							260€
	L 400		SCAR 2866	◆	SCAR 2766	◆	SCAR 2966	◆	SCAR 2566	◆	SCAR 2366	◆							265€
	L 750		SCAR 2876	◆	SCAR 2776	◆	SCAR 2976	◆	SCAR 2576	◆	SCAR 2376	◆							280€
																			
230V - EU-plugdriver with switch on cable																			
1 x LED 0.96W (LED incl.) - 350mA - 114lm - 2700K (on demand 6000K) - CRI >93																			
◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°																			
TABLE -   IP40 																			

Wall & Ceiling



2THIRTY

2Thirty-C1	16
2Thirty-CH2	16
2Thirty-CV2	17
2Thirty-W1	17
2Thirty-W1 plug	18
2Thirty-WH2	19
2Thirty-WV2	19
2Thirty-WV2 plug	20



7TY

7Ty up	21
--------	----



AUDE-WALL

Aude-Wall L built-in	22
Aude-Wall L plug	23
Aude-Wall S built-in	24
Aude-Wall S plug	25



AUDETTE-UP

Audette up	26
Audette-Duo up	28
Audette-Varié up	30



AUDETTE-UP

Audette up Rounded	32
Audette-Duo up Rounded	33
Audette-Varié up Rounded	35



AUDETTE-WALL

Audette W1 in	36
Audette-Duo W1 in	37
Audette-Varié W1 in	38
Audette WD1 up	39
Audette-Duo WD1 up	39
Audette-Varié WD1 up	40



AUDY UP

Audy 1 up Rounded	41
Audy-Duo 1 up Rounded	41
Audy 2 up Rounded	42
Audy-Duo 2 up Rounded	43



AUDY-WALL

Audy-Wall 1S	44
Audy-Wall 1S Duo	44
Audy-Wall 2S	45
Audy-Wall 2S Duo	45



AUSTERE

Austere-Ceiling 1Y	46
Austere-Ceiling 1X	46
Austere-Ceiling 1+	46



AUSTERE-ELEMENTS

Austere-Elements design	47
Austere-Elements rods & straps	48
Austere-Elements connectors	49
Austere-Elements connectors with light-element	49
Austere-Elements connectors with powercord	50
Austere-Elements connectors with light-element & powercord	51
Austere-Elements required drivers	52
Austere-Elements mounting options	52
Austere-Elements configurations	53



AUSTERE


Austere-Wall built-in	57
Austere-Wall plug	57
Austere-Wall push built-in	57
Austere-Wall push plug	58



BILY

Bily 16 up	58
------------	----

Wall & Ceiling



BOULY W/C

Bouly W/C	59
Bouly W/C D+B	59



CODE 1 / CODE 2

Code 1	59
Code 1 LED	60
Code 2	60
Code 2 LED	60
Code W	60
Code W LED	61



KWA-KWA

Kwa-Kwa 1F Round	61
Kwa-Kwa 1F Square	61
Kwa-Kwa 1F +B Round	62
Kwa-Kwa 1FT Rounded LED	62
Kwa-Kwa 1FT Rectangular LED	62
Kwa-Kwa 2FT Rounded LED	62
Kwa-Kwa 2FT Rectangular LED	62
Kwa-Kwa 4FT Rounded LED	63
Kwa-Kwa 6FT Rounded LED	63



LIPPS W/C

Lipps 200 W/C	63
Lipps 300 W/C	63
Lipps 600 W/C	63



MINI-PI UP

Mini-Pi 1 up	64
Mini-Pi 1 up Round	64
Mini-Pi 2 up	64
Mini-Pi 3 up	64



NAGA

NAGA	64
------	----



PIN-UP

Pin-Up 1 Round LED	65
Pin-Up 1 Square LED	65
Pin-Up 2 LED	65
Pin-Up 4 LED	65
Pin-Up 6 LED	65



R5 UP

R51 up GU5.3 LED	66
R52 up GU5.3 LED	66
R54 up GU5.3 LED	66
R51 up GU10	66
R52 up GU10	66
R54 up GU10	67
R51 up LED	67
R52 up LED	67
R54 up LED	67



R07 / R70 UP

R07 up	68
R70 up	68



R110 / R111 UP

R110 up G53	68
R111 up G53	68



SCAR-LED

Scar-Led 1FD built-in 45 (no-dim)	69
Scar-Led 1FD built-in 45 (dim)	69
Scar-Led 1FD built-in 60 (no-dim)	69
Scar-Led 1FD built-in 60 (dim)	69
Scar-Led 1FDS built-in 60 (no-dim)	69
Scar-Led 1FDS built-in 60 (dim)	70
Scar-Led 1FD built-in 95 (no-dim)	70
Scar-Led 1FD built-in 95 (dim)	70
Scar-Led 1FDS built-in 95 (no-dim)	70
Scar-Led 1FDS built-in 95 (dim)	70
Scar-Led 1FD built-up (no-dim)	71
Scar-Led 1FDS built-up (no-dim)	71
Scar-Led 1FDS built-up plug (no-dim)	71



SCAR-LITE


Scar-Lite 1FD built-in (no-dim)	71
Scar-Lite 1FD built-in (dim)	71
Scar-Lite 1FDS built-in (no-dim)	72
Scar-Lite 1FDS built-in (dim)	72
Scar-Lite 1FDS built-up (no-dim)	72
Scar-Lite 1FDS built-up (dim)	72
Scar-Lite 1FDS built-up plug (no-dim)	72
Scar-Lite 1FDS built-up plug (dim)	72
Scar-Lite USB built-up	72



SIRENS W/C

Sirens W/C diffuser glass	73
Sirens W/C mirror	73
Sirens W/C frosted glass	
big mirror + edge mirror	73
Sirens W/C frosted glass	
small mirror + edge mirror	73
Sirens W/C frosted glass + edge mirror	73


2Thirty-C1



RING	ROD	FRAME	SWIVEL	RETAIL PRICE VAT. EXCL.
	●	●	●	
●	THC 12223	◆		455€
●	THC 17223	◆		455€
●	THC 18223	◆		455€

230V (110V on demand)
1 x LED module 10W **(LED incl.)** - 230V - 1000lm - 2700K - CRI >90 - **TRIAC dimmable**
◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°
CEILING -


2Thirty-C1 with honeycomb



●	THC 12223H	◆	475€
●	THC 17223H	◆	475€
●	THC 18223H	◆	475€

230V (110V on demand)
1 x LED module 10W **(LED incl.)** - 230V - 1000lm - 2700K - CRI >90 - **TRIAC dimmable**
◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°
CEILING -


2Thirty-CH2



●	THP 22223	◀▶	890€
●	THP 27223	◀▶	890€
●	THP 28223	◀▶	890€

230V (110V on demand)
2 x LED module 10W **(LED incl.)** - 230V - 2 x 1000lm - 2700K - CRI >90 - **TRIAC dimmable**
◀ = Choose beam left lightsource: N=narrow 12° or M=medium 24° or W=wide 40°
▶ = Choose beam right lightsource: N=narrow 12° or M=medium 24° or W=wide 40°
CEILING -

2Thirty-CH2 with honeycomb



●	THP 22223H	◀▶	930€
●	THP 27223H	◀▶	930€
●	THP 28223H	◀▶	930€

230V (110V on demand)
2 x LED module 10W **(LED incl.)** - 230V - 2 x 1000lm - 2700K - CRI >90 - **TRIAC dimmable**
◀ = Choose beam left lightsource: N=narrow 12° or M=medium 24° or W=wide 40°
▶ = Choose beam right lightsource: N=narrow 12° or M=medium 24° or W=wide 40°
CEILING -

RETAIL PRICE
VAT. EXCL.

2Thirty-CV2

Diagram of 2Thirty-CV2 lighting fixture. It features a vertical rod with two light sources. The upper light source is at a height of 100 cm and has a beam diameter of 132 cm. The lower light source is at a height of 560 cm and has a beam diameter of 12 cm. The fixture is mounted on a wall with a diameter of 70 cm. The beam angle is 359°. A detailed view of the light source shows the ROD, SWIVEL, FRAME, RING, and BEAM components.

●	THC 22223 ▲▼	785€
●	THC 27223 ▲▼	785€
●	THC 28223 ▲▼	785€

230V (110V on demand)
2 x LED module 10W **(LED incl.)** - 230V - 2 x 1000lm - 2700K - CRI >90 - **TRIAC dimmable**
▲ = Choose beam upper lightsource: N=narrow 12° or M=medium 24° or W=wide 40°
▼ = Choose beam lower lightsource: N=narrow 12° or M=medium 24° or W=wide 40°
CEILING -

Wall & ceiling

RETAIL PRICE
VAT. EXCL.

2Thirty-CV2 with honeycomb

Diagram of 2Thirty-CV2 with honeycomb lighting fixture. It features a vertical rod with two light sources. The upper light source is at a height of 100 cm and has a beam diameter of 136 cm. The lower light source is at a height of 560 cm and has a beam diameter of 12 cm. The fixture is mounted on a wall with a diameter of 70 cm. The beam angle is 359°. A detailed view of the light source shows the ROD, SWIVEL, FRAME, RING, and BEAM components.

●	THC 22223H ▲▼	825€
●	THC 27223H ▲▼	825€
●	THC 28223H ▲▼	825€

230V (110V on demand)
2 x LED module 10W **(LED incl.)** - 230V - 2 x 1000lm - 2700K - CRI >90 - **TRIAC dimmable**
▲ = Choose beam upper lightsource: N=narrow 12° or M=medium 24° or W=wide 40°
▼ = Choose beam lower lightsource: N=narrow 12° or M=medium 24° or W=wide 40°
CEILING -

RETAIL PRICE
VAT. EXCL.

2Thirty-W1

Diagram of 2Thirty-W1 lighting fixture. It features a horizontal rod with two light sources. The upper light source is at a height of 100 cm and has a beam diameter of 100 cm. The lower light source is at a height of 120 cm and has a beam diameter of 12 cm. The fixture is mounted on a wall with a diameter of 70 cm. The beam angle is 359°. A detailed view of the light source shows the SWIVEL, ROD, FRAME, and RING components.

●	THW 12223 ◆	455€
●	THW 17223 ◆	455€
●	THW 18223 ◆	455€

230V (110V on demand)
1 x LED module 10W **(LED incl.)** - 230V - 1000lm - 2700K - CRI >90 - **TRIAC dimmable**
◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°
WALL -

RETAIL PRICE
VAT. EXCL.

2Thirty-W1 with honeycomb


Diagram of 2Thirty-W1 with honeycomb lighting fixture. It features a horizontal rod with two light sources. The upper light source is at a height of 100 cm and has a beam diameter of 100 cm. The lower light source is at a height of 120 cm and has a beam diameter of 12 cm. The fixture is mounted on a wall with a diameter of 70 cm. The beam angle is 359°. A detailed view of the light source shows the SWIVEL, ROD, FRAME, and RING components.

●	THW 12223H ◆	475€
●	THW 17223H ◆	475€
●	THW 18223H ◆	475€

230V (110V on demand)
1 x LED module 10W **(LED incl.)** - 230V - 1000lm - 2700K - CRI >90 - **TRIAC dimmable**
◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°
WALL -

2Thirty-W1 plug

Wall & ceiling




	RING	ROD	FRAME	SWIVEL	RETAIL PRICE VAT. EXCL.
	●	●	●		
EU plug	●	THWP EU 12 ◆			495€
EU plug	●	THWP EU 17 ◆			495€
EU plug	●	THWP EU 18 ◆			495€
UK plug	●	THWP UK 12 ◆			495€
UK plug	●	THWP UK 17 ◆			495€
UK plug	●	THWP UK 18 ◆			495€
US plug*	●	THWP US 12 ◆			on demand
US plug*	●	THWP US 17 ◆			on demand
US plug*	●	THWP US 18 ◆			on demand
AU plug	●	THWP AU 12 ◆			495€
AU plug	●	THWP AU 17 ◆			495€
AU plug	●	THWP AU 18 ◆			495€

230V - ON/OFF on armature
*110V - ON/OFF on armature

1 x LED module 10W (LED incl.) - 230V - 1000lm - 2700K - CRI >90
◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°
WALL - CE IP50 eco

2Thirty-W1 plug with honeycomb




EU plug	●	THWP EU 12H ◆		515€
EU plug	●	THWP EU 17H ◆		515€
EU plug	●	THWP EU 18H ◆		515€
UK plug	●	THWP UK 12H ◆		515€
UK plug	●	THWP UK 17H ◆		515€
UK plug	●	THWP UK 18H ◆		515€
US plug*	●	THWP US 12H ◆		on demand
US plug*	●	THWP US 17H ◆		on demand
US plug*	●	THWP US 18H ◆		on demand
AU plug	●	THWP AU 12H ◆		515€
AU plug	●	THWP AU 17H ◆		515€
AU plug	●	THWP AU 18H ◆		515€

230V - ON/OFF on armature
*110V - ON/OFF on armature

1 x LED module 10W (LED incl.) - 230V - 1000lm - 2700K - CRI >90
◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°
WALL - CE IP50 eco

RING	ROD	FRAME	SWIVEL	RETAIL PRICE VAT. EXCL.
	●	●	●	
●	THH 22223	◄◄		890€
●	THH 27223	◄◄		890€
●	THH 28223	◄◄		890€

2Thirty-WH2




Choose beam
left lightsource

Choose beam
right lightsource

230V (110V on demand)
2 x LED module 10W (LED incl.) - 230V - 2 x 1000lm - 2700K - CRI >90 - **TRIAC dimmable**
◄ = Choose beam left lightsource: N=narrow 12° or M=medium 24° or W=wide 40°
► = Choose beam right lightsource: N=narrow 12° or M=medium 24° or W=wide 40°
WALL - CE IP50

2Thirty-WH2 with honeycomb




Choose beam
left lightsource

Choose beam
right lightsource

230V (110V on demand)
2 x LED module 10W (LED incl.) - 230V - 2 x 1000lm - 2700K - CRI >90 - **TRIAC dimmable**
◄ = Choose beam left lightsource: N=narrow 12° or M=medium 24° or W=wide 40°
► = Choose beam right lightsource: N=narrow 12° or M=medium 24° or W=wide 40°
WALL - CE IP50

2Thirty-WV2



Choose beam
upper lightsource

Choose beam
lower lightsource


●	THR 22223	▲▼	890€
●	THR 27223	▲▼	890€
●	THR 28223	▲▼	890€

230V (110V on demand)
2 x LED module 10W (LED incl.) - 230V - 2 x 1000lm - 2700K - CRI >90 - **TRIAC dimmable**
▲ = Choose beam upper lightsource: N=narrow 12° or M=medium 24° or W=wide 40°
▼ = Choose beam lower lightsource: N=narrow 12° or M=medium 24° or W=wide 40°
WALL - CE IP50

RING	ROD	FRAME	SWIVEL	RETAIL PRICE VAT. EXCL.
	●	●	●	
●	THR 22223H ▲▼			930€
●	THR 27223H ▲▼			930€
●	THR 28223H ▲▼			930€


2Thirty-WV2 with honeycomb

Wall & ceiling



230V (110V on demand)
2 x LED module 10W **(LED incl.)** - 230V - 2 x 1000lm - 2700K - CRI >90 - **TRIAC dimmable**
▲ = Choose beam upper lightsource: N=narrow 12° or M=medium 24° or W=wide 40°
▼ = Choose beam lower lightsource: N=narrow 12° or M=medium 24° or W=wide 40°
WALL -

2Thirty-WV2 plug



EU plug	●	THRP EU 22 ▲▼	on demand
EU plug	●	THRP EU 27 ▲▼	on demand
EU plug	●	THRP EU 28 ▲▼	on demand
UK plug	●	THRP UK 22 ▲▼	on demand
UK plug	●	THRP UK 27 ▲▼	on demand
UK plug	●	THRP UK 28 ▲▼	on demand
US plug*	●	THRP US 22 ▲▼	on demand
US plug*	●	THRP US 27 ▲▼	on demand
US plug*	●	THRP US 28 ▲▼	on demand
AU plug	●	THRP AU 22 ▲▼	on demand
AU plug	●	THRP AU 27 ▲▼	on demand
AU plug	●	THRP AU 28 ▲▼	on demand

230V - **ON/OFF on armature**
*110V - **ON/OFF on armature**
2 x LED module 10W **(LED incl.)** - 230V - 2 x 1000lm - 2700K - CRI >90
▲ = Choose beam upper lightsource: N=narrow 12° or M=medium 24° or W=wide 40°
▼ = Choose beam lower lightsource: N=narrow 12° or M=medium 24° or W=wide 40°
WALL -

Technical drawing of a lighting fixture assembly. The drawing shows a vertical rod with two light sources. The top light source is labeled "Choose beam upper lightsource" and the bottom light source is labeled "Choose beam lower lightsource". The rod has a diameter of $\varnothing 12$ at the top. The distance between the two light sources is 43. The distance from the top light source to the bottom light source is 1000. The distance from the bottom light source to the bottom of the rod is 100. The bottom of the rod has a diameter of $\varnothing 80$ and a rotation angle of 359° . A detail view of the light source assembly is shown on the right, with labels: ON / OFF, FRAME, SWIVEL, ROD, and RING. The bottom of the rod is labeled 2000.

	RING	ROD	FRAME	SWIVEL	RETAIL PRICE VAT. EXCL.
EU plug					THRP EU 22H   on demand
EU plug					THRP EU 27H   on demand
EU plug					THRP EU 28H   on demand
UK plug					THRP UK 22H   on demand
UK plug					THRP UK 27H   on demand
UK plug					THRP UK 28H   on demand
US plug*					THRP US 22H   on demand
US plug*					THRP US 27H   on demand
US plug*					THRP US 28H   on demand
AU plug					THRP AU 22H   on demand
AU plug					THRP AU 27H   on demand
AU plug					THRP AU 28H   on demand

*110V - **ON/OFF** on armature

2 x LED module 10W **(LED incl.)** - 230V - 2 x 1000lm - 2700K - CRI >90

▲ = Choose beam upper lightsource: N=narrow 12° or M=medium 24° or W=wide 40°

▼ = Choose beam lower lightsource: N=narrow 12° or M=medium 24° or W=wide 40°

WALL - IP50 eco

 107
 Ø 80

LC | STUP 1002 | STUP 1001 | STUP 1007 | STUP 1008 | 2806

DIM

FRAME

FRAME

FRAME

FRAME

RETAIL PRICE
VAT. EXCL.

230V - **driver included in base** - TRIAC/IGBT dimmable

1 x LED array 11,8W **(LED incl.)** - 250mA - 913lm - 2700K - CRI >97

◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°

CEILING - IP50

107

Ø 80

Choose beam

LC | STUP1002H◆ STUP1001H◆ STUP1007H◆ STUP1008H◆ | 290€


230V - **driver included in base** - TRIAC/IGBT dimmable

1 x LED array 11.8W **(LED incl.)** - 250mA - 913lm - 2700K - CRI >97

◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°

CEILING - IP50

Aude-Wall L



COLOR LED	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
2700K	ADWL 1273◆		540€
2700K		ADWL 1274◆	625€
3000K	ADWL 1303◆		540€
3000K		ADWL 1304◆	625€

500mA - **required remote mounted driver see below**

1 x LED array 4,32W **(LED incl.)** - 500mA - 487lm - 2700K - CRI >95

or 1 x LED array 4,32W **(LED incl.)** - 500mA - 517lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

WALL - CE IP50 VECO


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	LC	D 6WT500	15€	1-4 x	1-10 PU	D 15WP*	24€
2 x	LC	D 10WT500	17€		DA	D 15WDA*	27€
				1-12 x	1-10 PU DA	D 40WDP*	54€

driver remote mounting
 *110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
 For all specs and techs about drivers, see www.trizo21.com/drivers

Aude-Wall L with honeycomb



2700K	ADWL 1273H◆	550€
2700K	ADWL 1274H◆	635€
3000K	ADWL 1303H◆	550€
3000K	ADWL 1304H◆	635€

500mA - **required remote mounted driver see below**

1 x LED array 4,32W **(LED incl.)** - 500mA - 487lm - 2700K - CRI >95

or 1 x LED array 4,32W **(LED incl.)** - 500mA - 517lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

WALL - CE IP50 VECO


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	LC	D 6WT500	15€	1-4 x	1-10 PU	D 15WP*	24€
2 x	LC	D 10WT500	17€		DA	D 15WDA*	27€
				1-12 x	1-10 PU DA	D 40WDP*	54€

driver remote mounting
 *110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
 For all specs and techs about drivers, see www.trizo21.com/drivers


Aude-Wall L plug



	COLOR LED	DIM	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
EU plug	2700K	PU	ADWL 1273EU		625€
EU plug	2700K	PU		ADWL 1274EU	710€
UK plug	2700K	PU	ADWL 1273UK		625€
UK plug	2700K	PU		ADWL 1274UK	710€
US plug	2700K	PU	ADWL 1273US		625€
US plug	2700K	PU		ADWL 1274US	710€
AU plug	2700K	PU	ADWL 1273AU		625€
AU plug	2700K	PU		ADWL 1274AU	710€
EU plug	3000K	PU	ADWL 1303EU		625€
EU plug	3000K	PU		ADWL 1304EU	710€
UK plug	3000K	PU	ADWL 1303UK		625€
UK plug	3000K	PU		ADWL 1304UK	710€
US plug	3000K	PU	ADWL 1303US		625€
US plug	3000K	PU		ADWL 1304US	710€
AU plug	3000K	PU	ADWL 1303AU		625€
AU plug	3000K	PU		ADWL 1304AU	710€

100V-240V - plugdriver with PUSH-DIM button on cable
1 x LED array 4,32W (LED incl.) - 500mA - 487lm - 2700K - CRI >95
or 1 x LED array 4,32W (LED incl.) - 500mA - 517lm - 3000K - CRI >95
◆ Choose beam: M=medium 23° or W=wide 40°
WALL -


Aude-Wall L plug with honeycomb



EU plug	2700K	PU	ADWL 1273HEU		635€
EU plug	2700K	PU		ADWL 1274HEU	720€
UK plug	2700K	PU	ADWL 1273HUK		635€
UK plug	2700K	PU		ADWL 1274HUK	720€
US plug	2700K	PU	ADWL 1273HUS		635€
US plug	2700K	PU		ADWL 1274HUS	720€
AU plug	2700K	PU	ADWL 1273HAU		635€
AU plug	2700K	PU		ADWL 1274HAU	720€
EU plug	3000K	PU	ADWL 1303HEU		635€
EU plug	3000K	PU		ADWL 1304HEU	720€
UK plug	3000K	PU	ADWL 1303HUK		635€
UK plug	3000K	PU		ADWL 1304HUK	720€
US plug	3000K	PU	ADWL 1303HUS		635€
US plug	3000K	PU		ADWL 1304HUS	720€
AU plug	3000K	PU	ADWL 1303HAU		635€
AU plug	3000K	PU		ADWL 1304HAU	720€

100V-240V - plugdriver with PUSH-DIM button on cable
1 x LED array 4,32W (LED incl.) - 500mA - 487lm - 2700K - CRI >95
or 1 x LED array 4,32W (LED incl.) - 500mA - 517lm - 3000K - CRI >95
◆ Choose beam: M=medium 23° or W=wide 40°
WALL -

Aude-Wall S



COLOR LED	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
2700K	ADWS 1273◆		530€
2700K		ADWS 1274◆	615€
3000K	ADWS 1303◆		530€
3000K		ADWS 1304◆	615€

500mA - **required remote mounted driver see below**

1 x LED array 4,32W **(LED incl.)** - 500mA - 487lm - 2700K - CRI >95

or 1 x LED array 4,32W **(LED incl.)** - 500mA - 517lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

WALL - CE IP50 VECO

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	LC	D 6WT500	15€
2 x	LC	D 10WT500	17€

driver remote mounting
 *110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1-4 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
1-12 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
 For all specs and techs about drivers, see www.trizo21.com/drivers

Aude-Wall S with honeycomb



2700K	ADWS 1273H◆	540€
2700K	ADWS 1274H◆	625€
3000K	ADWS 1303H◆	540€
3000K	ADWS 1304H◆	625€

500mA - **required remote mounted driver see below**

1 x LED array 4,32W **(LED incl.)** - 500mA - 487lm - 2700K - CRI >95

or 1 x LED array 4,32W **(LED incl.)** - 500mA - 517lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

WALL - CE IP50 VECO

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	LC	D 6WT500	15€
2 x	LC	D 10WT500	17€

driver remote mounting
 *110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1-4 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
1-12 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
 For all specs and techs about drivers, see www.trizo21.com/drivers


Aude-Wall S plug



	COLOR LED	DIM	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
					
EU plug	2700K		ADWS 1273EU		615€
EU plug	2700K			ADWS 1274EU	700€
UK plug	2700K		ADWS 1273UK		615€
UK plug	2700K			ADWS 1274UK	700€
US plug	2700K		ADWS 1273US		615€
US plug	2700K			ADWS 1274US	700€
AU plug	2700K		ADWS 1273AU		615€
AU plug	2700K			ADWS 1274AU	700€
EU plug	3000K		ADWS 1303EU		615€
EU plug	3000K			ADWS 1304EU	700€
UK plug	3000K		ADWS 1303UK		615€
UK plug	3000K			ADWS 1304UK	700€
US plug	3000K		ADWS 1303US		615€
US plug	3000K			ADWS 1304US	700€
AU plug	3000K		ADWS 1303AU		615€
AU plug	3000K			ADWS 1304AU	700€

100V-240V - **plugdriver with PUSH-DIM button on cable**
1 x LED array 4,32W **(LED incl.)** - 500mA - 487lm - 2700K - CRI >95
or 1 x LED array 4,32W **(LED incl.)** - 500mA - 517lm - 3000K - CRI >95
◆ Choose beam: M=medium 23° or W=wide 40°
WALL -   


Aude-Wall S plug with honeycomb



EU plug	2700K		ADWS 1273HEU		625€
EU plug	2700K			ADWS 1274HEU	710€
UK plug	2700K		ADWS 1273HUK		625€
UK plug	2700K			ADWS 1274HUK	710€
US plug	2700K		ADWS 1273HUS		625€
US plug	2700K			ADWS 1274HUS	710€
AU plug	2700K		ADWS 1273HAU		625€
AU plug	2700K			ADWS 1274HAU	710€
EU plug	3000K		ADWS 1303HEU		625€
EU plug	3000K			ADWS 1304HEU	710€
UK plug	3000K		ADWS 1303HUK		625€
UK plug	3000K			ADWS 1304HUK	710€
US plug	3000K		ADWS 1303HUS		625€
US plug	3000K			ADWS 1304HUS	710€
AU plug	3000K		ADWS 1303HAU		625€
AU plug	3000K			ADWS 1304HAU	710€

100V-240V - **plugdriver with PUSH-DIM button on cable**
1 x LED array 4,32W **(LED incl.)** - 500mA - 487lm - 2700K - CRI >95
or 1 x LED array 4,32W **(LED incl.)** - 500mA - 517lm - 3000K - CRI >95
◆ Choose beam: M=medium 23° or W=wide 40°
WALL -   


Audette 1 up



COLOR LED	DIM	BASE				SWIVEL				FRAME				RING				RETAIL PRICE VAT. EXCL.
		●	●	●	●	○	●	●	●	●	●	●	●	○	○	○	○	
2700K	LC	ADST 122333				ADST 121333												400€
2700K	LC									ADST 122222				ADST 121111				380€
3000K	LC	ADST 132333				ADST 131333												400€
3000K	LC									ADST 132222				ADST 131111				380€

230V - driver included in base - TRIAC/IGBT dimmable
 1 x LED array 6,25W (LED incl.) - 350mA - 633lm - 2700K - CRI >95
 or 1 x LED array 6,25W (LED incl.) - 350mA - 673lm - 3000K - CRI >95
 ♦ Choose beam: M=medium 23° or W=wide 40°
 CEILING - CE IP50 eco


Audette 1 up with honeycomb



2700K	LC	ADST 122333H				ADST 121333H												410€
2700K	LC									ADST 122222H				ADST 121111H				390€
3000K	LC	ADST 132333H				ADST 131333H												410€
3000K	LC									ADST 132222H				ADST 131111H				390€

230V - driver included in base - TRIAC/IGBT dimmable
 1 x LED array 6,25W (LED incl.) - 350mA - 633lm - 2700K - CRI >95
 or 1 x LED array 6,25W (LED incl.) - 350mA - 673lm - 3000K - CRI >95
 ♦ Choose beam: M=medium 23° or W=wide 40°
 CEILING - CE IP50 eco


Audette 2 up



2700K	LC	ADST 222333				ADST 221333												740€
2700K	LC									ADST 222222				ADST 221111				700€
3000K	LC	ADST 232333				ADST 231333												740€
3000K	LC									ADST 232222				ADST 231111				700€

230V - driver included in base - TRIAC/IGBT dimmable
 2 x LED array 6,25W (LED incl.) - 350mA - 2 x 633lm - 2700K - CRI >95
 or 2 x LED array 6,25W (LED incl.) - 350mA - 2 x 673lm - 3000K - CRI >95
 ♦ Choose beam: M=medium 23° or W=wide 40°
 CEILING - CE IP50 eco

Audette 2 up with honeycomb




2700K	LC	ADST 222333H				ADST 221333H												760€
2700K	LC									ADST 222222H				ADST 221111H				720€
3000K	LC	ADST 232333H				ADST 231333H												760€
3000K	LC									ADST 232222H				ADST 231111H				720€

230V - driver included in base - TRIAC/IGBT dimmable
 2 x LED array 6,25W (LED incl.) - 350mA - 2 x 633lm - 2700K - CRI >95
 or 2 x LED array 6,25W (LED incl.) - 350mA - 2 x 673lm - 3000K - CRI >95
 ♦ Choose beam: M=medium 23° or W=wide 40°
 CEILING - CE IP50 eco

COLOR LED

DIM	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	RETAIL PRICE VAT. EXCL.
	●	●	●	●	○	●	●	●	●	●	●	●	○	○	○	○	

Audette 3 up



2700K	LC	ADST 322333	ADST 321333														1.080€
2700K	LC								ADST 322222				ADST 321111				1.015€
3000K	LC	ADST 332333	ADST 331333														1.080€
3000K	LC								ADST 332222				ADST 331111				1.015€

230V - driver included in base - TRIAC/IGBT dimmable


3 x LED array 6,25W (LED incl.) - 350mA - 3 x 633lm - 2700K - CRI >95

or 3 x LED array 6,25W (LED incl.) - 350mA - 3 x 673lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50 eco

Audette 3 up with honeycomb



2700K	LC	ADST 322333H	ADST 321333H														1.110€
2700K	LC								ADST 322222H				ADST 321111H				1.045€
3000K	LC	ADST 332333H	ADST 331333H														1.110€
3000K	LC								ADST 332222H				ADST 331111H				1.045€

230V - driver included in base - TRIAC/IGBT dimmable


3 x LED array 6,25W (LED incl.) - 350mA - 3 x 633lm - 2700K - CRI >95

or 3 x LED array 6,25W (LED incl.) - 350mA - 3 x 673lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50 eco

Audette 4 up



2700K	LC	ADST 422333	ADST 421333														1.420€
2700K	LC								ADST 422222				ADST 421111				1.335€
3000K	LC	ADST 432333	ADST 431333														1.420€
3000K	LC								ADST 432222				ADST 431111				1.335€

230V - driver included in base - TRIAC/IGBT dimmable


4 x LED array 6,25W (LED incl.) - 350mA - 4 x 633lm - 2700K - CRI >95

or 4 x LED array 6,25W (LED incl.) - 350mA - 4 x 673lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50 eco

Audette 4 up with honeycomb



2700K	LC	ADST 422333H	ADST 421333H														1.460€
2700K	LC								ADST 422222H				ADST 421111H				1.375€
3000K	LC	ADST 432333H	ADST 431333H														1.460€
3000K	LC								ADST 432222H				ADST 431111H				1.375€

230V - driver included in base - TRIAC/IGBT dimmable

4 x LED array 6,25W (LED incl.) - 350mA - 4 x 633lm - 2700K - CRI >95

or 4 x LED array 6,25W (LED incl.) - 350mA - 4 x 673lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50 eco


COLOR LED

DIM

BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING
●	●	●	●	○	●	●	○	●	●	●	●	○	○	○	●

RETAIL PRICE
VAT. EXCL.

Audette-Duo 1 up



2700K	LC	ADST 122332	ADST 121331					380€
2700K	LC			ADST 122223	ADST 121113			400€
3000K	LC	ADST 132332	ADST 131331					380€
3000K	LC			ADST 132223	ADST 131113			400€

230V - driver included in base - TRIAC/IGBT dimmable


1 x LED array 6,25W (LED incl.) - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6,25W (LED incl.) - 350mA - 673lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50 eco

Audette-Duo 1 up with honeycomb



2700K	LC	ADST 122332H	ADST 121331H					390€
2700K	LC			ADST 122223H	ADST 121113H			410€
3000K	LC	ADST 132332H	ADST 131331H					390€
3000K	LC			ADST 132223H	ADST 131113H			410€

230V - driver included in base - TRIAC/IGBT dimmable


1 x LED array 6,25W (LED incl.) - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6,25W (LED incl.) - 350mA - 673lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50 eco

Audette-Duo 2 up



2700K	LC	ADST 222332	ADST 221331					700€
2700K	LC			ADST 222223	ADST 221113			740€
3000K	LC	ADST 232332	ADST 231331					700€
3000K	LC			ADST 232223	ADST 231113			740€

230V - driver included in base - TRIAC/IGBT dimmable


2 x LED array 6,25W (LED incl.) - 350mA - 2 x 633lm - 2700K - CRI >95

or 2 x LED array 6,25W (LED incl.) - 350mA - 2 x 673lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50 eco

Audette-Duo 2 up with honeycomb



2700K	LC	ADST 222332H	ADST 221331H					720€
2700K	LC			ADST 222223H	ADST 221113H			760€
3000K	LC	ADST 232332H	ADST 231331H					720€
3000K	LC			ADST 232223H	ADST 231113H			760€

230V - driver included in base - TRIAC/IGBT dimmable

2 x LED array 6,25W (LED incl.) - 350mA - 2 x 633lm - 2700K - CRI >95

or 2 x LED array 6,25W (LED incl.) - 350mA - 2 x 673lm - 3000K - CRI >95


◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50 eco

COLOR LED

DIM	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	RETAIL PRICE VAT. EXCL.
	●	●	●	●	○	●	●	○	●	●	●	●	○	○	○	●	

Audette-Duo 3 up



2700K	LC	ADST 322332	ADST 321331														1.015€
2700K	LC								ADST 322223		ADST 321113						1.080€
3000K	LC	ADST 332332	ADST 331331														1.015€
3000K	LC								ADST 332223		ADST 331113						1.080€


230V - driver included in base - TRIAC/IGBT dimmable

3 x LED array 6,25W (LED incl.) - 350mA - 3 x 633lm - 2700K - CRI >95
or 3 x LED array 6,25W (LED incl.) - 350mA - 3 x 673lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50

Audette-Duo 3 up with honeycomb



2700K	LC	ADST 322332H	ADST 321331H														1.045€
2700K	LC								ADST 322223H		ADST 321113H						1.110€
3000K	LC	ADST 332332H	ADST 331331H														1.045€
3000K	LC								ADST 332223H		ADST 331113H						1.110€


230V - driver included in base - TRIAC/IGBT dimmable

3 x LED array 6,25W (LED incl.) - 350mA - 3 x 633lm - 2700K - CRI >95
or 3 x LED array 6,25W (LED incl.) - 350mA - 3 x 673lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50

Audette-Duo 4 up



2700K	LC	ADST 422332	ADST 421331														1.335€
2700K	LC								ADST 422223		ADST 421113						1.420€
3000K	LC	ADST 432332	ADST 431331														1.335€
3000K	LC								ADST 432223		ADST 431113						1.420€


230V - driver included in base - TRIAC/IGBT dimmable

4 x LED array 6,25W (LED incl.) - 350mA - 4 x 633lm - 2700K - CRI >95
or 4 x LED array 6,25W (LED incl.) - 350mA - 4 x 673lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50

Audette-Duo 4 up with honeycomb



2700K	LC	ADST 422332H	ADST 421331H														1.375€
2700K	LC								ADST 422223H		ADST 421113H						1.460€
3000K	LC	ADST 432332H	ADST 431331H														1.375€
3000K	LC								ADST 432223H		ADST 431113H						1.460€


230V - driver included in base - TRIAC/IGBT dimmable

4 x LED array 6,25W (LED incl.) - 350mA - 4 x 633lm - 2700K - CRI >95
or 4 x LED array 6,25W (LED incl.) - 350mA - 4 x 673lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50

Audette-Varié 1 up




COLOR LED	DIM	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	RETAIL PRICE VAT. EXCL.
		●	●	●	●	○	●	○	○	

2700K	LC		ADST 122322	◆	ADST 121311	◆		380€
3000K	LC		ADST 132322	◆	ADST 131311	◆		380€

230V - **driver included in base** - TRIAC/IGBT dimmable
 1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
 or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
 ◆ Choose beam: M=medium 23° or W=wide 40°
CEILING - CE ◇ IP50


Audette-Varié 1 up with honeycomb



2700K	LC		ADST 122322H	◆	ADST 121311H	◆		390€
3000K	LC		ADST 132322H	◆	ADST 131311H	◆		390€

230V - **driver included in base** - TRIAC/IGBT dimmable
 1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
 or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
 ◆ Choose beam: M=medium 23° or W=wide 40°
CEILING - CE ◇ IP50


Audette-Varié 2 up



2700K	LC		ADST 222322	◆	ADST 221311	◆		700€
3000K	LC		ADST 232322	◆	ADST 231311	◆		700€

230V - **driver included in base** - TRIAC/IGBT dimmable
 2 x LED array 6,25W **(LED incl.)** - 350mA - 2 x 633lm - 2700K - CRI >95
 or 2 x LED array 6,25W **(LED incl.)** - 350mA - 2 x 673lm - 3000K - CRI >95
 ◆ Choose beam: M=medium 23° or W=wide 40°
CEILING - CE ◇ IP50

Audette-Varié 2 up with honeycomb




2700K	LC		ADST 222322H	◆	ADST 221311H	◆		720€
3000K	LC		ADST 232322H	◆	ADST 231311H	◆		720€

230V - **driver included in base** - TRIAC/IGBT dimmable
 2 x LED array 6,25W **(LED incl.)** - 350mA - 2 x 633lm - 2700K - CRI >95
 or 2 x LED array 6,25W **(LED incl.)** - 350mA - 2 x 673lm - 3000K - CRI >95
 ◆ Choose beam: M=medium 23° or W=wide 40°
CEILING - CE ◇ IP50

COLOR LED	DIM	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	RETAIL PRICE VAT. EXCL.
		●	●	●	●	○	●	○	○	


Audette-Varié 3 up



2700K	LC		ADST 322322	◆	ADST 321311	◆		1.015€
3000K	LC		ADST 332322	◆	ADST 331311	◆		1.015€

230V - **driver included in base** - TRIAC/IGBT dimmable
 3 x LED array 6,25W **(LED incl.)** - 350mA - 3 x 633lm - 2700K - CRI >95
 or 3 x LED array 6,25W **(LED incl.)** - 350mA - 3 x 673lm - 3000K - CRI >95
 ◆ Choose beam: M=medium 23° or W=wide 40°
CEILING - CE ◇ IP50 eco


Audette-Varié 3 up with honeycomb



2700K	LC		ADST 322322H	◆	ADST 321311H	◆		1.045€
3000K	LC		ADST 332322H	◆	ADST 331311H	◆		1.045€

230V - **driver included in base** - TRIAC/IGBT dimmable
 3 x LED array 6,25W **(LED incl.)** - 350mA - 3 x 633lm - 2700K - CRI >95
 or 3 x LED array 6,25W **(LED incl.)** - 350mA - 3 x 673lm - 3000K - CRI >95
 ◆ Choose beam: M=medium 23° or W=wide 40°
CEILING - CE ◇ IP50 eco


Audette-Varié 4 up



2700K	LC		ADST 422322	◆	ADST 421311	◆		1.335€
3000K	LC		ADST 432322	◆	ADST 431311	◆		1.335€

230V - **driver included in base** - TRIAC/IGBT dimmable
 4 x LED array 6,25W **(LED incl.)** - 350mA - 4 x 633lm - 2700K - CRI >95
 or 4 x LED array 6,25W **(LED incl.)** - 350mA - 4 x 673lm - 3000K - CRI >95
 ◆ Choose beam: M=medium 23° or W=wide 40°
CEILING - CE ◇ IP50 eco

Audette-Varié 4 up with honeycomb



2700K	LC		ADST 422322H	◆	ADST 421311H	◆		1.375€
3000K	LC		ADST 432322H	◆	ADST 431311H	◆		1.375€

230V - **driver included in base** - TRIAC/IGBT dimmable
 4 x LED array 6,25W **(LED incl.)** - 350mA - 4 x 633lm - 2700K - CRI >95
 or 4 x LED array 6,25W **(LED incl.)** - 350mA - 4 x 673lm - 3000K - CRI >95
 ◆ Choose beam: M=medium 23° or W=wide 40°
CEILING - CE ◇ IP50 eco


COLOR LED

DIM

BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING
●	●	●	●	●	●	●	●	○	○	○	○	●	●	●	●

RETAIL PRICE
VAT. EXCL.

Audette 1 up Rounded



2700K	LC	ADRT 123333													470€
2700K	LC		ADRT 122222		ADRT 121111										395€
2700K	LC											ADRT 124444			540€
3000K	LC	ADRT 133333													470€
3000K	LC		ADRT 132222		ADRT 131111										395€
3000K	LC											ADRT 134444			540€

230V - driver included in base - TRIAC/IGBT dimmable


1 x LED array 6,25W (LED incl.) - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6,25W (LED incl.) - 350mA - 673lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50

Audette 1 up Rounded with honeycomb



2700K	LC	ADRT 123333H													480€
2700K	LC		ADRT 122222H		ADRT 121111H										405€
2700K	LC											ADRT 124444H			550€
3000K	LC	ADRT 133333H													480€
3000K	LC		ADRT 132222H		ADRT 131111H										405€
3000K	LC											ADRT 134444H			550€

230V - driver included in base - TRIAC/IGBT dimmable


1 x LED array 6,25W (LED incl.) - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6,25W (LED incl.) - 350mA - 673lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50

Audette 2 up Rounded



2700K	LC	ADRT 223333													860€
2700K	LC		ADRT 222222		ADRT 221111										710€
2700K	LC											ADRT 224444			990€
3000K	LC	ADRT 233333													860€
3000K	LC		ADRT 232222		ADRT 231111										710€
3000K	LC											ADRT 234444			990€

230V - driver included in base - TRIAC/IGBT dimmable


2 x LED array 6,25W (LED incl.) - 350mA - 2 x 633lm - 2700K - CRI >95

or 2 x LED array 6,25W (LED incl.) - 350mA - 2 x 673lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50

Audette 2 up Rounded with honeycomb



2700K	LC	ADRT 223333H													880€
2700K	LC		ADRT 222222H		ADRT 221111H										730€
2700K	LC											ADRT 224444H			1.010€
3000K	LC	ADRT 233333H													880€
3000K	LC		ADRT 232222H		ADRT 231111H										730€
3000K	LC											ADRT 234444H			1.010€


230V - driver included in base - TRIAC/IGBT dimmable

2 x LED array 6,25W (LED incl.) - 350mA - 2 x 633lm - 2700K - CRI >95

or 2 x LED array 6,25W (LED incl.) - 350mA - 2 x 673lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°


CEILING - CE IP50



COLOR LED	DIM	BASE				SWIVEL				FRAME				RING				RETAIL PRICE VAT. EXCL.
		BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	
2700K	LC																	450€
2700K	LC																	420€
3000K	LC																	450€
3000K	LC																	420€

COLOR LED	DIM	BASE				SWIVEL				FRAME				RING				RETAIL PRICE VAT. EXCL.
		BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	
2700K	LC																	395€
3000K	LC																	395€

230V - driver included in base - TRIAC/IGBT dimmable
1 x LED array 6,25W (LED incl.) - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W (LED incl.) - 350mA - 673lm - 3000K - CRI >95
◆ Choose beam: M=medium 23° or W=wide 40°
CEILING - CE IP50 eco




COLOR LED	DIM	BASE				SWIVEL				FRAME				RING				RETAIL PRICE VAT. EXCL.
		BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	
2700K	LC																	460€
2700K	LC																	430€
3000K	LC																	460€
3000K	LC																	430€

COLOR LED	DIM	BASE				SWIVEL				FRAME				RING				RETAIL PRICE VAT. EXCL.
		BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	
2700K	LC																	405€
3000K	LC																	405€

230V - driver included in base - TRIAC/IGBT dimmable
1 x LED array 6,25W (LED incl.) - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W (LED incl.) - 350mA - 673lm - 3000K - CRI >95
◆ Choose beam: M=medium 23° or W=wide 40°
CEILING - CE IP50 eco

Audette-Duo 2 up Rounded



COLOR LED	DIM	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	RETAIL PRICE VAT. EXCL.
		●	●	●	●	●	●	●	○	●	●	●	●	○	○	○	○	
2700K	LC					ADRT 223332	◆			ADRT 223331	◆							815€
2700K	LC									ADRT 222223	◆			ADRT 221113	◆			750€
3000K	LC					ADRT 233332	◆			ADRT 233331	◆							815€
3000K	LC									ADRT 232223	◆			ADRT 231113	◆			750€

COLOR LED		DIM				BASE				SWIVEL				FRAME				RING				RETAIL PRICE VAT. EXCL.			
						●				●				●				●							
2700K		LC				ADRT 222332				ADRT 221331				ADRT 221331				ADRT 221331				710€			
3000K		LC				ADRT 232332				ADRT 231331				ADRT 231331				ADRT 231331				710€			

230V - driver included in base - TRIAC/IGBT dimmable


2 x LED array 6,25W (LED incl.) - 350mA - 2 x 633lm - 2700K - CRI >95

or 2 x LED array 6,25W (LED incl.) - 350mA - 2 x 673lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50 eco

Audette-Duo 2 up Rounded with honeycomb



COLOR LED	DIM	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	RETAIL PRICE VAT. EXCL.
		●	●	●	●	●	●	●	○	●	●	●	○	○	○	○	○	
2700K	LC					ADRT 223332H	◆			ADRT 223331H	◆							835€
2700K	LC									ADRT 222223H	◆			ADRT 221113H	◆			770€
3000K	LC					ADRT 233332H	◆			ADRT 233331H	◆							835€
3000K	LC									ADRT 232223H	◆			ADRT 231113H	◆			770€

COLOR LED	DIM	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	RETAIL PRICE VAT. EXCL.
2700K	 LC									ADRT 222332H ◆ ADRT 221331H ◆ 730€
3000K	 LC									ADRT 232332H ◆ ADRT 231331H ◆ 730€

230V - driver included in base - TRIAC/IGBT dimmable


2 x LED array 6,25W (LED incl.) - 350mA - 2 x 633lm - 2700K - CRI >95

or 2 x LED array 6,25W (LED incl.) - 350mA - 2 x 673lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50 eco

Audette-Varié 1 up Rounded




COLOR LED	DIM	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	RETAIL PRICE VAT. EXCL.
		●	●	●	●	○	●	○	○	

2700K	LC	I	ADRT 122322	ADRT 121311	395€
3000K	LC	I	ADRT 132322	ADRT 131311	395€

230V - **driver included in base** - TRIAC/IGBT dimmable
1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
◆ Choose beam: M=medium 23° or W=wide 40°
CEILING - CE IP50 eco

Wall & ceiling


Audette-Varié 1 up Rounded with honeycomb



2700K	LC	I	ADRT 122322H	ADRT 121311H	405€
3000K	LC	I	ADRT 132322H	ADRT 131311H	405€

230V - **driver included in base** - TRIAC/IGBT dimmable
1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
◆ Choose beam: M=medium 23° or W=wide 40°
CEILING - CE IP50 eco


Audette-Varié 2 up Rounded



2700K	LC	I	ADRT 222322	ADRT 221311	710€
3000K	LC	I	ADRT 232322	ADRT 231311	710€

230V - **driver included in base** - TRIAC/IGBT dimmable
2 x LED array 6,25W **(LED incl.)** - 350mA - 2 x 633lm - 2700K - CRI >95
or 2 x LED array 6,25W **(LED incl.)** - 350mA - 2 x 673lm - 3000K - CRI >95
◆ Choose beam: M=medium 23° or W=wide 40°
CEILING - CE IP50 eco

Audette-Varié 2 up Rounded with honeycomb




2700K	LC	I	ADRT 222322H	ADRT 221311H	730€
3000K	LC	I	ADRT 232322H	ADRT 231311H	730€

230V - **driver included in base** - TRIAC/IGBT dimmable
2 x LED array 6,25W **(LED incl.)** - 350mA - 2 x 633lm - 2700K - CRI >95
or 2 x LED array 6,25W **(LED incl.)** - 350mA - 2 x 673lm - 3000K - CRI >95
◆ Choose beam: M=medium 23° or W=wide 40°
CEILING - CE IP50 eco

COLOR LED

BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	RETAIL PRICE VAT. EXCL.
●	●	●	●	●	●	●	●	○	○	○	○	●	●	●	●	

Audette W1 in



2700K	AWBI 23333															380€
2700K		AWBI 22222			AWBI 21111											355€
2700K												AWBI 24444				435€
3000K	AWBI 33333															380€
3000K		AWBI 32222			AWBI 31111											355€
3000K												AWBI 34444				435€

500mA - **required remote mounted driver see below**

1 x LED array 4,32W **(LED incl.)** - 500mA - 487lm - 2700K - CRI >95

or 1 x LED array 4,32W **(LED incl.)** - 500mA - 517lm - 3000K - CRI >95

aperture : 30 x 35 mm - depth for driver behind fixture : min. 60 mm

◆ Choose beam: M=medium 23° or W=wide 40°

WALL - CE IP50 eco


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	LC	D 6WT500	15€	1-4 x	1-10 PU	D 15WP*	24€
2 x	LC	D 10WT500	17€		DA	D 15WDA*	27€
				1-12 x	1-10 PU DA	D 40WDP*	54€

driver remote mounting
*110V-230V

For warranty use only Trizo21* supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audette W1 in with honeycomb



2700K	AWBI 23333H															390€
2700K		AWBI 22222H			AWBI 21111H											365€
2700K												AWBI 24444H				445€
3000K	AWBI 33333H															390€
3000K		AWBI 32222H			AWBI 31111H											365€
3000K												AWBI 34444H				445€

500mA - **required remote mounted driver see below**

1 x LED array 4,32W **(LED incl.)** - 500mA - 487lm - 2700K - CRI >95

or 1 x LED array 4,32W **(LED incl.)** - 500mA - 517lm - 3000K - CRI >95

aperture : 30 x 35 mm - depth for driver behind fixture : min. 60 mm

◆ Choose beam: M=medium 23° or W=wide 40°

WALL - CE IP50 eco


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	LC	D 6WT500	15€	1-4 x	1-10 PU	D 15WP*	24€
2 x	LC	D 10WT500	17€		DA	D 15WDA*	27€
				1-12 x	1-10 PU DA	D 40WDP*	54€

driver remote mounting
*110V-230V

For warranty use only Trizo21* supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audette-Duo W1 in



COLOR LED	BASE				SWIVEL				FRAME				RING				RETAIL PRICE VAT. EXCL.
	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	
2700K		AWBI 23332	◆		AWBI 23331	◆			AWBI 22332	◆			AWBI 21331	◆			355€
3000K		AWBI 33332	◆		AWBI 33331	◆			AWBI 32332	◆			AWBI 31331	◆			355€
COLOR LED	BASE				SWIVEL				FRAME				RING				RETAIL PRICE VAT. EXCL.
	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	
2700K									AWBI 22223	◆			AWBI 21113	◆			380€
3000K									AWBI 32223	◆			AWBI 31113	◆			380€

500mA - **required remote mounted driver** see below

1 x LED array 4,32W **(LED incl.)** - 500mA - 487lm - 2700K - CRI >95
or 1 x LED array 4,32W **(LED incl.)** - 500mA - 517lm - 3000K - CRI >95

aperture : 30 x 35 mm - depth for driver behind fixture : min. 60 mm

◆ Choose beam: M=medium 23° or W=wide 40°

WALL - CE IP50 eco


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	LC	D 6WT500	15€	1-4 x	1-10 PU	D 15WP*	24€
2 x	LC	D 10WT500	17€		DA	D 15WDA*	27€
				1-12 x	1-10 PU DA	D 40WDP*	54€

driver remote mounting
*110V-230V

For warranty use only Trizo21* supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audette-Duo W1 in with honeycomb



COLOR LED	BASE				SWIVEL				FRAME				RING				RETAIL PRICE VAT. EXCL.
	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	
2700K									AWBI 22223H	◆			AWBI 21113H	◆			390€
3000K									AWBI 32223H	◆			AWBI 31113H	◆			390€

500mA - **required remote mounted driver** see below

1 x LED array 4,32W **(LED incl.)** - 500mA - 487lm - 2700K - CRI >95
or 1 x LED array 4,32W **(LED incl.)** - 500mA - 517lm - 3000K - CRI >95

aperture : 30 x 35 mm - depth for driver behind fixture : min. 60 mm

◆ Choose beam: M=medium 23° or W=wide 40°

WALL - CE IP50 eco


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	LC	D 6WT500	15€	1-4 x	1-10 PU	D 15WP*	24€
2 x	LC	D 10WT500	17€		DA	D 15WDA*	27€
				1-12 x	1-10 PU DA	D 40WDP*	54€

driver remote mounting
*110V-230V

For warranty use only Trizo21* supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audette-Varié W1 in



COLOR LED	DIM	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	RETAIL PRICE VAT. EXCL.
		●	●	●	●	○	●	○	○	

2700K	LC		AWBI 22322	◆		AWBI 21311	◆		355€
3000K	LC		AWBI 32322	◆		AWBI 31311	◆		355€

500mA - **required remote mounted driver see below**
1 x LED array 4,32W **(LED incl.)** - 500mA - 487lm - 2700K - CRI >95
or 1 x LED array 4,32W **(LED incl.)** - 500mA - 517lm - 3000K - CRI >95
aperture : 30 x 35 mm - depth for driver behind fixture : min. 60 mm
◆ Choose beam: M=medium 23° or W=wide 40°
WALL -

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	LC	D 6WT500	15€
2 x	LC	D 10WT500	17€

driver remote mounting
*110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1-4 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
1-12 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audette-Varié W1 in with honeycomb



2700K	LC		AWBI 22322H	◆		AWBI 21311H	◆		365€
3000K	LC		AWBI 32322H	◆		AWBI 31311H	◆		365€

500mA - **required remote mounted driver see below**
1 x LED array 4,32W **(LED incl.)** - 500mA - 487lm - 2700K - CRI >95
or 1 x LED array 4,32W **(LED incl.)** - 500mA - 517lm - 3000K - CRI >95
aperture : 30 x 35 mm - depth for driver behind fixture : min. 60 mm
◆ Choose beam: M=medium 23° or W=wide 40°
WALL -


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE
1 x	LC	D 6WT500	15€
2 x	LC	D 10WT500	17€

driver remote mounting
*110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1-4 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
1-12 x	1-10 PU DA	D 40WDP*	54€


For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers



COLOR LED	DIM	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	RETAIL PRICE VAT. EXCL.
		●	●	●	●	●	●	●	●	○	○	○	○	●	●	●	●	
2700K	▲	AWBU 23333																470€
2700K	▲	AWBU 22222																395€
2700K	▲	AWBU 21111																540€
3000K	▲	AWBU 33333																470€
3000K	▲	AWBU 32222																395€
3000K	▲	AWBU 31111																540€

230V - **driver included in base** -TRIAC/IGBT dimmable
 1 x LED array 4,32W **(LED incl.)** - 500mA - 487lm - 2700K - CRI >95
 or 1 x LED array 4,32W **(LED incl.)** - 500mA - 517lm - 3000K - CRI >95
 ♦ Choose beam: M=medium 23° or W=wide 40°
 WALL -


Audette WD1 up with honeycomb



2700K	▲	AWBU 23333H																480€
2700K	▲	AWBU 22222H																405€
2700K	▲	AWBU 21111H																550€
3000K	▲	AWBU 33333H																480€
3000K	▲	AWBU 32222H																405€
3000K	▲	AWBU 31111H																550€

230V - **driver included in base** -TRIAC/IGBT dimmable
 1 x LED array 4,32W **(LED incl.)** - 500mA - 487lm - 2700K - CRI >95
 or 1 x LED array 4,32W **(LED incl.)** - 500mA - 517lm - 3000K - CRI >95
 ♦ Choose beam: M=medium 23° or W=wide 40°
 WALL -

Audette-Duo WD1 up




COLOR LED	DIM	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	RETAIL PRICE VAT. EXCL.
		●	●	●	●	●	●	●	○	●	●	●	●	○	○	○	●	
2700K	▲	AWBU 23332																450€
2700K	▲	AWBU 23331																415€
3000K	▲	AWBU 22223																450€
3000K	▲	AWBU 21113																415€

COLOR LED	DIM	BASE	SWIVEL	FRAME	RING	BASE	SWIVEL	FRAME	RING	RETAIL PRICE VAT. EXCL.
		●	●	●	●	○	●	●	○	
2700K	▲	AWBU 22332								395€
3000K	▲	AWBU 22332								395€

230V - **driver included in base** -TRIAC/IGBT dimmable
 1 x LED array 4,32W **(LED incl.)** - 500mA - 487lm - 2700K - CRI >95
 or 1 x LED array 4,32W **(LED incl.)** - 500mA - 517lm - 3000K - CRI >95
 ♦ Choose beam: M=medium 23° or W=wide 40°
 WALL -

Audette-Duo WD1 up with honeycomb




COLOR LED	DIM	BASE				SWIVEL				FRAME				RING				RETAIL PRICE VAT. EXCL.
		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
2700K	LC	AWBU 23332H				AWBU 23331H				AWBU 22223H				AWBU 21113H				460€
2700K	LC																	425€
3000K	LC	AWBU 33332H				AWBU 33331H				AWBU 32223H				AWBU 31113H				460€
3000K	LC																	425€

COLOR LED	DIM	BASE				SWIVEL				FRAME				RING				RETAIL PRICE VAT. EXCL.
		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
2700K	LC					AWBU 22332H				AWBU 21331H								405€
3000K	LC					AWBU 32332H				AWBU 31331H								405€

230V - driver included in base -TRIAC/IGBT dimmable
1 x LED array 4,32W (LED incl.) - 500mA - 487lm - 2700K - CRI >95
or 1 x LED array 4,32W (LED incl.) - 500mA - 517lm - 3000K - CRI >95
◆ Choose beam: M=medium 23° or W=wide 40°
WALL - CE IP50 eco


Audette-Varié WD1 up



COLOR LED	DIM	BASE				SWIVEL				FRAME				RING				RETAIL PRICE VAT. EXCL.
		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	

230V - driver included in base -TRIAC/IGBT dimmable
1 x LED array 4,32W (LED incl.) - 500mA - 487lm - 2700K - CRI >95
or 1 x LED array 4,32W (LED incl.) - 500mA - 517lm - 3000K - CRI >95
◆ Choose beam: M=medium 23° or W=wide 40°
WALL - CE IP50 eco


Audette-Varié WD1 up with honeycomb



2700K	LC	AWBU 22322H				AWBU 21311H												405€
3000K	LC	AWBU 32322H				AWBU 31311H												405€

230V - driver included in base -TRIAC/IGBT dimmable
1 x LED array 4,32W (LED incl.) - 500mA - 487lm - 2700K - CRI >95
or 1 x LED array 4,32W (LED incl.) - 500mA - 517lm - 3000K - CRI >95
◆ Choose beam: M=medium 23° or W=wide 40°
WALL - CE IP50 eco

Audy 1 up Rounded



COLOR LED	DIM	RING	BASE	BASE	BASE	BASE	RETAIL PRICE VAT. EXCL.
			●	●	○	●	
2700K	LC	●	AYUP 2133◆				380€
2700K	LC	●		AYUP 2122◆			325€
2700K	LC	○			AYUP 2111◆		325€
2700K	LC	●				AYUP 2144◆	460€
3000K	LC	●	AYUP 3133◆				380€
3000K	LC	●		AYUP 3122◆			325€
3000K	LC	○			AYUP 3111◆		325€
3000K	LC	●				AYUP 3144◆	460€

230V - driver included in base - TRIAC/IGBT dimmable


1 x LED array 4,32W (LED incl.) - 500mA - 487lm - 2700K - CRI >95

or 1 x LED array 4,32W (LED incl.) - 500mA - 517lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE ◆ IP50

Audy 1 up Rounded with honeycomb



2700K	LC	●	AYUP 2133H◆				390€
2700K	LC	●		AYUP 2122H◆			335€
2700K	LC	○			AYUP 2111H◆		335€
2700K	LC	●				AYUP 2144H◆	470€
3000K	LC	●	AYUP 3133H◆				390€
3000K	LC	●		AYUP 3122H◆			335€
3000K	LC	○			AYUP 3111H◆		335€
3000K	LC	●				AYUP 3144H◆	470€

230V - driver included in base - TRIAC/IGBT dimmable


1 x LED array 4,32W (LED incl.) - 500mA - 487lm - 2700K - CRI >95

or 1 x LED array 4,32W (LED incl.) - 500mA - 517lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE ◆ IP50

Audy-Duo 1 up Rounded



2700K	LC	●		AYUP 2123◆	AYUP 2113◆		325€
2700K	LC	●	AYUP 2132◆				380€
2700K	LC	○	AYUP 2131◆				380€
2700K	LC	●	AYUP 2134◆				395€
2700K	LC	●				AYUP 2143◆	435€
3000K	LC	●		AYUP 3123◆	AYUP 3113◆		325€
3000K	LC	●	AYUP 3132◆				380€
3000K	LC	○	AYUP 3131◆				380€
3000K	LC	●	AYUP 3134◆				395€
3000K	LC	●				AYUP 3143◆	435€

230V - driver included in base - TRIAC/IGBT dimmable

1 x LED array 4,32W (LED incl.) - 500mA - 487lm - 2700K - CRI >95

or 1 x LED array 4,32W (LED incl.) - 500mA - 517lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE ◆ IP50

COLOR LED

DIM

RING

BASE


BASE

BASE

BASE

RETAIL PRICE
VAT. EXCL.

Audy-Duo 1 up Rounded with honeycomb



2700K	LC	●		AYUP 2123H	AYUP 2113H	335€
2700K	LC	●	AYUP 2132H			390€
2700K	LC	○	AYUP 2131H			390€
2700K	LC	●	AYUP 2134H			405€
2700K	LC	●			AYUP 2143H	445€
3000K	LC	●		AYUP 3123H	AYUP 3113H	335€
3000K	LC	●	AYUP 3132H			390€
3000K	LC	○	AYUP 3131H			390€
3000K	LC	●	AYUP 3134H			405€
3000K	LC	●			AYUP 3143H	445€

230V - driver included in base - TRIAC/IGBT dimmable


1 x LED array 4,32W (LED incl.) - 500mA - 487lm - 2700K - CRI >95

or 1 x LED array 4,32W (LED incl.) - 500mA - 517lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50 eco

Audy 2 up Rounded



2700K	LC	●	AYUP 2233			675€
2700K	LC	●		AYUP 2222		570€
2700K	LC	○			AYUP 2211	570€
2700K	LC	●			AYUP 2244	800€
3000K	LC	●	AYUP 3233			675€
3000K	LC	●		AYUP 3222		570€
3000K	LC	○			AYUP 3211	570€
3000K	LC	●			AYUP 3244	800€

230V - driver included in base - TRIAC/IGBT dimmable


2 x LED array 4,32W (LED incl.) - 500mA - 2 x 487lm - 2700K - CRI >95

or 2 x LED array 4,32W (LED incl.) - 500mA - 2 x 517lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50 eco

Audy 2 up Rounded with honeycomb



2700K	LC	●	AYUP 2233H			695€
2700K	LC	●		AYUP 2222H		590€
2700K	LC	○			AYUP 2211H	590€
2700K	LC	●			AYUP 2244H	820€
3000K	LC	●	AYUP 3233H			695€
3000K	LC	●		AYUP 3222H		590€
3000K	LC	○			AYUP 3211H	590€
3000K	LC	●			AYUP 3244H	820€


230V - driver included in base - TRIAC/IGBT dimmable

2 x LED array 4,32W (LED incl.) - 500mA - 2 x 487lm - 2700K - CRI >95

or 2 x LED array 4,32W (LED incl.) - 500mA - 2 x 517lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°


CEILING - CE IP50 eco



Audy-Duo 2 up Rounded

COLOR LED	DIM	RING	BASE	BASE	BASE	BASE	RETAIL PRICE VAT. EXCL.
2700K	LC			AYUP 2223	AYUP 2213		570€
2700K	LC		AYUP 2232				675€
2700K	LC		AYUP 2231				675€
2700K	LC		AYUP 2234				690€
2700K	LC					AYUP 2243	765€
3000K	LC			AYUP 3223	AYUP 3213		570€
3000K	LC		AYUP 3232				675€
3000K	LC		AYUP 3231				675€
3000K	LC		AYUP 3234				690€
3000K	LC					AYUP 3243	765€

230V - driver included in base - TRIAC/IGBT dimmable
2 x LED array 4,32W (LED incl.) - 500mA - 2 x 487lm - 2700K - CRI >95
or 2 x LED array 4,32W (LED incl.) - 500mA - 2 x 517lm - 3000K - CRI >95
◆ Choose beam: M=medium 23° or W=wide 40°
CEILING -




Audy-Duo 2 up Rounded with honeycomb

2700K	LC			AYUP 2223H	AYUP 2213H		590€
2700K	LC		AYUP 2232H				695€
2700K	LC		AYUP 2231H				695€
2700K	LC		AYUP 2234H				710€
2700K	LC					AYUP 2243H	785€
3000K	LC			AYUP 3223H	AYUP 3213H		590€
3000K	LC		AYUP 3232H				695€
3000K	LC		AYUP 3231H				695€
3000K	LC		AYUP 3234H				710€
3000K	LC					AYUP 3243H	785€

230V - driver included in base - TRIAC/IGBT dimmable
2 x LED array 4,32W (LED incl.) - 500mA - 2 x 487lm - 2700K - CRI >95
or 2 x LED array 4,32W (LED incl.) - 500mA - 2 x 517lm - 3000K - CRI >95
◆ Choose beam: M=medium 23° or W=wide 40°
CEILING -

Audy-Wall 1S



COLOR LED	RING	FRAME	FRAME	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
2700K		ATWS 1273				400€
2700K			ATWS 1272			400€
2700K				ATWS 1271		400€
2700K					ATWS 1274	470€
3000K		ATWS 1303				400€
3000K			ATWS 1302			400€
3000K				ATWS 1301		400€
3000K					ATWS 1304	470€

500mA - **required remote mounted driver** see below

1 x LED array 4,32W (**LED incl.**) - 500mA - 487lm - 2700K - CRI >95
 or 1 x LED array 4,32W (**LED incl.**) - 500mA - 517lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

WALL - CE IP50 eco


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	LC	D 6WT500	15€	1-4 x	1-10 PU	D 15WP*	24€
2 x	LC	D 10WT500	17€		DA	D 15WDA*	26€
				1-12 x	1-10 PU DA	D 40WDP*	54€

driver remote mounting
 *110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
 For all specs and techs about drivers, see www.trizo21.com/drivers

Audy-Wall 1S Duo



2700K		ATWS 1223	ATWS 1213	400€
2700K		ATWS 1232		400€
2700K		ATWS 1231		400€
2700K		ATWS 1234		415€
2700K			ATWS 1243	455€
3000K		ATWS 1323	ATWS 1313	400€
3000K		ATWS 1332		400€
3000K		ATWS 1331		400€
3000K		ATWS 1334		415€
3000K			ATWS 1343	455€

500mA - **required remote mounted driver** see below

1 x LED array 4,32W (**LED incl.**) - 500mA - 487lm - 2700K - CRI >95
 or 1 x LED array 4,32W (**LED incl.**) - 500mA - 517lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

WALL - CE IP50 eco


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	LC	D 6WT500	15€	1-4 x	1-10 PU	D 15WP*	24€
2 x	LC	D 10WT500	17€		DA	D 15WDA*	26€
				1-12 x	1-10 PU DA	D 40WDP*	54€

driver remote mounting
 *110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
 For all specs and techs about drivers, see www.trizo21.com/drivers

Audy-Wall 2S



! driver remote mounting excl.

COLOR LED	RING	FRAME	FRAME	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
2700K		●	●	○	●	515€
2700K		●	●	○	●	515€
2700K		○	○	○	○	515€
2700K		●	●	○	●	605€
3000K		●	●	○	●	515€
3000K		●	●	○	●	515€
3000K		○	○	○	○	515€
3000K		●	●	○	●	605€

500mA - **required remote mounted driver** see below

2 x LED array 4,32W **(LED incl.)** - 500mA - 2 x 487lm - 2700K - CRI >95
or 2 x LED array 4,32W **(LED incl.)** - 500mA - 2 x 517lm - 3000K - CRI >95

▲ = Choose beam upper lightsource: M=medium 23° or W=wide 40°

▼ = Choose beam lower lightsource: M=medium 23° or W=wide 40°

WALL -


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	LC	D 10WT500	17€	1-2 x	1-10 PU	D 15WP*	24€
					DA	D 15WDA*	26€
				1-4 x	1-10 PU DA	D 40WDP*	54€

driver remote mounting
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audy-Wall 2S Duo



! driver remote mounting excl.

2700K	●	ATWD 2223 ▲▼	ATWD 2213 ▲▼	515€
2700K	●	ATWD 2232 ▲▼		515€
2700K	○	ATWD 2231 ▲▼		515€
2700K	●	ATWD 2234 ▲▼		545€
2700K	●		ATWD 2243 ▲▼	575€
3000K	●	ATWD 2323 ▲▼	ATWD 2313 ▲▼	515€
3000K	●	ATWD 2332 ▲▼		515€
3000K	○	ATWD 2331 ▲▼		515€
3000K	●	ATWD 2334 ▲▼		545€
3000K	●		ATWD 2343 ▲▼	575€

500mA - **required remote mounted driver** see below

2 x LED array 4,32W **(LED incl.)** - 500mA - 2 x 487lm - 2700K - CRI >95
or 2 x LED array 4,32W **(LED incl.)** - 500mA - 2 x 517lm - 3000K - CRI >95

▲ = Choose beam upper lightsource: M=medium 23° or W=wide 40°

▼ = Choose beam lower lightsource: M=medium 23° or W=wide 40°

WALL -

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	LC	D 10WT500	17€	1-2 x	1-10 PU	D 15WP*	24€
					DA	D 15WDA*	26€
				1-4 x	1-10 PU DA	D 40WDP*	54€

driver remote mounting
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Austere-Ceiling 1Y



! SEE NOTE BELOW

LENGTH	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
3x 250mm	1Y C 2033	1Y C 2022	1.350€
3x 500mm	1Y C 5033	1Y C 5022	1.385€
3x 750mm	1Y C 7033	1Y C 7022	1.420€

350mA - **required remote mounted driver + required cover/canopy see below**

3 x LED array 6W (LED incl.) - 350mA - 3 x 634lm - 2700K - CRI >93

Each arm on the same level has the same length: 3 x 250 mm = Ø 590 mm / 3 x 500 mm = Ø 1090 mm / 3 x 750 mm = Ø 1590 mm.

CEILING - CE IP50 eco

Austere-Ceiling 1X



! SEE NOTE BELOW

4x 250mm	1X C 2033	1X C 2022	1.700€
4x 500mm	1X C 5033	1X C 5022	1.750€
4x 750mm	1X C 7033	1X C 7022	1.800€

350mA - **required remote mounted driver + required cover/canopy see below**

4 x LED array 6W (LED incl.) - 350mA - 4 x 634lm - 2700K - CRI >93

Each arm on the same level has the same length: 4 x 250 mm = L 516 mm W 316 mm / 4 x 500 mm = L 949 mm W 565 mm / 4 x 750 mm = L 1382 mm W 815 mm.

CEILING - CE IP50 eco

Austere-Ceiling 1+



! SEE NOTE BELOW

4x 250mm	1+ C 2033	1+ C 2022	1.680€
4x 500mm	1+ C 5033	1+ C 5022	1.730€
4x 750mm	1+ C 7033	1+ C 7022	1.780€

350mA - **required remote mounted driver + required cover/canopy see below**

4 x LED array 6W (LED incl.) - 350mA - 4 x 634lm - 2700K - CRI >93

Each arm on the same level has the same length: 4 x 250 mm = Ø 590 mm / 4 x 500 mm = Ø 1090 mm / 4 x 750 mm = Ø 1590 mm.

CEILING - CE IP50 eco

REQUIRED COVER/CANOPY for Austere-Ceiling 1Y / 1X / 1+ with REMOTE MOUNTED DRIVER

cover C6

aperture: Ø45

DRIVER

false ceiling

21CO 3300	80€
21CO 2200	80€
21CO 1100	80€

! NOTE for Austere-Ceiling + C6 :
If the thickness of the false ceiling is 15mm, the total length of the chandelier with cover C6 will be 148mm.

cover C8

aperture: Ø30 D50

remote driver

concrete ceiling

21CO 8003	95€
21CO 8002	95€
21CO 8001	95€

! NOTE for Austere-Ceiling + C8 :
the total length of the chandelier with cover C8 will be 176mm.

canopy B10

remote driver

false/concrete ceiling

21CP 3333	265€
21CP 2222	265€
21CP 1111	265€

! NOTE for Austere-Ceiling + B10 :
the total length of the chandelier with canopy B10 will be 276mm.

REQUIRED REMOTE MOUNTED DRIVER for Austere-Ceiling 1Y / 1X / 1+


DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 50W	28€	1 x	1-10 PU	D 80WP	43€
					DA PU	D 80WD	49€


* driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

AUSTERE-ELEMENTS

Design your own unique composition with our configurator:
www.elements-configurator.trizo21.com





LENGTH		FRAME	FRAME	RETAIL PRICE VAT. EXCL.
L 250				120€
L 500		HEL R 2003	HEL R 2002	135€
L 750		HEL R 5003	HEL R 5002	145€
		HEL R 7003	HEL R 7002	

Austere-Elements Straps H93



HEL S 0933	 	FRAME LEATHER
HEL S 0923	 	FRAME LEATHER
HEL S 0932	 	FRAME LEATHER
HEL S 0922	 	FRAME LEATHER
80€	RETAIL PRICE VAT. EXCL.	

Austere-Elements Straps Steelcable

[illegible]

FRAME



FRAME



RETAIL PRICE
VAT. EXCL.

Austere-Elements connectors

END connector

16		HELE 0003	HELE 0002		85€
----	---	-----------	-----------	--	-----

- connector

16		HEL- 0003	HEL- 0002		125€
----	---	-----------	-----------	--	------

+ connector

16		HEL+ 0003	HEL+ 0002		160€
----	---	-----------	-----------	--	------

Y connector

16		HELY 0003	HELY 0002		160€
----	--	-----------	-----------	--	------

T connector

16		HELT 0003	HELT 0002		155€
----	--	-----------	-----------	--	------

X connector

16		HELX 0003	HELX 0002		165€
----	--	-----------	-----------	--	------

90° connector

16		HEL90 0003	HEL90 0002		150€
----	--	------------	------------	--	------

120° connector

16		HEL120 0003	HEL120 0002		150€
----	---	-------------	-------------	--	------

Austere-Elements connectors with light-element

END connector with light-element

16 50		HELE L003	HELE L002		240€
	Ø 40				

- connector with light-element

16 50		HEL- L003	HEL- L002		280€
	Ø 40				

+ connector with light-element

16 50		HEL+ L003	HEL+ L002		315€
	Ø 40				

Y connector with light-element

16 50		HELY L003	HELY L002		315€
	Ø 40				

T connector with light-element

16 50		HELT L003	HELT L002		310€
	Ø 40				

X connector with light-element

16 50		HELX L003	HELX L002		320€
	Ø 40				

90° connector with light-element

16 50		HEL90 L003	HEL90 L002		305€
	Ø 40				

120° connector with light-element

16 50		HEL120 L003	HEL120 L002		305€
	Ø 40				

350mA - driver + base/cover/canopy required see p.52
1 x LED array 6W (LED incl.) - 350mA - 634lm - 2700K - CRI >93
CEILING -   

POWERCORD
LENGTH

FRAME
POWERCORD

FRAME
POWERCORD

FRAME
POWERCORD

FRAME
POWERCORD

RETAIL PRICE
VAT. EXCL.

Austere-Elements connectors with powercord

END connector with powercord



L 250	HEC E 0023	HEC E 0022	HEC E 0013	HEC E 0012	145€
L 500	HEC E 0523	HEC E 0522	HEC E 0513	HEC E 0512	150€
L 1000	HEC E 0123	HEC E 0122	HEC E 0113	HEC E 0112	155€
L 2000	HEC E 0223	HEC E 0222	HEC E 0213	HEC E 0212	165€
L 3000	HEC E 0323	HEC E 0322	HEC E 0313	HEC E 0312	180€

- connector with powercord



L 250	HEC- 0023	HEC- 0022	HEC- 0013	HEC- 0012	190€
L 500	HEC- 0523	HEC- 0522	HEC- 0513	HEC- 0512	195€
L 1000	HEC- 0123	HEC- 0122	HEC- 0113	HEC- 0112	200€
L 2000	HEC- 0223	HEC- 0222	HEC- 0213	HEC- 0212	210€
L 3000	HEC- 0323	HEC- 0322	HEC- 0313	HEC- 0312	220€

+ connector with powercord



L 250	HEC+ 0023	HEC+ 0022	HEC+ 0013	HEC+ 0012	225€
L 500	HEC+ 0523	HEC+ 0522	HEC+ 0513	HEC+ 0512	230€
L 1000	HEC+ 0123	HEC+ 0122	HEC+ 0113	HEC+ 0112	235€
L 2000	HEC+ 0223	HEC+ 0222	HEC+ 0213	HEC+ 0212	245€
L 3000	HEC+ 0323	HEC+ 0322	HEC+ 0313	HEC+ 0312	255€

Y connector with powercord



L 250	HEC Y 0023	HEC Y 0022	HEC Y 0013	HEC Y 0012	225€
L 500	HEC Y 0523	HEC Y 0522	HEC Y 0513	HEC Y 0512	230€
L 1000	HEC Y 0123	HEC Y 0122	HEC Y 0113	HEC Y 0112	235€
L 2000	HEC Y 0223	HEC Y 0222	HEC Y 0213	HEC Y 0212	245€
L 3000	HEC Y 0323	HEC Y 0322	HEC Y 0313	HEC Y 0312	255€

T connector with powercord




L 250	HEC T 0023	HEC T 0022	HEC T 0013	HEC T 0012	215€
L 500	HEC T 0523	HEC T 0522	HEC T 0513	HEC T 0512	220€
L 1000	HEC T 0123	HEC T 0122	HEC T 0113	HEC T 0112	230€
L 2000	HEC T 0223	HEC T 0222	HEC T 0213	HEC T 0212	240€
L 3000	HEC T 0323	HEC T 0322	HEC T 0313	HEC T 0312	250€

X connector with powercord




L 250	HEC X 0023	HEC X 0022	HEC X 0013	HEC X 0012	230€
L 500	HEC X 0523	HEC X 0522	HEC X 0513	HEC X 0512	235€
L 1000	HEC X 0123	HEC X 0122	HEC X 0113	HEC X 0112	240€
L 2000	HEC X 0223	HEC X 0222	HEC X 0213	HEC X 0212	250€
L 3000	HEC X 0323	HEC X 0322	HEC X 0313	HEC X 0312	260€

90° connector with powercord



L 250	HEC 90 0023	HEC 90 0022	HEC 90 0013	HEC 90 0012	210€
L 500	HEC 90 0523	HEC 90 0522	HEC 90 0513	HEC 90 0512	215€
L 1000	HEC 90 0123	HEC 90 0122	HEC 90 0113	HEC 90 0112	220€
L 2000	HEC 90 0223	HEC 90 0222	HEC 90 0213	HEC 90 0212	230€
L 3000	HEC 90 0323	HEC 90 0322	HEC 90 0313	HEC 90 0312	245€

120° connector with powercord



L 250	HEC 120 0023	HEC 120 0022	HEC 120 0013	HEC 120 0012	210€
L 500	HEC 120 0523	HEC 120 0522	HEC 120 0513	HEC 120 0512	215€
L 1000	HEC 120 0123	HEC 120 0122	HEC 120 0113	HEC 120 0112	220€
L 2000	HEC 120 0223	HEC 120 0222	HEC 120 0213	HEC 120 0212	230€
L 3000	HEC 120 0323	HEC 120 0322	HEC 120 0313	HEC 120 0312	245€

POWERCORD
LENGTH

FRAME
POWERCORD

FRAME
POWERCORD


FRAME
POWERCORD

FRAME
POWERCORD

RETAIL PRICE
VAT. EXCL.

Austere-Elements connectors with light-element & powercord

■ connector with light-element & powercord




L 250	HEC- L023	HEC- L022	HEC- L013	HEC- L012	340€
L 500	HEC- L523	HEC- L522	HEC- L513	HEC- L512	345€
L 1000	HEC- L123	HEC- L122	HEC- L113	HEC- L112	350€
L 2000	HEC- L223	HEC- L222	HEC- L213	HEC- L212	365€
L 3000	HEC- L323	HEC- L322	HEC- L313	HEC- L312	375€

+ connector with light-element & powercord




L 250	HEC+ L023	HEC+ L022	HEC+ L013	HEC+ L012	380€
L 500	HEC+ L523	HEC+ L522	HEC+ L513	HEC+ L512	385€
L 1000	HEC+ L123	HEC+ L122	HEC+ L113	HEC+ L112	390€
L 2000	HEC+ L223	HEC+ L222	HEC+ L213	HEC+ L212	400€
L 3000	HEC+ L323	HEC+ L322	HEC+ L313	HEC+ L312	410€

Y connector with light-element & powercord




L 250	HECY L023	HECY L022	HECY L013	HECY L012	380€
L 500	HECY L523	HECY L522	HECY L513	HECY L512	385€
L 1000	HECY L123	HECY L122	HECY L113	HECY L112	390€
L 2000	HECY L223	HECY L222	HECY L213	HECY L212	400€
L 3000	HECY L323	HECY L322	HECY L313	HECY L312	410€

T connector with light-element & powercord




L 250	HECT L023	HECT L022	HECT L013	HECT L012	375€
L 500	HECT L523	HECT L522	HECT L513	HECT L512	380€
L 1000	HECT L123	HECT L122	HECT L113	HECT L112	385€
L 2000	HECT L223	HECT L222	HECT L213	HECT L212	395€
L 3000	HECT L323	HECT L322	HECT L313	HECT L312	405€

X connector with light-element & powercord




L 250	HECX L023	HECX L022	HECX L013	HECX L012	385€
L 500	HECX L523	HECX L522	HECX L513	HECX L512	390€
L 1000	HECX L123	HECX L122	HECX L113	HECX L112	395€
L 2000	HECX L223	HECX L222	HECX L213	HECX L212	405€
L 3000	HECX L323	HECX L322	HECX L313	HECX L312	415€

90° connector with light-element & powercord



L 250	HEC90 L023	HEC90 L022	HEC90 L013	HEC90 L012	365€
L 500	HEC90 L523	HEC90 L522	HEC90 L513	HEC90 L512	375€
L 1000	HEC90 L123	HEC90 L122	HEC90 L113	HEC90 L112	380€
L 2000	HEC90 L223	HEC90 L222	HEC90 L213	HEC90 L212	390€
L 3000	HEC90 L323	HEC90 L322	HEC90 L313	HEC90 L312	400€

120° connector with light-element & powercord









L 250	HEC120 L023	HEC120 L022	HEC120 L013	HEC120 L012	365€
L 500	HEC120 L523	HEC120 L522	HEC120 L513	HEC120 L512	375€
L 1000	HEC120 L123	HEC120 L122	HEC120 L113	HEC120 L112	380€
L 2000	HEC120 L223	HEC120 L222	HEC120 L213	HEC120 L212	390€
L 3000	HEC120 L323	HEC120 L322	HEC120 L313	HEC120 L312	400€

350mA - driver + base/cover/canopy required see p.52

1 x LED array 6W (LED incl.) - 350mA - 634lm - 2700K - CRI >93

CEILING - CE IP50 eco

REQUIRED COVER/CANOPY for Austere-Elements with REMOTE MOUNTED DRIVER

				
cover C6	cover C6	cover C9	canopy B10	canopy B45
				
 21CO 0003 80€	 21CO 0013 100€		21CP 3003 265€	
 21CO 0002 80€	 21CO 0012 100€	 21CO 2000 40€	21CP 2002 265€	 21CP 5000 155€
 21CO 0001 80€	 21CO 0011 100€	 21CO 1000 40€	21CP 1001 265€	 21CP 4000 155€





REQUIRED REMOTE MOUNTED DRIVER for Austere-Elements

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
2-7 x	NO	N 50W	28€	3-12 x	1-10 PU	D 80WP	43€
3-12 x	NO	N 80W	31€	3-12 x	DA PU	D 80WD	49€


*driver only fits through cutout hole of fixture with C6 & C9.
min. depth for driver in false ceiling: 280mm

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

REQUIRED BASE (DRIVER INCL.) for SURFACE MOUNTING Austere-Elements

		
base B20	base B32	base B50
		
1-10 PU DA BCDP 2402 305€ 1-10 PU DA BCDP 2401 305€	NO BNDN 0822 435€ NO BNDN 0811 435€	1-10 PU BDPU 0822 530€ 1-10 PU BDPU 0811 530€
DA PU BDDA 0822 560€ DA PU BDDA 0811 560€		
110V-230V - driver included in base + casambi possible Max. 6 light-elements	230V - driver included in base Min. 3 light-elements - Max. 12 light-elements	230V - driver included in base + casambi possible Min. 3 light-elements - Max. 12 light-elements

Example: Austere-Elements Configuration °1



- a: 6x **END** connector with light-element
 - b: 1x **Y** connector
 - c: 1x **+** connector
 - d: 1x **Y** connector with powercord L250
 - e: 4x **Austere-Elements** rods L250
 - f: 4x **Austere-Elements** rods L500
 - 8x **Austere-Elements** straps H93
- (driver + base/cover/canopy excl. see p.52)


FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	RETAIL PRICE VAT. EXCL.

short code to order this Austere-Elements configuration °1:
(driver + base/cover/canopy excl. see p.52)

ELEM 1323 ELEM 1222 ELEM 1313 ELEM 1212 | 3.645€

350mA - **driver + base/cover/canopy required** see p.52
6 x LED array 6W (**LED incl.**) - 350mA - 6 x 634lm - 2700K - CRI >93
CEILING -

Example: Austere-Elements Configuration °2



- a: 8x **END** connector with light-element
 - b: 4x **Y** connector
 - g: 1x **X** connector with powercord L250
 - e: 9x **Austere-Elements** rods L250
 - f: 3x **Austere-Elements** rods L500
 - 12x **Austere-Elements** straps H93
- (driver + base/cover/canopy excl. see p.52)


FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	RETAIL PRICE VAT. EXCL.

short code to order this Austere-Elements configuration °2:
(driver + base/cover/canopy excl. see p.52)

ELEM 2323 ELEM 2222 ELEM 2313 ELEM 2212 | 5.235€

350mA - **driver + base/cover/canopy required** see p.52
8 x LED array 6W (**LED incl.**) - 350mA - 8 x 634lm - 2700K - CRI >93
CEILING -

Example: Austere-Elements Configuration °3



- a: 8x **END** connector with light-element
 - b: 3x **Y** connector
 - c: 1x **+** connector
 - d: 1x **Y** connector with powercord L250
 - e: 9x **Austere-Elements** rods L250
 - f: 3x **Austere-Elements** rods L500
 - 12x **Austere-Elements** straps H93
- (driver + base/cover/canopy excl. see p.52)

FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	RETAIL PRICE VAT. EXCL.

short code to order this Austere-Elements configuration °3:
 (driver + base/cover/canopy excl. see p.52)


ELEM 3323 ELEM 3222 ELEM 3313 ELEM 3212 | 5.230€

350mA - **driver + base/cover/canopy required** see p.52

8 x LED array 6W **(LED incl.)** - 350mA - 8 x 634lm - 2700K - CRI >93

CEILING -

Example: Austere-Elements Configuration °4



- a: 7x **END** connector with light-element
 - b: 3x **Y** connector
 - c: 1x **+** connector
 - h: 1x **-** connector with powercord L500
 - e: 11x **Austere-Elements** rods L250
 - 11x **Austere-Elements** straps H93
- (driver + base/cover/canopy excl. see p.52)

FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	RETAIL PRICE VAT. EXCL.

short code to order this Austere-Elements configuration °4:
 (driver + base/cover/canopy excl. see p.52)


ELEM 4323 ELEM 4222 ELEM 4313 ELEM 4212 | 4.710€

350mA - **driver + base/cover/canopy required** see p.52

7 x LED array 6W **(LED incl.)** - 350mA - 7 x 634lm - 2700K - CRI >93

CEILING -

Example: Austere-Elements Configuration °5




- a: 9x **END** connector with light-element
 - b: 5x **Y** connector
 - i: 1x **+** connector with powercord L250
 - e: 7x **Austere-Elements rods L250**
 - f: 7x **Austere-Elements rods L500**
 - 14x **Austere-Elements straps H93**
- (driver + base/cover/canopy excl. see p.52)

FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	RETAIL PRICE VAT. EXCL.
												ELEM 5323 6.170€

short code to order this Austere-Elements configuration °5:
(driver + base/cover/canopy excl. see p.52)

350mA - **driver + base/cover/canopy required** see p.52
9 x LED array 6W (**LED incl.**) - 350mA - 9 x 634lm - 2700K - CRI >93
CEILING -

Example: Austere-Elements Configuration °6




- a: 8x **END** connector with light-element
 - b: 3x **Y** connector
 - c: 1x **+** connector
 - d: 1x **Y** connector with powercord L250
 - e: 3x **Austere-Elements rods L250**
 - f: 9x **Austere-Elements rods L500**
 - 12x **Austere-Elements straps H93**
- (driver + base/cover/canopy excl. see p.52)

FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	RETAIL PRICE VAT. EXCL.
												ELEM 6323 5.320€

short code to order this Austere-Elements configuration °6:
(driver + base/cover/canopy excl. see p.52)

350mA - **driver + base/cover/canopy required** see p.52
8 x LED array 6W (**LED incl.**) - 350mA - 8 x 634lm - 2700K - CRI >93
CEILING -

Example: Austere-Elements Configuration °7



- a: 7x **END** connector with light-element
 - b: 2x **Y** connector
 - c: 1x **+** connector
 - d: 1x **Y** connector with powercord L250
 - e: 4x **Austere-Elements** rods L250
 - f: 6x **Austere-Elements** rods L500
 - 10x **Austere-Elements** straps H93
- (driver + base/cover/canopy excl. see p.52)


FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	RETAIL PRICE VAT. EXCL.
●	●	●	●	●	●	●	●	●	●	●	●	

short code to order this Austere-Elements configuration °7:
(driver + base/cover/canopy excl. see p.52)

ELEM 7323 ELEM 7222 ELEM 7313 ELEM 7212 | 4.475€

350mA - **driver + base/cover/canopy required** see p.52
7 x LED array 6W **(LED incl.)** - 350mA - 7 x 634lm - 2700K - CRI >93
CEILING -

Example: Austere-Elements Configuration °8



- a: 9x **END** connector with light-element
 - b: 2x **Y** connector
 - c: 1x **+** connector
 - j: 1x **X** connector
 - d: 1x **Y** connector with powercord L250
 - e: 4x **Austere-Elements** rods L250
 - f: 9x **Austere-Elements** rods L500
 - 13x **Austere-Elements** straps H93
- (driver + base/cover/canopy excl. see p.52)

FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	FRAME	POWERCORD	LEATHER	RETAIL PRICE VAT. EXCL.
●	●	●	●	●	●	●	●	●	●	●	●	

short code to order this Austere-Elements configuration °8:
(driver + base/cover/canopy excl. see p.52)

ELEM 8323 ELEM 8222 ELEM 8313 ELEM 8212 | 5.765€

350mA - **driver + base/cover/canopy required** see p.52
9 x LED array 6W **(LED incl.)** - 350mA - 9 x 634lm - 2700K - CRI >93
CEILING -

! driver & switch remote mounting

D 445

50

Ø40

1200

485

20

50

420

170°

DIM	FRAME	FRAME	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
					
HVWB 1003		HVWB 1002	HVWB 1001	HVWB 1004	680€ 810€

350mA - **required remote mounted driver** see below
1 x LED array 6W (LED incl.) - 350mA - 634lm - 2700K - CRI >93
WALL -   IP40 

DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€
	LC	D 10WT	17€
2 x	LC	D 18WT	21€

driver does not fit through cutout hole of fixture
*110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1-2 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
2-6 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Technical drawing of a lamp with dimensions:

- Total height: H 1200
- Base diameter: Ø 40
- Top diameter: D 445
- Base width: 1500
- Height segments: 485, 20, 120, 420
- View angle: 170°

EU plug		HVWA 1003	HVWA 1002	HVWA 1001		680€
EU plug					HVWA 1004	810€
UK plug		HVWA 1003UK	HVWA 1002UK	HVWA 1001UK		680€
UK plug					HVWA 1004UK	810€
US plug		HVWA 1003US	HVWA 1002US	HVWA 1001US		680€
US plug					HVWA 1004US	810€
AU plug		HVWA 1003AU	HVWA 1002AU	HVWA 1001AU		680€
AU plug					HVWA 1004AU	810€

100V-240V - **plugdriver with push button dimmer on cable**
1 x LED array 6W (**LED incl.**) - 350mA - 634lm - 2700K - CRI >93
WALL -   

PU	HVWT 1003	HVWT 1002	HVWT 1001	760€
PU			HVWT 1004	890€


350mA - **required remote mounted driver see below** - PUSH-DIM button on base
1 x LED array 6W (LED incl.) - 350mA - 634lm - 2700K - CRI >93
WALL -   IP40 

DEVICE	DIM.	DRIVER	NET PRICE
1-2 x	PU	D 15WPLV*	30€

driver does not fit through cutout hole of fixture
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Wall & ceiling



Austere-Wall push plug

	DIM	FRAME	FRAME	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
EU plug	PU	●	●	○	●	760€
EU plug	PU				●	890€
UK plug	PU	●	●	○		760€
UK plug	PU				●	890€
US plug	PU	●	●	○		760€
US plug	PU				●	890€
AU plug	PU	●	●	○		760€
AU plug	PU				●	890€

100V-240V - **plugdriver** - **PUSH-DIM button on base**
1 x LED array 6W (**LED incl.**) - 350mA - 634lm - 2700K - CRI >93
WALL -


Bily 16 up



	DIM	FRAME	INSIDE RING	INSIDE RING	RETAIL PRICE VAT. EXCL.
LC		●	●		480€
LC		●		●	490€
LC		○	●		480€
LC		○		●	490€
LC		●	●		480€
LC		●		●	490€
LC		●	●		480€
LC		●		●	490€

230V - **driver included in base** - **TRIAC/IGBT dimmable**
1 x LED array 11W (**LED incl.**) - 350mA - 1125lm - 2700K - CRI >97
CEILING -

Bouly W/C



FRAME	FRAME	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
●	○	●	●	
BOWW 1002	BOWW 1001	BOWW 1003		365€
			BOWW 1009	405€

350mA - **required remote mounted driver** see below
1 x 4 LED 0.96W **(LED incl.)** - 350mA - 456lm - 2700K (on demand 6000K) - CRI >93
depth for driver in ceiling : min. 75 mm
WALL & CEILING -

REQUIRED REMOTE MOUNTED DRIVER							
DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 4W	10€	1-3 x	1-10 PU	D 15WP*	24€
	C	D 6WI	12€		DA	D 15WDA*	27€
	1-10 PU	D 6WP	13€	2-8 x	1-10 PU DA	D 40WDP*	54€
driver does not fit through cutout hole of fixture *110V-230V				For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers			

Bouly W/C D+B



BOWW 1102	BOWW 1101	BOWW 1103		440€
			BOWW 1109	485€

230V - **driver included in base - non-dimmable**
1 x 4 LED 0.96W **(LED incl.)** - 350mA - 456lm - 2700K (on demand 6000K) - CRI >93
WALL & CEILING -

Code 1



VOLT	FRAME	FRAME	FRAME	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
	●	○	●	●	●	
230V	CODE 2001	CODE 1001				150€
230V			CODE 3001	CODE 7001		165€
230V					CODE 9001	195€
12V	CODE 2121	CODE 1121				150€
12V			CODE 3121	CODE 7121		165€
12V					CODE 9121	195€
OPTIONAL COVER FOR CODE 1	ACDE 2010	ACDE 1010				37€
			ACDE 3010	ACDE 7010		40€
					ACDE 9010	46€

230V - GU10 - 1 x QPAR16 max. 50W or 1 x GU10 LED
 12V - **transformer excluded** GU5.3 - 1 x QR-CBC51 HALO (only alu reflector, no cool beam) max. 50W or 1 x GU5.3 LED
Bulb excluded - CEILING -

Code 1 LED



VOLT	DIM	FRAME	FRAME	FRAME	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
		●	○	●	●	●	
	NO	CODE 2105◆	CODE 1105◆		CODE 3105◆	CODE 7105◆	340€
	NO					CODE 9105◆	350€
	NO						385€
	C	CODE 2405◆	CODE 1605◆				350€
	C			CODE 3605◆	CODE 7605◆		360€
	C					CODE 9605◆	395€

230V - driver included in base - non-dimmable or IGBT dimmable

1 x 4 LED 0.96W (LED incl.) - 350mA - 456lm - 2700K (on demand 6000K) - CRI >93

◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°

CEILING - CE ◆ IP40 eco

OPTIONAL COVER FOR CODE 1 LED



ACDE 2010	ACDE 1010					37€
		ACDE 3010	ACDE 7010			40€
				ACDE 9010		46€

Code 2



230V	CODE 2002	CODE 1002				185€
230V			CODE 3002	CODE 7002		210€
230V					CODE 9002	260€
12V	CODE 2122	CODE 1122				185€
12V			CODE 3122	CODE 7122		210€
12V					CODE 9122	260€

◆ 230V - GU10 - 2 x QPAR16 max. 50W or 2 x GU10 LED

◆ 12V - transformer excluded - GU5.3 - 2 x HALO QR-CBC51 (only alu reflector, no cool beam) max. 50W or 2 x GU5.3 LED

Bulbs excluded - CEILING - CE ◆ IP20 eco

Code 2 LED



LC	CODE 2207◆	CODE 1207◆				555€
LC			CODE 3207◆	CODE 7207◆		575€
LC					CODE 9207◆	630€


230V - driver included in base - TRIAC/IGBT dimmable

1 x 8 LED 0.96W (LED incl.) - 350mA - 912lm - 2700K (on demand 6000K) - CRI >93

◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°

CEILING - CE ◆ IP40 eco

Code W



230V - G9 HALO	CODE 2005	CODE 1005				160€
230V - G9 HALO			CODE 3005	CODE 7005		170€
230V - G9 HALO					CODE 9005	215€
12V - GY6.35 HALO	CODE 2125	CODE 1125				160€
12V - GY6.35 HALO			CODE 3125	CODE 7125		170€
12V - GY6.35 HALO					CODE 9125	215€
230V - G9 LED	CODE L2005	CODE L1005				160€
230V - G9 LED			CODE L3005	CODE L7005		170€
230V - G9 LED					CODE L9005	215€

◆ 230V G9 - 1 x HALO QT14 max. 60W or 1 x G9 LED (max. Ø19, max. L 62mm)

◆ 12V - transformer excluded - GY6.35 - 1 x QT12 max. 50W


Bulb excluded - WALL - CE ◆ IP50 eco

OPTIONAL COVER FOR CODE W



ACDE 2005	ACDE 1005					37€
		ACDE 3005	ACDE 7005			40€
				ACDE 9005		46€

Code W LED



! driver remote mounting excl. driver does not fit through cutout hole of fixture

	FRAME	FRAME	FRAME	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
	●	○	●	●	●	
1 side	CODE 2555	CODE 1555				340€
2 sides	CODE 2666	CODE 1666				525€
1 side			CODE 3555	CODE 7555		355€
2 sides			CODE 3666	CODE 7666		540€
1 side					CODE 9555	395€
2 sides					CODE 9666	585€

350mA - **required remote mounted driver** see below

1 lighting side : 1 x 4 LED 0.96W (LED incl.) - 350mA - 456lm - 2700K (on demand 6000K) - CRI >93
2 lighting sides : 2 x 4 LED 0.96W (LED incl.) - 350mA - 2 x 456lm - 2700K (on demand 6000K) - CRI >93

◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°

WALL - CE IP50 eco

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	1 side	NO		2-8 x	1 side	1-10 PU DA	D 40WDP* 54€
		C		1 x	2 sides	NO	N 12W** 22€
		1-10 PU				LC	D 10WT 17€
1-2 x	1 side	NO	N 12W** 22€			1-10 PU	D 15WP* 24€
1-3 x	1 side	1-10 PU	D 15WP* 24€			DA	D 15WDA* 27€
		DA	D 15WDA* 27€	1-4 x	2 sides	1-10 PU DA	D 40WDP* 54€

driver does not fit through cutout hole of fixture

*110V-230V **IP65

***driver fits behind optional cover for CODE W LED


For warranty use only Trizo21* supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

OPTIONAL COVER FOR CODE W LED



ACDE 2005	ACDE 1005	37€
ACDE 3005	ACDE 7005	40€
	ACDE 9005	46€

Kwa-Kwa 1F Round



FLEX LENGTH	FRAME	RETAIL PRICE VAT. EXCL.
	●	

L 200	21IN 3201	160€
L 400	21IN 3241	165€
L 750*	21IN 3271*	175€
L 1000*	21IN 3261*	185€

12V - **transformer excluded**

G53 - 1 x R111 HALO max. 75W or R111 LED


Bulb excluded - WALL & CEILING (*only CEILING) - CE IP20 eco

OPTIONAL COVER KWA-KWA 1F ROUND



21AC 3200	I	40€
-----------	---	-----

Kwa-Kwa 1F Square



L 200	21IN 4201	165€
L 400	21IN 4241	170€
L 750*	21IN 4271*	180€
L 1000*	21IN 4261*	190€

12V - **transformer excluded**

G53 - 1 x R111 HALO max. 75W or R111 LED


Bulb excluded - WALL & CEILING (*only CEILING) - CE IP20 eco

OPTIONAL COVER KWA-KWA 1F SQUARE



21AC 3203	I	40€
-----------	---	-----

Kwa-Kwa 1F +B Round




DIM	FLEX LENGTH	FRAME	RETAIL PRICE VAT. EXCL.
	L 200	21SO 3201	180€
	L 400	21SO 3241	190€
	L 750*	21SO 3271*	200€
	L 1000*	21SO 3251*	210€

12V - **transformer excluded**

G53 - 1 x R111 HALO max. 75W or R111 LED

Bulb excluded - WALL & CEILING (*only CEILING) -

Kwa-Kwa 1FT Rounded LED




	L 200	21SO L3314	320€
	L 400	21SO L3343	325€
	L 750*	21SO L3373*	335€
	L 1000*	21SO L3353*	345€

230V - **transformer included in base - IGBT dimmable**

G53 - 1 x R111 LED max. 60W

LED bulb excluded - WALL & CEILING (*only CEILING) -

Kwa-Kwa 1FT Rectangular LED




	L 200	21SO L3214	300€
	L 400	21SO L3243	310€
	L 750*	21SO L3273*	320€
	L 1000*	21SO L3253*	325€

230V - **transformer included in base - TRIAC/IGBT dimmable**

G53 - 1 x R111 LED max. 60W

LED bulb excluded - WALL & CEILING (*only CEILING) -

Kwa-Kwa 2FT Rounded LED




	L 200	21SO L3402	475€
	L 400	21SO L3442	490€
	L 750*	21SO L3472*	510€
	L 1000*	21SO L3452*	535€

230V - **transformer included in base - TRIAC/IGBT dimmable**

G53 - 2 x R111 LED max. 45W

LED bulbs excluded - WALL & CEILING (*only CEILING) -

Kwa-Kwa 2FT Rectangular LED



	L 200	21SO L3202	450€
	L 400	21SO L3242	460€
	L 750*	21SO L3272*	485€
	L 1000*	21SO L3252*	505€

230V - **transformer included in base - TRIAC/IGBT dimmable**

G53 - 2 x R111 LED max. 45W

LED bulbs excluded - WALL & CEILING (*only CEILING) -

Kwa-Kwa 4FT Rounded LED




DIM	FLEX LENGTH	FRAME	RETAIL PRICE VAT. EXCL.
LC	L 200	21SO L3404	1.035€
LC	L 400	21SO L3444	1.065€
LC	L 750*	21SO L3474*	1.105€
LC	L 1000*	21SO L3454*	1.155€

230V - transformer included in base - TRIAC/IGBT dimmable
G53 - 4 x R111 LED max. 45W

LED bulbs excluded - WALL & CEILING (*only CEILING) -

Kwa-Kwa 6FT Rounded LED



LC	L 200	21SO L3406	1.415€
LC	L 400	21SO L3446	1.455€
LC	L 750*	21SO L3476*	1.520€
LC	L 1000*	21SO L3456*	1.610€

230V - transformer included in base - TRIAC/IGBT dimmable
G53 - 6 x R111 LED max. 45W

LED bulbs excluded - WALL & CEILING (*only CEILING) -

Lipps 200 W/C



DIM	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	RETAIL PRICE VAT. EXCL.
LC	● ●	● ●	● ○	○ ●	○ ●	○ ○	515€
I-IO							515€
PU							515€
DA							530€
LC	LIPR 2227	LIPR 2228	LIPR 2221	LIPR 2217	LIPR 2218	LIPR 2211	515€
I-IO	LIPR 2027	LIPR 2028	LIPR 2021	LIPR 2017	LIPR 2018	LIPR 2011	515€
PU	LIPR 2527	LIPR 2528	LIPR 2521	LIPR 2517	LIPR 2518	LIPR 2511	530€
DA							

110V-230V - driver included in base - TRIAC/IGBT, 1-10V, PUSH-DIM or DALI dimmable
LED array 6W (LED incl.) - 700mA - 500lm - 2700K - CRI >90
WALL & CEILING -

Lipps 300 W/C



LC	LIPR 3327	LIPR 3328	LIPR 3321	LIPR 3317	LIPR 3318	LIPR 3311	660€
I-IO	LIPR 3027	LIPR 3028	LIPR 3021	LIPR 3017	LIPR 3018	LIPR 3011	660€
PU	LIPR 3527	LIPR 3528	LIPR 3521	LIPR 3517	LIPR 3518	LIPR 3511	675€
DA							

110V-230V - driver included in base - TRIAC/IGBT, 1-10V, PUSH-DIM or DALI dimmable
LED array 9W (LED incl.) - 350mA - 750lm - 2700K - CRI >90
WALL & CEILING -


Lipps 600 W/C



LC	LIPR 6627	LIPR 6628	LIPR 6621	LIPR 6617	LIPR 6618	LIPR 6611	1.185€
I-IO	LIPR 6527	LIPR 6528	LIPR 6521	LIPR 6517	LIPR 6518	LIPR 6511	1.200€
PU							
DA							

110V-230V - driver included in base - TRIAC/IGBT, 1-10V, PUSH-DIM or DALI dimmable
LED array 36W (LED incl.) - 500mA - 3000lm - 2700K - CRI >90
WALL & CEILING -

Mini-Pi 1 up



DIM		FRAME	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
		●	○	●	
NO		MIPU 1225◆	MIPU 1115◆	MIPU 1445◆	340€
C		MIPU 1525◆	MIPU 1615◆	MIPU 1945◆	350€

230V - **driver included in base - non-dimmable or IGBT dimmable**
1 X 4 LED 0.96W **(LED incl.)** - 350mA - 456lm - 2700K (on demand 6000K) - CRI >93
◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°
WALL & CEILING -


Mini-Pi 1 up Round



NO		MIPRU 1225◆	MIPRU 1115◆	340€
----	--	-------------	-------------	------

230V - **driver included in base - non-dimmable**
1 X 4 LED 0.96W **(LED incl.)** - 350mA - 456lm - 2700K (on demand 6000K) - CRI >93
◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°
WALL & CEILING -


Mini-Pi 2 up



LC		MIPU 2225◆	MIPU 2115◆	MIPU 2445◆	575€
----	--	------------	------------	------------	------

230V - **driver included in base - TRIAC/IGBT dimmable**
2 x 4 LED 0.96W **(LED incl.)** - 350mA - 2 x 456lm - 2700K (on demand 6000K) - CRI >93
◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°
WALL & CEILING -

Mini-Pi 3 up



LC		MIPU 3225◆	MIPU 3115◆	775€
I-10 PU*		MIPU 3325◆	MIPU 3315◆	805€


230V - **driver included in base - TRIAC/IGBT dimmable**
*110V-230V - **driver included in base - 1-10V or PUSH-DIM dimmable**
3 x 4 LED 0.96W **(LED incl.)** - 350mA - 3 x 456lm - 2700K (on demand 6000K) - CRI >93
◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°
WALL & CEILING -

Naga



RING		FRAME	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
		●	○	●	
●		NAGA 2112	NAGA 1112	NAGA 7112	215€
●					230€
○		NAGA 2111	NAGA 1111	NAGA 7111	215€
○					230€
●		NAGA 2117	NAGA 1117	NAGA 7117	220€
●					240€
●		NAGA 2116	NAGA 1116	NAGA 7116	220€
●					240€


110V-230V - GU10 LED
LED bulb excluded - CEILING -

	DIM	FRAME	FRAME	FRAME	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
Pin-Up 1 Round LED  Ø 90 H 122 Ø 116 -85°/+85° 359°		PIUP L2050	PIUP L1050	PIUP L3050	PIUP L7050	PIUP L9050	250€ 270€ 310€

230V - **transformer included in base** - **IGBT dimmable**
G53 - 1 x R111 LED max. 60W
LED bulb excluded - WALL & CEILING -   

Pin-Up 1 Square LED  100 H 122 Ø 116 -85°/+85° 359°		PIUP L2150	PIUP L1150	PIUP L3150	PIUP L7150	PIUP L9150	255€ 275€ 315€

230V - **transformer included in base** - **IGBT dimmable**
G53 - 1 x R111 LED max. 60W
LED bulb excluded - WALL & CEILING -   

Pin-Up 2 LED  200 H 122 Ø 116 -85°/+85° 359°		PIUP L2152	PIUP L1152	PIUP L3152	PIUP L7152	PIUP L9152	435€ 480€ 550€

230V - **transformer included in base** - **TRIAC/IGBT dimmable**
G53 - 2 x R111 LED max. 45W
LED bulbs excluded - WALL & CEILING -   

Pin-Up 4 LED  720 H 122 Ø 116 -85°/+85° 359°		PIUP L2154	PIUP L1154	PIUP L3154			1.000€

230V - **transformer included in base** - **TRIAC/IGBT dimmable**
G53 - 4 x R111 LED max. 45W
LED bulbs excluded - WALL & CEILING -   

Pin-Up 6 LED  1000 H 122 Ø 116 -85°/+85° 359°		PIUP L2156	PIUP L1156	PIUP L3156			1.365€

230V - **transformer included in base** - **TRIAC/IGBT dimmable**
G53 - 6 x R111 LED max. 45W
LED bulbs excluded - WALL & CEILING -   

DIM	RING	FRAME	INTERIOR	FRAME	INTERIOR	FRAME	INTERIOR	FRAME	INTERIOR	FRAME	INTERIOR	FRAME	INTERIOR	RETAIL PRICE VAT. EXCL.
		●	●	●	○	○	●	○	○	●	●	●	○	

R51 up GU5.3 LED



●	MRUP L1222	MRUP L1122	MRUP L1212	MRUP L1112	MRUP L1242	MRUP L1142	295€
○	MRUP L1229	MRUP L1129	MRUP L1219	MRUP L1119	MRUP L1249	MRUP L1149	360€
●	MRUP L1224	MRUP L1124	MRUP L1214	MRUP L1114	MRUP L1244	MRUP L1144	295€
○	MRUP L1221	MRUP L1121	MRUP L1211	MRUP L1111	MRUP L1241	MRUP L1141	295€

230V - transformer included in base - IGBT dimmable

GU5.3 - 1 x GU5.3 LED max. 20W

LED bulb excluded - CEILING -

R52 up GU5.3 LED



●	MRUP L2222	MRUP L2122	MRUP L2212	MRUP L2112	MRUP L2242	MRUP L2142	360€
○	MRUP L2229	MRUP L2129	MRUP L2219	MRUP L2119	MRUP L2249	MRUP L2149	485€
●	MRUP L2224	MRUP L2124	MRUP L2214	MRUP L2114	MRUP L2244	MRUP L2144	360€
○	MRUP L2221	MRUP L2121	MRUP L2211	MRUP L2111	MRUP L2241	MRUP L2141	360€

230V - transformer included in base - TRIAC/IGBT dimmable

GU5.3 - 2 x GU5.3 LED max. 20W

LED bulbs excluded - CEILING -

R54 up GU5.3 LED



●	MRUP L4222	MRUP L4122	MRUP L4212	MRUP L4112	MRUP L4242	MRUP L4142	560€
○	MRUP L4229	MRUP L4129	MRUP L4219	MRUP L4119	MRUP L4249	MRUP L4149	815€
●	MRUP L4224	MRUP L4124	MRUP L4214	MRUP L4114	MRUP L4244	MRUP L4144	560€
○	MRUP L4221	MRUP L4121	MRUP L4211	MRUP L4111	MRUP L4241	MRUP L4141	560€

230V - transformer included in base - TRIAC/IGBT dimmable

GU5.3 - 4 x GU5.3 LED max. 20W

LED bulbs excluded - CEILING -

R51 up GU10



●	MUGU 1222	MUGU 1122	MUGU 1212	MUGU 1112	MUGU 1242	MUGU 1142	265€
○	MUGU 1229	MUGU 1129	MUGU 1219	MUGU 1119	MUGU 1249	MUGU 1149	335€
●	MUGU 1224	MUGU 1124	MUGU 1214	MUGU 1114	MUGU 1244	MUGU 1144	265€
○	MUGU 1221	MUGU 1121	MUGU 1211	MUGU 1111	MUGU 1241	MUGU 1141	265€

230V

GU10 - 1 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or 1 x GU10 LED max. 20W

LED bulb excluded - CEILING -

R52 up GU10



●	MUGU 2222	MUGU 2122	MUGU 2212	MUGU 2112	MUGU 2242	MUGU 2142	335€
○	MUGU 2229	MUGU 2129	MUGU 2219	MUGU 2119	MUGU 2249	MUGU 2149	460€
●	MUGU 2224	MUGU 2124	MUGU 2214	MUGU 2114	MUGU 2244	MUGU 2144	335€
○	MUGU 2221	MUGU 2121	MUGU 2211	MUGU 2111	MUGU 2241	MUGU 2141	335€

230V

GU10 - 2 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or 2 x GU10 LED max. 20W

LED bulbs excluded - CEILING -

DIM	RING	FRAME	INTERIOR	FRAME	INTERIOR	FRAME	INTERIOR	FRAME	INTERIOR	FRAME	INTERIOR	FRAME	INTERIOR	RETAIL PRICE VAT. EXCL.
		●	●	●	○	○	●	○	○	○	○	●	●	
		●		●		○		○		●		●		
		○		○		○		○		○		○		

R54 up GU10



●	MUGU 4222	MUGU 4122	MUGU 4212	MUGU 4112	MUGU 4242	MUGU 4142	515€
○	MUGU 4229	MUGU 4129	MUGU 4219	MUGU 4119	MUGU 4249	MUGU 4149	770€
●	MUGU 4224	MUGU 4124	MUGU 4214	MUGU 4114	MUGU 4244	MUGU 4144	515€
○	MUGU 4221	MUGU 4121	MUGU 4211	MUGU 4111	MUGU 4241	MUGU 4141	515€

230V

GU10 - 4 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or 4 x GU10 LED max. 20W

LED bulbs excluded - CEILING - CE IP20 eco

R51 up LED



NO ●	MUWW 1222	MUWW 1122	MUWW 1212	MUWW 1112	MUWW 1242	MUWW 1142	415€
NO ●	MUWW 1224	MUWW 1124	MUWW 1214	MUWW 1114	MUWW 1244	MUWW 1144	415€
NO ○	MUWW 1221	MUWW 1121	MUWW 1211	MUWW 1111	MUWW 1241	MUWW 1141	415€
C ●	MUWW 1522	MUWW 1622	MUWW 1512	MUWW 1612	MUWW 1542	MUWW 1642	425€
C ●	MUWW 1524	MUWW 1624	MUWW 1514	MUWW 1614	MUWW 1544	MUWW 1644	425€
C ○	MUWW 1521	MUWW 1621	MUWW 1511	MUWW 1611	MUWW 1541	MUWW 1641	425€

230V - driver included in base - non-dimmable or IGBT dimmable

1 x 4 LED 0.96W (LED incl.) - 350mA - 456lm - 2700K (on demand 6000K) - CRI >93

◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°

CEILING - CE IP40 eco

R52 up LED



LC ●	MUWW 2222	MUWW 2122	MUWW 2212	MUWW 2112	MUWW 2242	MUWW 2142	660€
LC ●	MUWW 2224	MUWW 2124	MUWW 2214	MUWW 2114	MUWW 2244	MUWW 2144	660€
LC ○	MUWW 2221	MUWW 2121	MUWW 2211	MUWW 2111	MUWW 2241	MUWW 2141	660€
1-10 PU ●	MUWW 2222P	MUWW 2122P	MUWW 2212P	MUWW 2112P	MUWW 2242P	MUWW 2142P	685€
1-10 PU ●	MUWW 2224P	MUWW 2124P	MUWW 2214P	MUWW 2114P	MUWW 2244P	MUWW 2144P	685€
1-10 PU ○	MUWW 2221P	MUWW 2121P	MUWW 2211P	MUWW 2111P	MUWW 2241P	MUWW 2141P	685€

230V - driver included in base - TRIAC/IGBT or 1-10V, PUSH-DIM dimmable

2 x 4 LED 0.96W (LED incl.) - 350mA - 2 x 456lm - 2700K (on demand 6000K) - CRI >93

◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°

CEILING - CE IP40 eco

R54 up LED



LC ●	MUWW 4222	MUWW 4122	MUWW 4212	MUWW 4112	MUWW 4242	MUWW 4142	1.185€
LC ●	MUWW 4224	MUWW 4124	MUWW 4214	MUWW 4114	MUWW 4244	MUWW 4144	1.185€
LC ○	MUWW 4221	MUWW 4121	MUWW 4211	MUWW 4111	MUWW 4241	MUWW 4141	1.185€
1-10 PU ●	MUWW 4222P	MUWW 4122P	MUWW 4212P	MUWW 4112P	MUWW 4242P	MUWW 4142P	1.240€
1-10 PU ●	MUWW 4224P	MUWW 4124P	MUWW 4214P	MUWW 4114P	MUWW 4244P	MUWW 4144P	1.240€
1-10 PU ○	MUWW 4221P	MUWW 4121P	MUWW 4211P	MUWW 4111P	MUWW 4241P	MUWW 4141P	1.240€

230V - driver included in base - TRIAC/IGBT or 1-10V, PUSH-DIM dimmable

4 x 4 LED 0.96W (LED incl.) - 350mA - 4 x 456lm - 2700K (on demand 6000K) - CRI >93

◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°

CEILING - CE IP40 eco

R07 up



DIM	RING	FRAME	INTERIOR	FRAME	INTERIOR	FRAME	INTERIOR	FRAME	INTERIOR	FRAME	INTERIOR	FRAME	INTERIOR	RETAIL PRICE VAT. EXCL.
NO	●	●	●	●	○	○	●	○	○	○	○	○	○	370€
NO	○	●	○	○	○	○	○	○	○	○	○	○	○	445€
NO	○	○	○	○	○	○	○	○	○	○	○	○	○	370€
NO	○	○	○	○	○	○	○	○	○	○	○	○	○	370€

230V - **transformer included in base - non-dimmable**
 BA15d - 1 x QR70 max. 50W, Eco version available on demand
Bulb excluded - CEILING -


R70 up



LC	●	ARUP 7222	ARUP 7122	ARUP 7212	ARUP 7112	ARUP 7242	ARUP 7142	450€
LC	○	ARUP 7229	ARUP 7129	ARUP 7219	ARUP 7119	ARUP 7249	ARUP 7149	630€
LC	○	ARUP 7224	ARUP 7124	ARUP 7214	ARUP 7114	ARUP 7244	ARUP 7144	450€
LC	○	ARUP 7221	ARUP 7121	ARUP 7211	ARUP 7111	ARUP 7241	ARUP 7141	450€

230V - **transformer included in base - TRIAC/IGBT dimmable**
 BA15d - 2 x QR70 max. 50W, Eco version available on demand.
Bulbs excluded - CEILING -


R110 up G53 HALO



LC	●	ARUP H0222	ARUP H0122	ARUP H0212	ARUP H0112	ARUP H0242	ARUP H0142	380€
LC	○	ARUP H0229	ARUP H0129	ARUP H0219	ARUP H0119	ARUP H0249	ARUP H0149	465€
LC	○	ARUP H0224	ARUP H0124	ARUP H0214	ARUP H0114	ARUP H0244	ARUP H0144	380€
LC	○	ARUP H0221	ARUP H0121	ARUP H0211	ARUP H0111	ARUP H0241	ARUP H0141	380€

230V - **transformer included in base - TRIAC/IGBT dimmable**
 G53 - 1 x R111 HALO max. 50W
Bulb excluded - CEILING -

R110 up G53 LED



LC	●	ARUP L0222	ARUP L0122	ARUP L0212	ARUP L0112	ARUP L0242	ARUP L0142	380€
LC	○	ARUP L0229	ARUP L0129	ARUP L0219	ARUP L0119	ARUP L0249	ARUP L0149	465€
LC	○	ARUP L0224	ARUP L0124	ARUP L0214	ARUP L0114	ARUP L0244	ARUP L0144	380€
LC	○	ARUP L0221	ARUP L0121	ARUP L0211	ARUP L0111	ARUP L0241	ARUP L0141	380€

230V - **transformer included in base - TRIAC/IGBT dimmable**
 G53 - 1 x R111 LED max. 60W
LED bulb excluded - CEILING -

R111 up G53 HALO



LC	●	ARUP H1222	ARUP H1122	ARUP H1212	ARUP H1112	ARUP H1242	ARUP H1142	485€
LC	○	ARUP H1229	ARUP H1129	ARUP H1219	ARUP H1119	ARUP H1249	ARUP H1149	665€
LC	○	ARUP H1224	ARUP H1124	ARUP H1214	ARUP H1114	ARUP H1244	ARUP H1144	485€
LC	○	ARUP H1221	ARUP H1121	ARUP H1211	ARUP H1111	ARUP H1241	ARUP H1141	485€

230V - **transformer included in base - TRIAC/IGBT dimmable**
 G53 - 2 x R111 HALO max. 50W
Bulbs excluded - CEILING -

R111 up G53 LED



LC	●	ARUP L1222	ARUP L1122	ARUP L1212	ARUP L1112	ARUP L1242	ARUP L1142	485€
LC	○	ARUP L1229	ARUP L1129	ARUP L1219	ARUP L1119	ARUP L1249	ARUP L1149	665€
LC	○	ARUP L1224	ARUP L1124	ARUP L1214	ARUP L1114	ARUP L1244	ARUP L1144	485€
LC	○	ARUP L1221	ARUP L1121	ARUP L1211	ARUP L1111	ARUP L1241	ARUP L1141	485€

230V - **transformer included in base - TRIAC/IGBT dimmable**
 G53 - 2 x R111 LED max. 45W
LED bulbs excluded - CEILING -

Scar-Led 1FD built-in 60° (no dim)									
	driver remote mounting incl.	L 200	NO	I	SCAR 7281◆	SCAR 7271◆	SCAR 7201◆	SCAR 7251◆	SCAR 7231◆ I 265€
		L 400	NO	I	SCAR 7481◆	SCAR 7471◆	SCAR 7401◆	SCAR 7451◆	SCAR 7431◆ I 270€
		L 750	NO	I	SCAR 7781◆	SCAR 7771◆	SCAR 7701◆	SCAR 7751◆	SCAR 7731◆ I 280€

110V-230V - **driver included (remote mounting: driver fits through cutout hole of fixture) - non-dimmable**
 1 x LED 0.96W (**LED incl.**) - 350mA - 114lm - 2700K (on demand 6000K) - CRI >93
 aperture : 25 x 45 mm - depth for driver behind fixture : min. 55 mm
 ◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°


Scar-Led 1FD built-in 60° (dim)

L	Beam Angle	Type	Model	Price
L 200	1-10°	PUSH-DIM	SCAR 7281P ◆	335€
L 400	1-10°	PUSH-DIM	SCAR 7481P ◆	340€
L 750	1-10°	PUSH-DIM	SCAR 7781P ◆	350€

230V - driver included (remote mounting: driver fits through cutout hole of fixture) - 1-10V or PUSH-DIM dimmable (DALI on demand)
 1 x LED 1.38W (**LED incl.**) - 500mA - 157lm - 2700K - CRI >93
 aperture : 25 x 55 mm - depth for driver behind fixture : min. 72 mm
◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°
IPSO

Scar-Led 1FDS built-in 60 (no dim)



driver remote mounting incl.

L 200	NO	I	SCAR 7291◆	SCAR 7261◆	SCAR 7211◆	SCAR 7252◆	SCAR 7241◆	I	275€
L 400	NO	I	SCAR 7491◆	SCAR 7461◆	SCAR 7411◆	SCAR 7452◆	SCAR 7441◆	I	280€
L 750	NO	I	SCAR 7791◆	SCAR 7761◆	SCAR 7711◆	SCAR 7752◆	SCAR 7741◆	I	290€

110V-230V - driver included (remote mounting: driver fits through cutout hole of fixture) - ON/OFF on armature

1 x LED 0.96W (LED incl.) - 350mA - 114lm - 2700K (on demand 6000K) - CRI >93

aperture : 25 x 45 mm - depth for driver behind fixture : min. 55 mm

◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°

WALL -   

FLEX LENGTH

DIM

FRAME

FLEX

FRAME

FLEX

FRAME

FLEX

FRAME


FLEX

FRAME

FLEX

RETAIL PRICE
VAT. EXCL.

Scar-Led 1FDS built-in 60 (dim)



L 200	PU	I	SCAR 7291P	SCAR 7261P	SCAR 7211P	SCAR 7252P	SCAR 7241P	I	345€
L 400	PU	I	SCAR 7491P	SCAR 7461P	SCAR 7411P	SCAR 7452P	SCAR 7441P	I	350€
L 750	PU	I	SCAR 7791P	SCAR 7761P	SCAR 7711P	SCAR 7752P	SCAR 7741P	I	365€

230V - driver included (remote mounting: driver fits through cutout hole of fixture) - PUSH-DIM on armature (DALI on demand)


1 x LED 1.38W (LED incl.) - 500mA - 157lm - 2700K - CRI >93

aperture : 25 x 55 mm - depth for driver behind fixture : min. 72 mm

◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°

WALL - CE IP50 eco

Scar-Led 1FD built-in 95 (no dim)



L 200	NO	I	SCAR 8281	SCAR 8271	SCAR 8211	SCAR 8251	SCAR 8231	I	270€
L 400	NO	I	SCAR 8481	SCAR 8471	SCAR 8411	SCAR 8451	SCAR 8431	I	275€
L 750	NO	I	SCAR 8781	SCAR 8771	SCAR 8711	SCAR 8751	SCAR 8731	I	285€

110V-230V - driver included (remote mounting: driver fits through cutout hole of fixture) - non-dimmable


1 x LED 0.96W (LED incl.) - 350mA - 114lm - 2700K (on demand 6000K) - CRI >93

aperture : 25 x 45 mm - depth for driver behind fixture : min. 55 mm

◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°

WALL - CE IP50 eco

Scar-Led 1FD built-in 95 (dim)



L 200	1-10 PU	I	SCAR 8281P	SCAR 8271P	SCAR 8211P	SCAR 8251P	SCAR 8231P	I	340€
L 400	1-10 PU	I	SCAR 8481P	SCAR 8471P	SCAR 8411P	SCAR 8451P	SCAR 8431P	I	345€
L 750	1-10 PU	I	SCAR 8781P	SCAR 8771P	SCAR 8711P	SCAR 8751P	SCAR 8731P	I	355€

230V - driver included (remote mounting: driver fits through cutout hole of fixture) - 1-10V or PUSH-DIM dimmable (DALI on demand)


1 x LED 1.38W (LED incl.) - 500mA - 157lm - 2700K - CRI >93

aperture : 25 x 55 mm - depth for driver behind fixture : min. 72 mm

◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°

WALL - CE IP50 eco

Scar-Led 1FDS built-in 95 (no dim)



L 200	NO	I	SCAR 9281	SCAR 9271	SCAR 9211	SCAR 9251	SCAR 9231	I	280€
L 400	NO	I	SCAR 9481	SCAR 9471	SCAR 9411	SCAR 9451	SCAR 9431	I	285€
L 750	NO	I	SCAR 9781	SCAR 9771	SCAR 9711	SCAR 9751	SCAR 9731	I	295€

110V-230V - driver included (remote mounting: driver fits through cutout hole of fixture) - ON/OFF on armature


1 x LED 0.96W (LED incl.) - 350mA - 114lm - 2700K (on demand 6000K) - CRI >93

aperture : 25 x 45 mm - depth for driver behind fixture : min. 55 mm

◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°

WALL - CE IP50 eco

Scar-Led 1FDS built-in 95 (dim)



L 200	PU	I	SCAR 9281P	SCAR 9271P	SCAR 9211P	SCAR 9251P	SCAR 9231P	I	355€
L 400	PU	I	SCAR 9481P	SCAR 9471P	SCAR 9411P	SCAR 9451P	SCAR 9431P	I	360€
L 750	PU	I	SCAR 9781P	SCAR 9771P	SCAR 9711P	SCAR 9751P	SCAR 9731P	I	370€

230V - driver included (remote mounting: driver fits through cutout hole of fixture) - PUSH-DIM on armature (DALI on demand)

1 x LED 1.38W (LED incl.) - 500mA - 157lm - 2700K - CRI >93

aperture : 25 x 55 mm - depth for driver behind fixture : min. 72 mm

◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°

WALL - CE IP50 eco

Scar-Lite 1FDS built-in (no dim)


FLEX LENGTH		DIM		FRAME		FLEX		FRAME		FLEX		RETAIL PRICE VAT. EXCL.	
				●	●			○	○	●	●		
L 500	 NO	I	SCLI 7591			SCLI 7561				SCLI 7501	I	285€	



110V-230V - **driver included (remote mounting: driver fits through cutout hole of fixture) - ON/OFF on armature**
1 x LED 0.96W **(LED incl.)** - 350mA - 114lm - 2700K - CRI >93
aperture : 25 x 45 mm - depth for driver behind fixture : min. 55 mm
WALL -

Scar-Lite 1FDS built-in (dim)


L 500	PU	I	SCLI 7591P	SCLI 7561P	SCLI 7501P	I	350€
-------	----	---	------------	------------	------------	---	------



230V - **driver included (remote mounting: driver fits through cutout hole of fixture) - PUSH-DIM on armature (DALI on demand)**
1 x LED 1.38W **(LED incl.)** - 500mA - 157lm - 2700K - CRI >93
aperture : 25 x 55 mm - depth for driver behind fixture : min. 72 mm
WALL -

Scar-Lite 1FDS built-up (no dim)


L 500	NO	I	SCLI 3502	SCLI 3501	SCLI 3507	I	365€
-------	----	---	-----------	-----------	-----------	---	------



110V-230V - **driver in base - ON/OFF on armature**
1 x LED 0.96W **(LED incl.)** - 350mA - 114lm - 2700K - CRI >93
WALL -

Scar-Lite 1FDS built-up (dim)


L 500	PU	I	SCLI 5002	SCLI 5001	SCLI 5007	I	435€
-------	----	---	-----------	-----------	-----------	---	------



230V - **driver in base - PUSH-DIM on armature**
1 x LED 1.38W **(LED incl.)** - 500mA - 157lm - 2700K - CRI >93
WALL -

Scar-Lite 1FDS built-up plug (no dim)


L 500	NO	I	SCLI 3502EU	SCLI 3501EU	SCLI 3507EU	I	410€
-------	----	---	-------------	-------------	-------------	---	------



110V-230V - **driver in base - EU-plug - ON/OFF on armature**
1 x LED 0.96W **(LED incl.)** - 350mA - 114lm - 2700K - CRI >93
WALL -

Scar-Lite 1FDS built-up plug (dim)


L 500	PU	I	SCLI 5002EU	SCLI 5001EU	SCLI 5007EU	I	480€
-------	----	---	-------------	-------------	-------------	---	------



230V - **driver in base - EU-plug - PUSH-DIM on armature**
1 x LED 1.38W **(LED incl.)** - 500mA - 157lm - 2700K - CRI >93
WALL -

Scar-Lite 1FDS USB built-up (dim)

L 500	PU	I	SCLIU 5002	SCLIU 5001	SCLIU 5007	I	515€
-------	----	---	------------	------------	------------	---	------



110V-230V - **driver in base - PUSH-DIM on armature**
USB charger 5V incl. - compatible with tablets/smartphones and other USB chargeable devices
1 x LED 1.38W **(LED incl.)** - 500mA - 157lm - 2700K - CRI >93
WALL -

FRAME



FRAME




FRAME



RETAIL PRICE
VAT. EXCL.

Sirens W/C diffuser glass




Ø 210	SIPR 2112	SIPR 2111	365€
Ø 265	SIPR 2612	SIPR 2611	445€
Ø 210		SIPR 2117	390€
Ø 265		SIPR 2617	465€

110V-230V

E27 - only energy saving bulbs (LED or FLUO)

LED or FLUO bulb excluded - WALL & CEILING -

Sirens W/C mirror



Ø 161	SIPR 1602	SIPR 1601	175€
Ø 210	SIPR 2102	SIPR 2101	275€
Ø 265	SIPR 2602	SIPR 2601	330€
Ø 161		SIPR 1607	195€
Ø 210		SIPR 2107	295€
Ø 265		SIPR 2607	350€

WALL & CEILING

Sirens W/C frosted glass big mirror + edge mirror




Ø 210	SIPR 2122	SIPR 2121	345€
Ø 265	SIPR 2622	SIPR 2621	400€
Ø 210		SIPR 2127	360€
Ø 265		SIPR 2627	415€

110V-230V

E27 - only energy saving bulbs (LED or FLUO)

LED or FLUO bulb excluded - WALL & CEILING -

Sirens W/C frosted glass small mirror + edge mirror




Ø 210	SIPR 2132	SIPR 2131	345€
Ø 265	SIPR 2632	SIPR 2631	400€
Ø 210		SIPR 2137	360€
Ø 265		SIPR 2637	415€

110V-230V

E27 - only energy saving bulbs (LED or FLUO)

LED or FLUO bulb excluded - WALL & CEILING -

Sirens W/C frosted glass edge mirror



Ø 210	SIPR 2142	SIPR 2141	345€
Ø 265	SIPR 2642	SIPR 2641	400€
Ø 210		SIPR 2147	360€
Ø 265		SIPR 2647	415€

110V-230V

E27 - only energy saving bulbs (LED or FLUO)

LED or FLUO bulb excluded - WALL & CEILING -

● :black ○ :white ● :copper

Suspension


Suspension




AUDY-SOLITAIRE	
Audy-Solitaire RF	76
Audy-Solitaire RF D+B	78
Audy-Solitaire RL	79
Audy-Solitaire RL D+B	81



AUSTERE-CHANDELIER 2Y	
DESIGN YOUR OWN CHANDELIER 82	
Austere-Chandelier 2Y RF 75 remote	87
Austere-Chandelier 2Y RF 100 remote	87
Austere-Chandelier 2Y RS 16 remote	88
Austere-Chandelier 2Y RL 79 remote	88
Austere-Chandelier 2Y RS 16 surface	89
Austere-Chandelier 2Y RL 79 surface	89




AUSTERE-CHANDELIER 1X	
DESIGN YOUR OWN CHANDELIER 82	
Austere-Chandelier 1X RF 75 remote	93
Austere-Chandelier 1X RF 100 remote	93
Austere-Chandelier 1X RS 16 remote	94
Austere-Chandelier 1X RL 79 remote	94
Austere-Chandelier 1X RS 16 surface	95
Austere-Chandelier 1X RL 79 surface	95



AUSTERE-CHANDELIER 1Y	
DESIGN YOUR OWN CHANDELIER 82	
Austere-Chandelier 1Y RF 75 remote	84
Austere-Chandelier 1Y RF 100 remote	84
Austere-Chandelier 1Y RS 16 remote	85
Austere-Chandelier 1Y RL 79 remote	85
Austere-Chandelier 1Y RS 16 surface	86
Austere-Chandelier 1Y RL 79 surface	86



AUSTERE-CHANDELIER 3Y	
DESIGN YOUR OWN CHANDELIER 82	
Austere-Chandelier 3Y RF 75 remote	90
Austere-Chandelier 3Y RF 100 remote	90
Austere-Chandelier 3Y RS 16 remote	91
Austere-Chandelier 3Y RL 79 remote	91
Austere-Chandelier 3Y RS 16 surface	92
Austere-Chandelier 3Y RL 79 surface	92



AUSTERE-CHANDELIER 2X	
DESIGN YOUR OWN CHANDELIER 82	
Austere-Chandelier 2X RF 75 remote	96
Austere-Chandelier 2X RF 100 remote	96
Austere-Chandelier 2X RS 16 remote	97
Austere-Chandelier 2X RL 79 remote	97
Austere-Chandelier 2X RS 16 surface	98
Austere-Chandelier 2X RL 79 surface	98

Suspension



AUSTERE-CHANDELIER 3X

DESIGN YOUR OWN CHANDELIER 82

Austere-Chandelier 3X RF 75 remote	99
Austere-Chandelier 3X RF 100 remote	99
Austere-Chandelier 3X RS 16 remote	100
Austere-Chandelier 3X RL 79 remote	100
Austere-Chandelier 3X RS 16 surface	101
Austere-Chandelier 3X RL 79 surface	101



AUSTERE -D

Austere-D1 3 RF 75	102
Austere-D1 3 RF 100	102
Austere-D2 5 RF 75	102
Austere-D2 5 RF 100	103
Austere-D1 3 RL 79	103
Austere-D2 5 RL 79	103



AUSTERE-SOLITAIRE

Austere-Solitaire RF	104
Austere-Solitaire RF D+B	104
Austere-Solitaire RL	105
Austere-Solitaire RL D+B	105



AUSTERE-SUSPENSION 1+

DESIGN YOUR OWN SUSPENSION 106

Austere-Suspension 1+ RF 75 remote	108
Austere-Suspension 1+ RF 100 remote	108
Austere-Suspension 1+ RS 16 remote	109
Austere-Suspension 1+ RL 79 remote	109
Austere-Suspension 1+ RS 16 surface	110
Austere-Suspension 1+ RL 79 surface	110



I-TRO

I-Tro	111
I-Tro D+B	111



LIPPS SU

Lipps 200 SU	111
Lipps 300 SU	112
Lipps 600 SU	112



N-TRO


N-Tro	112
N-Tro D+B	112



SIRENS SU

Sirens SU diffuser glass	113
Sirens SU mirror	113
Sirens SU frosted glass	
big mirror + edge mirror	113
Sirens SU frosted glass	
small mirror + edge mirror	113
Sirens SU frosted glass edge mirror	113

Audy-Solitaire RF (for false ceiling)



COLOR LED

COVER
FRAME
RING

COVER
FRAME
RING

COVER
FRAME
RING

COVER
FRAME
RING

RETAIL PRICE
VAT. EXCL.

2700K	AUSF 1203				495€
2700K		AUSF 1202	AUSF 1201		475€
2700K				AUSF 1204	555€
3000K	AUSF 1303				495€
3000K		AUSF 1302	AUSF 1301		475€
3000K				AUSF 1304	555€

RF = fixed vertical rod of max. 988mm (possibility to shorten with tube cutter)

350mA - **required remote mounted driver see below**

1 x LED array 6,25W (**LED incl.**) - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6,25W (**LED incl.**) - 350mA - 673lm - 3000K - CRI >95

aperture : Ø 45 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm

◆ Choose beam: M=medium 23° or W=wide 40°

SUSPENSION - CE IP40 eco

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€
	LC	D 10WT	17€
2 x	LC	D 18WT	21€

driver does not fit through cutout hole of fixture
*110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1-2 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
2-6 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audy-Solitaire RF with honeycomb (for false ceiling)



2700K	AUSF 1203H				505€
2700K		AUSF 1202H	AUSF 1201H		485€
2700K				AUSF 1204H	565€
3000K	AUSF 1303H				505€
3000K		AUSF 1302H	AUSF 1301H		485€
3000K				AUSF 1304H	565€

RF = fixed vertical rod of max. 988mm (possibility to shorten with tube cutter)

350mA - **required remote mounted driver see below**

1 x LED array 6,25W (**LED incl.**) - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6,25W (**LED incl.**) - 350mA - 673lm - 3000K - CRI >95

aperture : Ø 45 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm

◆ Choose beam: M=medium 23° or W=wide 40°

SUSPENSION - CE IP40 eco

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€
	LC	D 10WT	17€
2 x	LC	D 18WT	21€

driver does not fit through cutout hole of fixture
*110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1-2 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
2-6 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audy-Solitaire RFC (for concrete ceiling)



COLOR LED

COVER
FRAME
RING

COVER
FRAME
RING

COVER
FRAME
RING

COVER
FRAME
RING

RETAIL PRICE
VAT. EXCL.

2700K	AUSC 1203◆				505€
2700K		AUSC 1202◆	AUSC 1201◆		485€
2700K				AUSC 1204◆	565€
3000K	AUSC 1303◆				505€
3000K		AUSC 1302◆	AUSC 1301◆		485€
3000K				AUSC 1304◆	565€

RF = fixed vertical rod of max. 988mm (possibility to shorten with tube cutter)

350mA - **required remote mounted driver see below**

1 x LED array 6,25W (**LED incl.**) - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6,25W (**LED incl.**) - 350mA - 673lm - 3000K - CRI >95

aperture : Ø 45 - depth : min. 40 mm - depth for driver in ceiling : min. 110 mm

◆ Choose beam: M=medium 23° or W=wide 40°

SUSPENSION - CE IP40 eco

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€
	LC	D 10WT	17€
2 x	LC	D 18WT	21€

driver does not fit through cutout hole of fixture
 *110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1-2 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
2-6 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21* supplied LED drivers as mentioned.
 For all specs and techs about drivers, see www.trizo21.com/drivers

Audy-Solitaire RFC with honeycomb (for concrete ceiling)



2700K	AUSC 1203H◆				515€
2700K		AUSC 1202H◆	AUSC 1201H◆		495€
2700K				AUSC 1204H◆	580€
3000K	AUSC 1303H◆				515€
3000K		AUSC 1302H◆	AUSC 1301H◆		495€
3000K				AUSC 1304H◆	580€

RF = fixed vertical rod of max. 988mm (possibility to shorten with tube cutter)

350mA - **required remote mounted driver see below**

1 x LED array 6,25W (**LED incl.**) - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6,25W (**LED incl.**) - 350mA - 673lm - 3000K - CRI >95

aperture : Ø 45 - depth : min. 40 mm - depth for driver in ceiling : min. 110 mm

◆ Choose beam: M=medium 23° or W=wide 40°

SUSPENSION - CE IP40 eco

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€
	LC	D 10WT	17€
2 x	LC	D 18WT	21€

driver does not fit through cutout hole of fixture
 *110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1-2 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
2-6 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21* supplied LED drivers as mentioned.
 For all specs and techs about drivers, see www.trizo21.com/drivers

Audy-Solitaire RF D+B




Suspension

COLOR LED	DIM	CANOPY FRAME RING			CANOPY FRAME RING			CANOPY FRAME RING			RETAIL PRICE VAT. EXCL.
		●	●	●	●	●	●	○	○	○	
2700K	NO*	AUSBD 1203◆									745€
2700K	NO*				AUSBD 1202◆			AUSBD 1201◆			725€
3000K	NO*	AUSBD 1303◆									745€
3000K	NO*				AUSBD 1302◆			AUSBD 1301◆			725€
2700K	LC	AUSBD 1213◆									755€
2700K	LC				AUSBD 1212◆			AUSBD 1211◆			735€
3000K	LC	AUSBD 1313◆									755€
3000K	LC				AUSBD 1312◆			AUSBD 1311◆			735€

RF = fixed vertical rod of max. 988mm (possibility to shorten with tube cutter)
*110V-230V - **driver included in base - non-dimmable**
230V - **driver included in base - TRIAC/IGBT dimmable**
1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
◆ Choose beam: M=medium 23° or W=wide 40°
SUSPENSION - CE IP40 eco

Audy-Solitaire RF D+B with honeycomb




2700K	NO*	AUSBD 1203H◆									755€
2700K	NO*				AUSBD 1202H◆			AUSBD 1201H◆			735€
3000K	NO*	AUSBD 1303H◆									755€
3000K	NO*				AUSBD 1302H◆			AUSBD 1301H◆			735€
2700K	LC	AUSBD 1213H◆									765€
2700K	LC				AUSBD 1212H◆			AUSBD 1211H◆			745€
3000K	LC	AUSBD 1313H◆									765€
3000K	LC				AUSBD 1312H◆			AUSBD 1311H◆			745€

RF = fixed vertical rod of max. 988mm (possibility to shorten with tube cutter)
*110V-230V - **driver included in base - non-dimmable**
230V - **driver included in base - TRIAC/IGBT dimmable**
1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
◆ Choose beam: M=medium 23° or W=wide 40°
SUSPENSION - CE IP40 eco

CABLE LENGTH	COLOR LED	COVER				CABLE				FRAME				RING				RETAIL PRICE VAT. EXCL.
		COVER	CABLE	FRAME	RING	COVER	CABLE	FRAME	RING	COVER	CABLE	FRAME	RING	COVER	CABLE	FRAME	RING	
		●	●	●	●	●	●	●	●	○	○	○	○	●	●	●	●	

Audy-Solitaire RLC (for concrete ceiling)



L 1000	2700K	AUCC 1232																550€
L 1000	2700K		AUCC 1222			AUCC 1211												530€
L 1000	2700K													AUCC 1242				610€
L 1000	3000K	AUCC 1332																550€
L 1000	3000K		AUCC 1322			AUCC 1311												530€
L 1000	3000K													AUCC 1342				610€

RL = long vertical rod of 750mm + powercord - Other cable lengths available on demand.

350mA - **required remote mounted driver see below**

1 x LED array 6.25W (LED incl.) - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6.25W (LED incl.) - 350mA - 673lm - 3000K - CRI >95

aperture : Ø 45 - depth : min. 40 mm - depth for driver in ceiling : min. 110 mm

◆ Choose beam: M=medium 23° or W=wide 40°

SUSPENSION - CE IP40 eco


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€

driver does not fit through cutout hole of fixture
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audy-Solitaire RLC with honeycomb (for concrete ceiling)



L 1000	2700K	AUCC 1232H																560€
L 1000	2700K		AUCC 1222H			AUCC 1211H												540€
L 1000	2700K													AUCC 1242H				620€
L 1000	3000K	AUCC 1332H																560€
L 1000	3000K		AUCC 1322H			AUCC 1311H												540€
L 1000	3000K													AUCC 1342H				620€

RL = long vertical rod of 750mm + powercord - Other cable lengths available on demand.

350mA - **required remote mounted driver see below**

1 x LED array 6.25W (LED incl.) - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6.25W (LED incl.) - 350mA - 673lm - 3000K - CRI >95

aperture : Ø 45 - depth : min. 40 mm - depth for driver in ceiling : min. 110 mm

◆ Choose beam: M=medium 23° or W=wide 40°

SUSPENSION - CE IP40 eco

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€

driver does not fit through cutout hole of fixture
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

	DIM	CABLE LENGTH	COLOR LED	CANOPY				CANOPY				CANOPY				RETAIL PRICE VAT. EXCL.
				CABLE	FRAME	RING		CABLE	FRAME	RING		CABLE	FRAME	RING		
	NO	L 1000	2700K	AUCBD 1203												785€
	NO	L 1000	2700K					AUCBD 1202				AUCBD 1201				760€
	NO	L 1000	3000K	AUCBD 1303												785€
	NO	L 1000	3000K					AUCBD 1302				AUCBD 1301				760€
	LC	L 1000	2700K	AUCBD 1213												795€
	LC	L 1000	2700K					AUCBD 1212				AUCBD 1211				770€
	LC	L 1000	3000K	AUCBD 1313												795€
	LC	L 1000	3000K					AUCBD 1312				AUCBD 1311				770€

RL = long vertical rod of 750mm + powercord - Other cable lengths available on demand.
*110V-230V - **driver included in base - non-dimmable**
230V - **driver included in base - TRIAC/IGBT dimmable**
1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
◆ Choose beam: M=medium 23° or W=wide 40°
SUSPENSION -


Audy-Solitaire RL D+B with honeycomb

	NO	L 1000	2700K	AUCBD 1203H												795€
	NO	L 1000	2700K					AUCBD 1202H				AUCBD 1201H				770€
	NO	L 1000	3000K	AUCBD 1303H												795€
	NO	L 1000	3000K					AUCBD 1302H				AUCBD 1301H				770€
	LC	L 1000	2700K	AUCBD 1213H												805€
	LC	L 1000	2700K					AUCBD 1212H				AUCBD 1211H				780€
	LC	L 1000	3000K	AUCBD 1313H												805€
	LC	L 1000	3000K					AUCBD 1312H				AUCBD 1311H				780€

RL = long vertical rod of 750mm + powercord - Other cable lengths available on demand.
*110V-230V - **driver included in base - non-dimmable**
230V - **driver included in base - TRIAC/IGBT dimmable**
1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
◆ Choose beam: M=medium 23° or W=wide 40°
SUSPENSION -

DESIGN YOUR OWN AUSTERE-CHANDELIER - REMOTE MOUNTING

I. Choose the shape of the chandelier: Y or X



II. Choose the levels of the chandelier: 1 level, 2 levels or 3 levels




III. Choose the arm length per level: 250 mm, 500 mm or 750 mm (Each arm on the same level has the same length)



Y chandelier: 3 x 250 mm = Ø 590 mm

X chandelier: 4 x 250 mm = **L**: 516 mm **W**: 316 mm



Y chandelier: 3 x 500 mm = Ø 1090 mm

X chandelier: 4 x 500 mm = **L**: 949 mm **W**: 565 mm




Y chandelier: 3 x 750 mm = Ø 1590 mm

X chandelier: 4 x 750 mm = **L**: 1382 mm **W**: 815 mm


IV. Choose the colors and the vertical ROD: RS 16, RL 79, RF 75 or RF 100

rod: **RS 16**




● ● FRAME
● ○ POWERCORD

rod: **RL 79**



● ● FRAME
● ○ POWERCORD

rod: **RF 75**



● ● FRAME

*Total height depends on the chosen mounting option, SEE **! NOTE** on product page.

Shorter rod available on demand with additional cost.

rod: **RF 100**



● ● FRAME

*Total height depends on the chosen mounting option, SEE **! NOTE** on product page.

Shorter rod available on demand with additional cost.


V. Choose your cover or canopy for 'remote mounting' driver:




For false ceiling: **RS 16, RL 79, RF 75 & RF 100**
For concrete ceiling: **RS 16 & RL 79**



For **RF 75 & RF 100**



For **RS 16, RL 79, RF 75 & RF 100**



For **RS 16 & RL 79**

VI. Choose your 'remote mounting' driver:


driver: non-dimmable

driver: 1-10V dimmable
driver: PUSH-DIM dimmable
driver: DALI dimmable

● :polyvarnished brass ● :black ○ :white

DESIGN YOUR OWN AUSTERE-CHANDELIER - SURFACE MOUNTING


I. Choose the shape of the chandelier: Y or X



II. Choose the levels of the chandelier: 1 level, 2 levels or 3 levels




III. Choose the arm length per level: 250 mm, 500 mm or 750 mm (Each arm on the same level has the same length)




Y chandelier: $3 \times 250 \text{ mm} = \varnothing 590 \text{ mm}$

X chandelier: $4 \times 250 \text{ mm} = \text{L: } 516 \text{ mm W: } 316 \text{ mm}$



Y chandelier: $3 \times 500 \text{ mm} = \varnothing 1090 \text{ mm}$

X chandelier: $4 \times 500 \text{ mm} = \text{L: } 949 \text{ mm W: } 565 \text{ mm}$




Y chandelier: $3 \times 750 \text{ mm} = \varnothing 1590 \text{ mm}$

X chandelier: $4 \times 750 \text{ mm} = \text{L: } 1382 \text{ mm W: } 815 \text{ mm}$


IV. Choose the colors and the vertical ROD: RS 16 or RL 79

rod: **RS 16**




● ● FRAME
● ○ POWERCORD

rod: **RL 79**





● ● FRAME
● ○ POWERCORD



V. Choose your base (driver incl.) for 'surface mounting':





dimnable driver incl. in base
(1-10V / PUSH-DIM / DALI)
+ casambi possible
Only for 1Y, 2Y, 1X
Max. 6 light-elements



dimnable driver incl. in base
(1-10V / PUSH-DIM / DALI)
+ casambi possible
Only for 1Y, 2Y, 1X
Max. 6 light-elements



non-dimmable driver incl. in base




dimnable driver incl. in base
(1-10V / PUSH-DIM / DALI)
+ casambi possible

LENGTH / LEVEL	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
	●	●	

REMOTE MOUNTED DRIVER

Austere-Chandelier 1Y RF 75




! SEE NOTE BELOW

3x 250mm
 3x 500mm
 3x 750mm

1Y RF7 2023	1Y RF7 2022	1.395€
1Y RF7 5023	1Y RF7 5022	1.430€
1Y RF7 7023	1Y RF7 7022	1.470€

Austere-Chandelier 1Y RF 100



! SEE NOTE BELOW

3x 250mm
 3x 500mm
 3x 750mm

1Y RF10 2023	1Y RF10 2022	1.405€
1Y RF10 5023	1Y RF10 5022	1.440€
1Y RF10 7023	1Y RF10 7022	1.480€

Shorter RF ROD available in other lengths on demand & with additional cost.


350mA - **required remote mounted driver + required cover/canopy see below**

3 x LED array 6W (LED incl.) - 350mA - 3 x 634lm - 2700K - CRI >93

Each arm on the same level has the same length: 3 x 250 mm = Ø 590 mm / 3 x 500 mm = Ø 1090 mm / 3 x 750 mm = Ø 1590 mm.


SUSPENSION - CE IP50 eco

REQUIRED COVER/CANOPY for Austere-Chandelier 1Y RF 75 / RF 100 with REMOTE MOUNTED DRIVER



! **NOTE: cover C6 + rod RF 75 :**
 If the thickness of the false ceiling is 15mm,
 the total length of the chandelier RF 75
 with cover C6 will be 778mm.

! **NOTE: cover C6 + rod RF 100 :**
 If the thickness of the false ceiling is 15mm,
 the total length of the chandelier RF 100
 with cover C6 will be 1028mm.



! **NOTE: cover C8 + rod RF 75 :**
 the total length of the chandelier RF 75
 with cover C8 will be 806mm.

! **NOTE: cover C8 + rod RF 100 :**
 the total length of the chandelier RF 100
 with cover C8 will be 1056mm.



! **NOTE: canopy B10 + rod RF 75 :**
 the total length of the chandelier RF 75
 with canopy B10 will be 906mm.

! **NOTE: canopy B10 + rod RF 100 :**
 the total length of the chandelier RF 100
 with canopy B10 will be 1156mm.

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 1Y RF 75 / RF 100

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 50W *	28€	1 x	I-IO DA	D 80WP D 80WD *	43€ 49€


* driver only fits through cutout hole of fixture with C6,
 min. depth for driver in false ceiling: 280mm

For warranty use only Trizo21® supplied LED drivers as mentioned.
 For all specs and techs about drivers, see www.trizo21.com/drivers

LENGTH / LEVEL	FRAME	POWERCORD	STEELCABLE	FRAME	POWERCORD	STEELCABLE	FRAME	POWERCORD	STEELCABLE	FRAME	POWERCORD	STEELCABLE	RETAIL PRICE VAT. EXCL.
	●	●	●	●	●	●	●	●	●	●	●	●	


REMOTE MOUNTED DRIVER

Austere-Chandelier 1Y RS 16



3x 250mm	1Y RS 2023	1Y RS 2022	1Y RS 2013	1Y RS 2012	1.405€
3x 500mm	1Y RS 5023	1Y RS 5022	1Y RS 5013	1Y RS 5012	1.440€
3x 750mm	1Y RS 7023	1Y RS 7022	1Y RS 7013	1Y RS 7012	1.480€

Austere-Chandelier 1Y RL 79



3x 250mm	1Y RL 2023	1Y RL 2022	1Y RL 2013	1Y RL 2012	1.440€
3x 500mm	1Y RL 5023	1Y RL 5022	1Y RL 5013	1Y RL 5012	1.475€
3x 750mm	1Y RL 7023	1Y RL 7022	1Y RL 7013	1Y RL 7012	1.515€

350mA - **required remote mounted driver + required cover/canopy see below**

3 x LED array 6W (LED incl.) - 350mA - 3 x 634lm - 2700K - CRI >93

Each arm on the same level has the same length: 3 x 250 mm = Ø 590 mm / 3 x 500 mm = Ø 1090 mm / 3 x 750 mm = Ø 1590 mm.

SUSPENSION -

REQUIRED COVER/CANOPY for Austere-Chandelier 1Y RS 16 / RL 79 with REMOTE MOUNTED DRIVER

cover C6	cover C6	canopy B10	canopy B11
aperture: Ø45	aperture: Ø45	aperture: Ø45	aperture: Ø45
DRIVER	remote driver	remote driver	remote driver
false ceiling	concrete ceiling	false/concrete ceiling	false/concrete ceiling
● 21CO 0003 80€ ● 21CO 0002 80€ ○ 21CO 0001 80€	● 21CO 0013 100€ ● 21CO 0012 100€ ○ 21CO 0011 100€	● 21CP 3003 265€ ● 21CP 2002 265€ ○ 21CP 1001 265€	● 21CP 3033 265€ ● 21CP 2022 265€ ○ 21CP 1011 265€

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 1Y RS 16 / RL 79

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 50W *	28€	1 x	I-10 PU	D 80WP *	43€
					DA PU	D 80WD *	49€


* driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm

For warranty use only Trizo21® supplied LED drivers as mentioned.
 For all specs and techs about drivers, see www.trizo21.com/drivers

LENGTH / LEVEL	FRAME	POWERCORD	STEELCABLE	FRAME	POWERCORD	STEELCABLE	FRAME	POWERCORD	STEELCABLE	FRAME	POWERCORD	STEELCABLE	RETAIL PRICE VAT. EXCL.
	●	●	●	●	●	●	●	●	●	●	●	●	


SURFACE MOUNTED DRIVER

Austere-Chandelier 1Y RS 16



3x 250mm	1Y RS 2023	1Y RS 2022	1Y RS 2013	1Y RS 2012	1.405€
3x 500mm	1Y RS 5023	1Y RS 5022	1Y RS 5013	1Y RS 5012	1.440€
3x 750mm	1Y RS 7023	1Y RS 7022	1Y RS 7013	1Y RS 7012	1.480€

Austere-Chandelier 1Y RL 79



3x 250mm	1Y RL 2023	1Y RL 2022	1Y RL 2013	1Y RL 2012	1.440€
3x 500mm	1Y RL 5023	1Y RL 5022	1Y RL 5013	1Y RL 5012	1.475€
3x 750mm	1Y RL 7023	1Y RL 7022	1Y RL 7013	1Y RL 7012	1.515€

350mA - **required base (driver incl.)** see below

3 x LED array 6W (**LED incl.**) - 350mA - 3 x 634lm - 2700K - CRI >93


Each arm on the same level has the same length: 3 x 250 mm = Ø 590 mm / 3 x 500 mm = Ø 1090 mm / 3 x 750 mm = Ø 1590 mm.

SUSPENSION - CE IP50 eco



REQUIRED BASE (DRIVER INCL.) for Austere-Chandelier 1Y RS 16 / RL 79





base B20



base B21



base B32



base B50



●	HO	PU	DA	BCDP 2402	305€	HO	PU	DA	BCDP 2422	305€	NO	BNDN 0822	435€	HO	PU	BDPU 0822	530€
○	HO	PU	DA	BCDP 2401	305€	HO	PU	DA	BCDP 2411	305€	NO	BNDN 0811	435€	HO	PU	BDPU 0811	530€
														DA	PU	BDDA 0822	560€
														DA	PU	BDDA 0811	560€

110V-230V - **driver included in base**
+ casambi possible

110V-230V - **driver included in base**
+ casambi possible

230V - **driver included in base**

230V - **driver included in base**
+ casambi possible

LENGTH
/ LEVEL

LENGTH
/ LEVEL


FRAME

FRAME

RETAIL PRICE
VAT. EXCL.

REMOTE MOUNTED DRIVER


Austere-Chandelier 2Y RF 75



3x 250mm	&	3x 250mm
3x 250mm	&	3x 500mm
3x 500mm	&	3x 500mm
3x 500mm	&	3x 750mm
3x 750mm	&	3x 750mm

2Y RF7 2223	2Y RF7 2222	2.665€
2Y RF7 2523	2Y RF7 2522	2.700€
2Y RF7 5523	2Y RF7 5522	2.740€
2Y RF7 5723	2Y RF7 5722	2.775€
2Y RF7 7723	2Y RF7 7722	2.815€

Austere-Chandelier 2Y RF 100



3x 250mm	&	3x 250mm
3x 250mm	&	3x 500mm
3x 500mm	&	3x 500mm
3x 500mm	&	3x 750mm
3x 750mm	&	3x 750mm

2Y RF10 2223	2Y RF10 2222	2.675€
2Y RF10 2523	2Y RF10 2522	2.710€
2Y RF10 5523	2Y RF10 5522	2.750€
2Y RF10 5723	2Y RF10 5722	2.785€
2Y RF10 7723	2Y RF10 7722	2.825€

Shorter RF ROD available in other lengths on demand & with additional cost.


350mA - **required remote mounted driver + required cover/canopy see below**

6 x LED array 6W (LED incl.) - 350mA - 6 x 634lm - 2700K - CRI >93

Each arm on the same level has the same length: 3 x 250 mm = Ø 590 mm / 3 x 500 mm = Ø 1090 mm / 3 x 750 mm = Ø 1590 mm.


SUSPENSION -

REQUIRED COVER/CANOPY for Austere-Chandelier 2Y RF 75 / RF 100 with REMOTE MOUNTED DRIVER




! NOTE: cover C6 + rod RF 75 :
If the thickness of the false ceiling is 15mm,
the total length of the chandelier RF 75
with cover C6 will be 914mm.

! NOTE: cover C6 + rod RF 100 :
If the thickness of the false ceiling is 15mm,
the total length of the chandelier RF 100
with cover C6 will be 1164mm.



! NOTE: cover C8 + rod RF 75 :
the total length of the chandelier RF 75
with cover C8 will be 942mm.

! NOTE: cover C8 + rod RF 100 :
the total length of the chandelier RF 100
with cover C8 will be 1192mm.



! NOTE: canopy B10 + rod RF 75 :
the total length of the chandelier RF 75
with canopy B10 will be 1042mm.

! NOTE: canopy B10 + rod RF 100 :
the total length of the chandelier RF 100
with canopy B10 will be 1292mm.

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 2Y RF 75 / RF 100

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 80W *	31€	1 x	I-IO DA	D 80WP D 80WD *	43€ 49€

* driver only fits through cutout hole of fixture with C6,
min. depth for driver in false ceiling: 280mm

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

LENGTH
/ LEVEL

LENGTH
/ LEVEL

FRAME
POWERCORD
STEELCABLE

FRAME
POWERCORD
STEELCABLE


FRAME
POWERCORD
STEELCABLE

FRAME
POWERCORD
STEELCABLE

RETAIL PRICE
VAT. EXCL.


REMOTE MOUNTED DRIVER

Austere-Chandelier 2Y RS 16



3x 250mm	&	3x 250mm	2Y RS 2223	2Y RS 2222	2Y RS 2213	2Y RS 2212	2.675€
3x 250mm	&	3x 500mm	2Y RS 2523	2Y RS 2522	2Y RS 2513	2Y RS 2512	2.710€
3x 500mm	&	3x 500mm	2Y RS 5523	2Y RS 5522	2Y RS 5513	2Y RS 5512	2.750€
3x 500mm	&	3x 750mm	2Y RS 5723	2Y RS 5722	2Y RS 5713	2Y RS 5712	2.785€
3x 750mm	&	3x 750mm	2Y RS 7723	2Y RS 7722	2Y RS 7713	2Y RS 7712	2.825€

Austere-Chandelier 2Y RL 79



3x 250mm	&	3x 250mm	2Y RL 2223	2Y RL 2222	2Y RL 2213	2Y RL 2212	2.710€
3x 250mm	&	3x 500mm	2Y RL 2523	2Y RL 2522	2Y RL 2513	2Y RL 2512	2.745€
3x 500mm	&	3x 500mm	2Y RL 5523	2Y RL 5522	2Y RL 5513	2Y RL 5512	2.785€
3x 500mm	&	3x 750mm	2Y RL 5723	2Y RL 5722	2Y RL 5713	2Y RL 5712	2.820€
3x 750mm	&	3x 750mm	2Y RL 7723	2Y RL 7722	2Y RL 7713	2Y RL 7712	2.860€






350mA - **required remote mounted driver + required cover/canopy see below**

6 x LED array 6W (LED incl.) - 350mA - 6 x 634lm - 2700K - CRI >93

Each arm on the same level has the same length: 3 x 250 mm = Ø 590 mm / 3 x 500 mm = Ø 1090 mm / 3 x 750 mm = Ø 1590 mm.

SUSPENSION -

REQUIRED COVER/CANOPY for Austere-Chandelier 2Y RS 16 / RL 79 with REMOTE MOUNTED DRIVER

											
cover C6			cover C6			canopy B10			canopy B11		
											
	21CO 0003	80€		21CO 0013	100€		21CP 3003	265€		21CP 3033	265€
	21CO 0002	80€		21CO 0012	100€		21CP 2002	265€		21CP 2022	265€
	21CO 0001	80€		21CO 0011	100€		21CP 1001	265€		21CP 1011	265€

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 2Y RS 16 / RL 79

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 80W *	31€	1 x	I-10 PU	D 80WP *	43€
					DA PU	D 80WD *	49€

* driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm

For warranty use only Trizo21® supplied LED drivers as mentioned.
 For all specs and techs about drivers, see www.trizo21.com/drivers

LENGTH
/ LEVEL

LENGTH
/ LEVEL

FRAME
POWERCORD
STEELCABLE

FRAME
POWERCORD
STEELCABLE


FRAME
POWERCORD
STEELCABLE

FRAME
POWERCORD
STEELCABLE

RETAIL PRICE
VAT. EXCL.


SURFACE MOUNTED DRIVER

Austere-Chandelier 2Y RS 16



3x 250mm	&	3x 250mm	2Y RS 2223	2Y RS 2222	2Y RS 2213	2Y RS 2212	2.675€
3x 250mm	&	3x 500mm	2Y RS 2523	2Y RS 2522	2Y RS 2513	2Y RS 2512	2.710€
3x 500mm	&	3x 500mm	2Y RS 5523	2Y RS 5522	2Y RS 5513	2Y RS 5512	2.750€
3x 500mm	&	3x 750mm	2Y RS 5723	2Y RS 5722	2Y RS 5713	2Y RS 5712	2.785€
3x 750mm	&	3x 750mm	2Y RS 7723	2Y RS 7722	2Y RS 7713	2Y RS 7712	2.825€

Austere-Chandelier 2Y RL 79



3x 250mm	&	3x 250mm	2Y RL 2223	2Y RL 2222	2Y RL 2213	2Y RL 2212	2.710€
3x 250mm	&	3x 500mm	2Y RL 2523	2Y RL 2522	2Y RL 2513	2Y RL 2512	2.745€
3x 500mm	&	3x 500mm	2Y RL 5523	2Y RL 5522	2Y RL 5513	2Y RL 5512	2.785€
3x 500mm	&	3x 750mm	2Y RL 5723	2Y RL 5722	2Y RL 5713	2Y RL 5712	2.820€
3x 750mm	&	3x 750mm	2Y RL 7723	2Y RL 7722	2Y RL 7713	2Y RL 7712	2.860€

350mA - **required base (driver incl.)** see below

6 x LED array 6W (LED incl.) - 350mA - 6 x 634lm - 2700K - CRI >93


Each arm on the same level has the same length: 3 x 250 mm = Ø 590 mm / 3 x 500 mm = Ø 1090 mm / 3 x 750 mm = Ø 1590 mm.

SUSPENSION -



REQUIRED BASE (DRIVER INCL.) for Austere-Chandelier 2Y RS 16 / RL 79





base B20




base B21



base B32



base B50



●	HO	PU	DA	BCDP 2402	305€	HO	PU	DA	BCDP 2422	305€	NO	BNDN 0822	435€	HO	PU	BDPU 0822	530€
○	HO	PU	DA	BCDP 2401	305€	HO	PU	DA	BCDP 2411	305€	NO	BNDN 0811	435€	HO	PU	BDPU 0811	530€
													DA	PU	BDDA 0822	560€	
													DA	PU	BDDA 0811	560€	

110V-230V - **driver included in base**
+ casambi possible

110V-230V - **driver included in base**
+ casambi possible

230V - **driver included in base**

230V - **driver included in base**
+ casambi possible

LENGTH
/ LEVEL

LENGTH
/ LEVEL

LENGTH
/ LEVEL


FRAME

FRAME

RETAIL PRICE
VAT. EXCL.

REMOTE MOUNTED DRIVER


Austere-Chandelier 3Y RF 75



3x 250mm	&	3x 250mm	&	3x 500mm
3x 250mm	&	3x 500mm	&	3x 500mm
3x 250mm	&	3x 500mm	&	3x 750mm
3x 500mm	&	3x 500mm	&	3x 750mm
3x 500mm	&	3x 750mm	&	3x 750mm

3Y RF7 22523	3Y RF7 22522	3.970€
3Y RF7 25523	3Y RF7 25522	4.005€
3Y RF7 25723	3Y RF7 25722	4.045€
3Y RF7 55723	3Y RF7 55722	4.080€
3Y RF7 57723	3Y RF7 57722	4.120€

Austere-Chandelier 3Y RF 100



3x 250mm	&	3x 250mm	&	3x 500mm
3x 250mm	&	3x 500mm	&	3x 500mm
3x 250mm	&	3x 500mm	&	3x 750mm
3x 500mm	&	3x 500mm	&	3x 750mm
3x 500mm	&	3x 750mm	&	3x 750mm

3Y RF10 22523	3Y RF10 22522	3.980€
3Y RF10 25523	3Y RF10 25522	4.015€
3Y RF10 25723	3Y RF10 25722	4.055€
3Y RF10 55723	3Y RF10 55722	4.090€
3Y RF10 57723	3Y RF10 57722	4.130€


Shorter RF ROD available in other lengths on demand & with additional cost.
350mA - **required remote mounted driver + required cover/canopy see below**

9 x LED array 6W (LED incl.) - 350mA - 9 x 634lm - 2700K - CRI >93

Each arm on the same level has the same length: 3 x 250 mm = Ø 590 mm / 3 x 500 mm = Ø 1090 mm / 3 x 750 mm = Ø 1590 mm.

SUSPENSION -

REQUIRED COVER/CANOPY for Austere-Chandelier 3Y RF 75 / RF 100 with REMOTE MOUNTED DRIVER




cover C6

21CO 3300	80€
21CO 2200	80€
21CO 1100	80€

! NOTE: cover C6 + rod RF 75 :
If the thickness of the false ceiling is 15mm,
the total length of the chandelier RF 75
with cover C6 will be 1050mm.

! NOTE: cover C6 + rod RF 100 :
If the thickness of the false ceiling is 15mm,
the total length of the chandelier RF 100
with cover C6 will be 1300mm.




cover C8

21CO 8003	95€
21CO 8002	95€
21CO 8001	95€

! NOTE: cover C8 + rod RF 75 :
the total length of the chandelier RF 75
with cover C8 will be 1078mm.

! NOTE: cover C8 + rod RF 100 :
the total length of the chandelier RF 100
with cover C8 will be 1328mm.



canopy B10

21CP 3333	265€
21CP 2222	265€
21CP 1111	265€

! NOTE: canopy B10 + rod RF 75 :
the total length of the chandelier RF 75
with canopy B10 will be 1178mm.

! NOTE: canopy B10 + rod RF 100 :
the total length of the chandelier RF 100
with canopy B10 will be 1428mm.

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 3Y RF 75 / RF 100

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 80W *	31€	1 x	I-10 DA	D 80WP D 80WD *	43€ 49€

* driver only fits through cutout hole of fixture with C6,
min. depth for driver in false ceiling: 280mm

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

LENGTH
/ LEVEL

LENGTH
/ LEVEL

LENGTH
/ LEVEL

FRAME
POWERCORD
STEELCABLE

FRAME
POWERCORD
STEELCABLE


FRAME
POWERCORD
STEELCABLE

FRAME
POWERCORD
STEELCABLE

RETAIL PRICE
VAT. EXCL.


REMOTE MOUNTED DRIVER

Austere-Chandelier 3Y RS 16



3x 250mm	&	3x 250mm	&	3x 500mm	3Y RS 22523	3Y RS 22522	3Y RS 22513	3Y RS 22512	3.980€
3x 250mm	&	3x 500mm	&	3x 500mm	3Y RS 25523	3Y RS 25522	3Y RS 25513	3Y RS 25512	4.015€
3x 250mm	&	3x 500mm	&	3x 750mm	3Y RS 25723	3Y RS 25722	3Y RS 25713	3Y RS 25712	4.055€
3x 500mm	&	3x 500mm	&	3x 750mm	3Y RS 55723	3Y RS 55722	3Y RS 55713	3Y RS 55712	4.090€
3x 500mm	&	3x 750mm	&	3x 750mm	3Y RS 57723	3Y RS 57722	3Y RS 57713	3Y RS 57712	4.130€

Austere-Chandelier 3Y RL 79




3x 250mm	&	3x 250mm	&	3x 500mm	3Y RL 22523	3Y RL 22522	3Y RL 22513	3Y RL 22512	4.015€
3x 250mm	&	3x 500mm	&	3x 500mm	3Y RL 25523	3Y RL 25522	3Y RL 25513	3Y RL 25512	4.050€
3x 250mm	&	3x 500mm	&	3x 750mm	3Y RL 25723	3Y RL 25722	3Y RL 25713	3Y RL 25712	4.090€
3x 500mm	&	3x 500mm	&	3x 750mm	3Y RL 55723	3Y RL 55722	3Y RL 55713	3Y RL 55712	4.125€
3x 500mm	&	3x 750mm	&	3x 750mm	3Y RL 57723	3Y RL 57722	3Y RL 57713	3Y RL 57712	4.165€

350mA - **required remote mounted driver + required cover/canopy see below**
9 x LED array 6W (LED incl.) - 350mA - 9 x 634lm - 2700K - CRI >93


Each arm on the same level has the same length: 3 x 250 mm = Ø 590 mm / 3 x 500 mm = Ø 1090 mm / 3 x 750 mm = Ø 1590 mm.

SUSPENSION - IP50


REQUIRED COVER/CANOPY for Austere-Chandelier 3Y RS 16 / RL 79 with REMOTE MOUNTED DRIVER




cover C6



21CO 0003	80€
21CO 0002	80€
21CO 0001	80€




cover C6



21CO 0013	100€
21CO 0012	100€
21CO 0011	100€




canopy B10



21CP 3003	265€
21CP 2002	265€
21CP 1001	265€



canopy B11



21CP 3033	265€
21CP 2022	265€
21CP 1011	265€

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 3Y RS 16 / RL 79

DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 80W *	31€

DEVICE	DIM.	DRIVER	NET PRICE
1 x	I-10 PU	D 80WP *	43€
	DA PU	D 80WD *	49€

* driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

LENGTH
/ LEVEL

LENGTH
/ LEVEL

LENGTH
/ LEVEL

FRAME
POWERCORD
STEELCABLE

FRAME
POWERCORD
STEELCABLE

FRAME
POWERCORD
STEELCABLE

FRAME
POWERCORD
STEELCABLE

RETAIL PRICE
VAT. EXCL.

SURFACE MOUNTED DRIVER

Austere-Chandelier 3Y RS 16

	3x 250mm	&	3x 250mm	&	3x 500mm	3Y RS 22523	3Y RS 22522	3Y RS 22513	3Y RS 22512	3.980€
	3x 250mm	&	3x 500mm	&	3x 500mm	3Y RS 25523	3Y RS 25522	3Y RS 25513	3Y RS 25512	4.015€
	3x 250mm	&	3x 500mm	&	3x 750mm	3Y RS 25723	3Y RS 25722	3Y RS 25713	3Y RS 25712	4.055€
	3x 500mm	&	3x 500mm	&	3x 750mm	3Y RS 55723	3Y RS 55722	3Y RS 55713	3Y RS 55712	4.090€
	3x 500mm	&	3x 750mm	&	3x 750mm	3Y RS 57723	3Y RS 57722	3Y RS 57713	3Y RS 57712	4.130€

Austere-Chandelier 3Y RL 79

	3x 250mm	&	3x 250mm	&	3x 500mm	3Y RL 22523	3Y RL 22522	3Y RL 22513	3Y RL 22512	4.015€
	3x 250mm	&	3x 500mm	&	3x 500mm	3Y RL 25523	3Y RL 25522	3Y RL 25513	3Y RL 25512	4.050€
	3x 250mm	&	3x 500mm	&	3x 750mm	3Y RL 25723	3Y RL 25722	3Y RL 25713	3Y RL 25712	4.090€
	3x 500mm	&	3x 500mm	&	3x 750mm	3Y RL 55723	3Y RL 55722	3Y RL 55713	3Y RL 55712	4.125€
	3x 500mm	&	3x 750mm	&	3x 750mm	3Y RL 57723	3Y RL 57722	3Y RL 57713	3Y RL 57712	4.165€


350mA - **required base (driver incl.) see below**

9 x LED array 6W (LED incl.) - 350mA - 9 x 634lm - 2700K - CRI >93



Each arm on the same level has the same length: 3 x 250 mm = Ø 590 mm / 3 x 500 mm = Ø 1090 mm / 3 x 750 mm = Ø 1590 mm.

SUSPENSION -

REQUIRED BASE (DRIVER INCL.) for Austere-Chandelier 3Y RS 16 / RL 79



base B32



base B50



●	NO	BNDN 0822	435€	HO PU	BDPU 0822	530€
○	NO	BNDN 0811	435€	HO PU	BDPU 0811	530€
●				DA PU	BDDA 0822	560€
○				DA PU	BDDA 0811	560€

230V - **driver included in base**

230V - **driver included in base**

+ casambi possible

LENGTH
/ LEVEL


FRAME

FRAME

RETAIL PRICE
VAT. EXCL.

REMOTE MOUNTED DRIVER


Austere-Chandelier 1X RF 75



4x 250mm
 4x 500mm
 4x 750mm

1X RF7 2023	1X RF7 2022	1.760€
1X RF7 5023	1X RF7 5022	1.810€
1X RF7 7023	1X RF7 7022	1.860€

Austere-Chandelier 1X RF 100



4x 250mm
 4x 500mm
 4x 750mm

1X RF10 2023	1X RF10 2022	1.770€
1X RF10 5023	1X RF10 5022	1.820€
1X RF10 7023	1X RF10 7022	1.870€


Shorter RF ROD available in other lengths on demand & with additional cost.
 350mA - **required remote mounted driver + required cover/canopy see below**

4 x LED array 6W (LED incl.) - 350mA - 4 x 634lm - 2700K - CRI >93

Each arm on the same level has the same length: 4 x 250 mm = L 516 mm W 316 mm / 4 x 500 mm = L 949 mm W 565 mm / 4 x 750 mm = L 1382 mm W 815 mm.

SUSPENSION -


REQUIRED COVER/CANOPY for Austere-Chandelier 1X RF 75 / RF 100 with REMOTE MOUNTED DRIVER



	21CO 3300	80€
	21CO 2200	80€
	21CO 1100	80€

! NOTE: cover C6 + rod RF 75 :
 If the thickness of the false ceiling is 15mm,
 the total length of the chandelier RF 75
 with cover C6 will be 778mm.


! NOTE: cover C6 + rod RF 100 :
 If the thickness of the false ceiling is 15mm,
 the total length of the chandelier RF 100
 with cover C6 will be 1028mm.



	21CO 8003	95€
	21CO 8002	95€
	21CO 8001	95€

! NOTE: cover C8 + rod RF 75 :
 the total length of the chandelier RF 75
 with cover C8 will be 806mm.

! NOTE: cover C8 + rod RF 100 :
 the total length of the chandelier RF 100
 with cover C8 will be 1056mm.



	21CP 3333	265€
	21CP 2222	265€
	21CP 1111	265€

! NOTE: canopy B10 + rod RF 75 :
 the total length of the chandelier RF 75
 with canopy B10 will be 906mm.

! NOTE: canopy B10 + rod RF 100 :
 the total length of the chandelier RF 100
 with canopy B10 will be 1156mm.

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 1X RF 75 / RF 100

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 50W *	28€	1 x	I-IO DA	D 80WP D 80WD *	43€ 49€


* driver only fits through cutout hole of fixture with C6,
 min. depth for driver in false ceiling: 280mm

For warranty use only Trizo21® supplied LED drivers as mentioned.
 For all specs and techs about drivers, see www.trizo21.com/drivers

LENGTH / LEVEL	FRAME	POWERCORD	STEELCABLE	FRAME	POWERCORD	STEELCABLE	FRAME	POWERCORD	STEELCABLE	FRAME	POWERCORD	STEELCABLE	RETAIL PRICE VAT. EXCL.
	●	●	●	●	●	●	●	●	●	●	●	●	


REMOTE MOUNTED DRIVER

Austere-Chandelier 1X RS 16



4x 250mm	1X RS 2023	1X RS 2022	1X RS 2013	1X RS 2012	1.770€
4x 500mm	1X RS 5023	1X RS 5022	1X RS 5013	1X RS 5012	1.820€
4x 750mm	1X RS 7023	1X RS 7022	1X RS 7013	1X RS 7012	1.870€

Austere-Chandelier 1X RL 79



4x 250mm	1X RL 2023	1X RL 2022	1X RL 2013	1X RL 2012	1.805€
4x 500mm	1X RL 5023	1X RL 5022	1X RL 5013	1X RL 5012	1.855€
4x 750mm	1X RL 7023	1X RL 7022	1X RL 7013	1X RL 7012	1.905€

350mA - **required remote mounted driver + required cover/canopy see below**

4 x LED array 6W (LED incl.) - 350mA - 4 x 634lm - 2700K - CRI >93

Each arm on the same level has the same length: 4 x 250 mm = L 516 mm W 316 mm / 4 x 500 mm = L 949 mm W 565 mm / 4 x 750 mm = L 1382 mm W 815 mm.

SUSPENSION - CE IP50 eco

REQUIRED COVER/CANOPY for Austere-Chandelier 1X RS 16 / RL 79 with REMOTE MOUNTED DRIVER

cover C6	cover C6	canopy B10	canopy B11
21CO 0003 80€ 21CO 0002 80€ 21CO 0001 80€	21CO 0013 100€ 21CO 0012 100€ 21CO 0011 100€	21CP 3003 265€ 21CP 2002 265€ 21CP 1001 265€	21CP 3033 265€ 21CP 2022 265€ 21CP 1011 265€

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 1X RS 16 / RL 79

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 50W *	28€	1 x	I-10 PU	D 80WP *	43€
					DA PU	D 80WD *	49€


* driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm

For warranty use only Trizo21® supplied LED drivers as mentioned.
 For all specs and techs about drivers, see www.trizo21.com/drivers

LENGTH / LEVEL	FRAME	POWERCORD	STEELCABLE	FRAME	POWERCORD	STEELCABLE	FRAME	POWERCORD	STEELCABLE	FRAME	POWERCORD	STEELCABLE	RETAIL PRICE VAT. EXCL.
	●	●	●	●	●	●	●	●	●	●	●	●	


SURFACE MOUNTED DRIVER

Austere-Chandelier 1X RS 16



4x 250mm	1X RS 2023	1X RS 2022	1X RS 2013	1X RS 2012	1.770€
4x 500mm	1X RS 5023	1X RS 5022	1X RS 5013	1X RS 5012	1.820€
4x 750mm	1X RS 7023	1X RS 7022	1X RS 7013	1X RS 7012	1.870€

Austere-Chandelier 1X RL 79



4x 250mm	1X RL 2023	1X RL 2022	1X RL 2013	1X RL 2012	1.805€
4x 500mm	1X RL 5023	1X RL 5022	1X RL 5013	1X RL 5012	1.855€
4x 750mm	1X RL 7023	1X RL 7022	1X RL 7013	1X RL 7012	1.905€

350mA - **required base (driver incl.) see below**

4 x LED array 6W **(LED incl.)** - 350mA - 4 x 634lm - 2700K - CRI >93


Each arm on the same level has the same length: 4 x 250 mm = L 516 mm W 316 mm / 4 x 500 mm = L 949 mm W 565 mm / 4 x 750 mm = L 1382 mm W 815 mm.

SUSPENSION -



REQUIRED BASE (DRIVER INCL.) for Austere-Chandelier 1X RS 16 / RL 79





base B20




base B21



base B32



base B50



●	1-HO	PU	DA	BCDP 2402	305€	1-HO	PU	DA	BCDP 2422	305€	NO	BNDN 0822	435€	1-HO	PU	BDBU 0822	530€
○	1-HO	PU	DA	BCDP 2401	305€	1-HO	PU	DA	BCDP 2411	305€	NO	BNDN 0811	435€	1-HO	PU	BDBU 0811	530€
														DA	PU	BDDA 0822	560€
														DA	PU	BDDA 0811	560€

110V-230V - **driver included in base**
 + casambi possible

110V-230V - **driver included in base**
 + casambi possible

230V - **driver included in base**

230V - **driver included in base**
 + casambi possible

LENGTH
/ LEVEL

LENGTH
/ LEVEL


FRAME

FRAME

RETAIL PRICE
VAT. EXCL.

REMOTE MOUNTED DRIVER


Austere-Chandelier 2X RF 75



4x 250mm & 4x 500mm
 4x 500mm & 4x 750mm

2X RF7 2523 2X RF7 2522 3.445€
 2X RF7 5723 2X RF7 5722 3.540€

Austere-Chandelier 2X RF 100



4x 250mm & 4x 500mm
 4x 500mm & 4x 750mm

2X RF10 2523 2X RF10 2522 3.455€
 2X RF10 5723 2X RF10 5722 3.550€


Shorter RF ROD available in other lengths on demand & with additional cost.
 350mA - **required remote mounted driver + required cover/canopy see below**

8 x LED array 6W (LED incl.) - 350mA - 8 x 634lm - 2700K - CRI >93

Each arm on the same level has the same length: 4 x 250 mm = L 516 mm W 316 mm / 4 x 500 mm = L 949 mm W 565 mm / 4 x 750 mm = L 1382 mm W 815 mm.


SUSPENSION - CE IP50 eco

REQUIRED COVER/CANOPY for Austere-Chandelier 2X RF 75 / RF 100 with REMOTE MOUNTED DRIVER




! NOTE: cover C6 + rod RF 75 :
 If the thickness of the false ceiling is 15mm,
 the total length of the chandelier RF 75
 with cover C6 will be 914mm.

! NOTE: cover C6 + rod RF 100 :
 If the thickness of the false ceiling is 15mm,
 the total length of the chandelier RF 100
 with cover C6 will be 1164mm.



! NOTE: cover C8 + rod RF 75 :
 the total length of the chandelier RF 75
 with cover C8 will be 942mm.

! NOTE: cover C8 + rod RF 100 :
 the total length of the chandelier RF 100
 with cover C8 will be 1192mm.



! NOTE: canopy B10 + rod RF 75 :
 the total length of the chandelier RF 75
 with canopy B10 will be 1042mm.

! NOTE: canopy B10 + rod RF 100 :
 the total length of the chandelier RF 100
 with canopy B10 will be 1292mm.

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 2X RF 75 / RF 100

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 80W *	31€	1 x	I-10 PU DA PU	D 80WP *	43€
						D 80WD *	49€


* driver only fits through cutout hole of fixture with C6,
 min. depth for driver in false ceiling: 280mm

For warranty use only Trizo21® supplied LED drivers as mentioned.
 For all specs and techs about drivers, see www.trizo21.com/drivers

LENGTH / LEVEL	LENGTH / LEVEL	FRAME POWERCORD STEELCABLE	FRAME POWERCORD STEELCABLE	FRAME POWERCORD STEELCABLE	FRAME POWERCORD STEELCABLE	RETAIL PRICE VAT. EXCL.
		● ● ●	● ● ●	● ○ ●	● ○ ●	


REMOTE MOUNTED DRIVER

Austere-Chandelier 2X RS 16



4x 250mm & 4x 500mm	2X RS 2523	2X RS 2522	2X RS 2513	2X RS 2512	3.455€
4x 500mm & 4x 750mm	2X RS 5723	2X RS 5722	2X RS 5713	2X RS 5712	3.550€

Austere-Chandelier 2X RL 79



4x 250mm & 4x 500mm	2X RL 2523	2X RL 2522	2X RL 2513	2X RL 2512	3.490€
4x 500mm & 4x 750mm	2X RL 5723	2X RL 5722	2X RL 5713	2X RL 5712	3.585€

350mA - **required remote mounted driver + required cover/canopy see below**

8 x LED array 6W (LED incl.) - 350mA - 8 x 634lm - 2700K - CRI >93

Each arm on the same level has the same length: 4 x 250 mm = L 516 mm W 316 mm / 4 x 500 mm = L 949 mm W 565 mm / 4 x 750 mm = L 1382 mm W 815 mm.

SUSPENSION - CE IP50 eco

REQUIRED COVER/CANOPY for Austere-Chandelier 2X RS 16 / RL 79 with REMOTE MOUNTED DRIVER

cover C6	cover C6	canopy B10	canopy B11
cover C6 aperture: Ø45 DRIVER false ceiling	cover C6 aperture: Ø45 remote driver concrete ceiling	canopy B10 remote driver false/concrete ceiling	canopy B11 remote driver false/concrete ceiling
● 21CO 0003 80€ ● 21CO 0002 80€ ○ 21CO 0001 80€	● 21CO 0013 100€ ● 21CO 0012 100€ ○ 21CO 0011 100€	● 21CP 3003 265€ ● 21CP 2002 265€ ○ 21CP 1001 265€	● 21CP 3033 265€ ● 21CP 2022 265€ ○ 21CP 1011 265€

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 2X RS 16 / RL 79

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 80W *	31€	1 x	I-10 PU	D 80WP *	43€
					DA PU	D 80WD *	49€

* driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm

For warranty use only Trizo21® supplied LED drivers as mentioned.
 For all specs and techs about drivers, see www.trizo21.com/drivers

LENGTH
/ LEVEL

LENGTH
/ LEVEL

FRAME
POWERCORD
STEELCABLE

FRAME
POWERCORD
STEELCABLE


FRAME
POWERCORD
STEELCABLE

FRAME
POWERCORD
STEELCABLE

RETAIL PRICE
VAT. EXCL.


SURFACE MOUNTED DRIVER

Austere-Chandelier 2X RS 16



4x 250mm	&	4x 500mm	2X RS 2523	2X RS 2522	2X RS 2513	2X RS 2512	3.455€
4x 500mm	&	4x 750mm	2X RS 5723	2X RS 5722	2X RS 5713	2X RS 5712	3.550€

Austere-Chandelier 2X RL 79



4x 250mm	&	4x 500mm	2X RL 2523	2X RL 2522	2X RL 2513	2X RL 2512	3.490€
4x 500mm	&	4x 750mm	2X RL 5723	2X RL 5722	2X RL 5713	2X RL 5712	3.585€


350mA - **required base (driver incl.) see below**

8 x LED array 6W **(LED incl.)** - 350mA - 8 x 634lm - 2700K - CRI >93



Each arm on the same level has the same length: 4 x 250 mm = L 516 mm W 316 mm / 4 x 500 mm = L 949 mm W 565 mm / 4 x 750 mm = L 1382 mm W 815 mm.

SUSPENSION -

REQUIRED BASE (DRIVER INCL.) for Austere-Chandelier 2X RS 16 / RL 79



base B32



base B50



●	NO	BNDN 0822	435€	HO PU	BDPU 0822	530€
○	NO	BNDN 0811	435€	HO PU	BDPU 0811	530€
●				DA PU	BDDA 0822	560€
○				DA PU	BDDA 0811	560€

230V - **driver included in base**

230V - **driver included in base**

+ casambi possible

LENGTH
/ LEVEL

LENGTH
/ LEVEL

LENGTH
/ LEVEL

FRAME

FRAME

RETAIL PRICE
VAT. EXCL.


REMOTE MOUNTED DRIVER

Austere-Chandelier 3X RF 75



3X RF7 25723 3X RF7 25722 | 5.180€

Austere-Chandelier 3X RF 100



3X RF10 25723 3X RF10 25722 | 5.190€

Shorter RF ROD available in other lengths on demand & with additional cost.


350mA - **required remote mounted driver + required cover/canopy see below**

12 x LED array 6W (LED incl.) - 350mA - 12 x 634lm - 2700K - CRI >93

Each arm on the same level has the same length: 4 x 250 mm = L 516 mm W 316 mm / 4 x 500 mm = L 949 mm W 565 mm / 4 x 750 mm = L 1382 mm W 815 mm.


SUSPENSION -

REQUIRED COVER/CANOPY for Austere-Chandelier 3X RF 75 / RF 100 with REMOTE MOUNTED DRIVER




! NOTE: cover C6 + rod RF 75 :
If the thickness of the false ceiling is 15mm, the total length of the chandelier RF 75 with cover C6 will be 1050mm.

! NOTE: cover C6 + rod RF 100 :
If the thickness of the false ceiling is 15mm, the total length of the chandelier RF 100 with cover C6 will be 1300mm.



! NOTE: cover C8 + rod RF 75 :
the total length of the chandelier RF 75 with cover C8 will be 1078mm.

! NOTE: cover C8 + rod RF 100 :
the total length of the chandelier RF 100 with cover C8 will be 1328mm.



! NOTE: canopy B10 + rod RF 75 :
the total length of the chandelier RF 75 with canopy B10 will be 1178mm.

! NOTE: canopy B10 + rod RF 100 :
the total length of the chandelier RF 100 with canopy B10 will be 1428mm.

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 3X RF 75 / RF 100

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 80W *	31€	1 x	I-IO	D 80WP *	43€
					DA	D 80WD *	49€

* driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

LENGTH
/ LEVEL

LENGTH
/ LEVEL

LENGTH
/ LEVEL

FRAME
POWERCORD
STEELCABLE

FRAME
POWERCORD
STEELCABLE


FRAME
POWERCORD
STEELCABLE

FRAME
POWERCORD
STEELCABLE


RETAIL PRICE
VAT. EXCL.

REMOTE MOUNTED DRIVER

Austere-Chandelier 3X RS 16



Austere-Chandelier 3X RL 79



350mA - **required remote mounted driver + required cover/canopy see below**

12 x LED array 6W (LED incl.) - 350mA - 12 x 634lm - 2700K - CRI >93

Each arm on the same level has the same length: 4 x 250 mm = L 516 mm W 316 mm / 4 x 500 mm = L 949 mm W 565 mm / 4 x 750 mm = L 1382 mm W 815 mm.

SUSPENSION - CE IP50 eco

*REQUIRED COVER/CANOPY for Austere-Chandelier 3X RS 16 / RL 79 with REMOTE MOUNTED DRIVER

cover C6				cover C6				canopy B10				canopy B11			
aperture Ø45				aperture Ø45				aperture Ø45				aperture Ø45			
21CO 0003	80€			21CO 0013	100€			21CP 3003	265€			21CP 3033	265€		
21CO 0002	80€			21CO 0012	100€			21CP 2002	265€			21CP 2022	265€		
21CO 0001	80€			21CO 0011	100€			21CP 1001	265€			21CP 1011	265€		

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 3X RS 16 / RL 79

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 80W *	31€	1 x	I-10 PU	D 80WP *	43€
					DA PU	D 80WD *	49€

* driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

LENGTH
/ LEVEL

LENGTH
/ LEVEL

LENGTH
/ LEVEL

FRAME
POWERCORD
STEELCABLE

FRAME
POWERCORD
STEELCABLE


FRAME
POWERCORD
STEELCABLE

FRAME
POWERCORD
STEELCABLE


RETAIL PRICE
VAT. EXCL.

SURFACE MOUNTED DRIVER

Austere-Chandelier 3X RS 16



Austere-Chandelier 3X RL 79




350mA - **required base (driver incl.) see below**

12 x LED array 6W **(LED incl.)** - 350mA - 12 x 634lm - 2700K - CRI >93



Each arm on the same level has the same length: 4 x 250 mm = L 516 mm W 316 mm / 4 x 500 mm = L 949 mm W 565 mm / 4 x 750 mm = L 1382 mm W 815 mm.

SUSPENSION -


*REQUIRED BASE (DRIVER INCL.) for Austere-Chandelier 3X RS 16 / RL 79



base B32



base B50



●	NO	BNDN 0822	435€
○	NO	BNDN 0811	435€

HO	PU	BDPU 0822	530€
HO	PU	BDPU 0811	530€


DA	PU	BDDA 0822	560€
DA	PU	BDDA 0811	560€

230V - **driver included in base**

230V - **driver included in base**

+ casambi possible

Austere-D1 3 RF 75




DIM	BASE	FRAME	FRAME	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
		●	●	○	●	
LC	●	AFLC 31273	AFLC 31272	AFLC 31271		1.615€
LC	○	AFLC 31173	AFLC 31172	AFLC 31171		1.615€
LC	●				AFLC 31274	1.900€
LC	○				AFLC 31174	1.900€
1-10	PU	AFPU 31273	AFPU 31272	AFPU 31271		1.615€
1-10	PU	AFPU 31173	AFPU 31172	AFPU 31171		1.615€
1-10	PU				AFPU 31274	1.900€
1-10	PU				AFPU 31174	1.900€
PU	DA	AFDA 31273	AFDA 31272	AFDA 31271		1.615€
PU	DA	AFDA 31173	AFDA 31172	AFDA 31171		1.615€
PU	DA				AFDA 31274	1.900€
PU	DA				AFDA 31174	1.900€

230V - driver included in base - TRIAC/IGBT or 1-10V or PUSH-DIM or DALI dimmable

3 x LED array 6W (LED incl.) - 350mA - 3 x 634lm - 2700K - CRI >93

SUSPENSION - CE IP50

Austere-D1 3 RF 100




LC	●	AFLC 31293	AFLC 31292	AFLC 31291		1.645€
LC	○	AFLC 31193	AFLC 31192	AFLC 31191		1.645€
LC	●				AFLC 31294	1.930€
LC	○				AFLC 31194	1.930€
1-10	PU	AFPU 31293	AFPU 31292	AFPU 31291		1.645€
1-10	PU	AFPU 31193	AFPU 31192	AFPU 31191		1.645€
1-10	PU				AFPU 31294	1.930€
1-10	PU				AFPU 31194	1.930€
PU	DA	AFDA 31293	AFDA 31292	AFDA 31291		1.645€
PU	DA	AFDA 31193	AFDA 31192	AFDA 31191		1.645€
PU	DA				AFDA 31294	1.930€
PU	DA				AFDA 31194	1.930€

230V - driver included in base - TRIAC/IGBT or 1-10V or PUSH-DIM or DALI dimmable

3 x LED array 6W (LED incl.) - 350mA - 3 x 634lm - 2700K - CRI >93

SUSPENSION - CE IP50

Austere-D2 5 RF 75




LC	●	AFLC 52273	AFLC 52272	AFLC 52271		2.660€
LC	○	AFLC 52173	AFLC 52172	AFLC 52171		2.660€
LC	●				AFLC 52274	3.150€
LC	○				AFLC 52174	3.150€
1-10	PU	AFPU 52273	AFPU 52272	AFPU 52271		2.660€
1-10	PU	AFPU 52173	AFPU 52172	AFPU 52171		2.660€
1-10	PU				AFPU 52274	3.150€
1-10	PU				AFPU 52174	3.150€
PU	DA	AFDA 52273	AFDA 52272	AFDA 52271		2.660€
PU	DA	AFDA 52173	AFDA 52172	AFDA 52171		2.660€
PU	DA				AFDA 52274	3.150€
PU	DA				AFDA 52174	3.150€

230V - driver included in base - TRIAC/IGBT or 1-10V or PUSH-DIM or DALI dimmable

5 x LED array 6W (LED incl.) - 350mA - 5 x 634lm - 2700K - CRI >93

SUSPENSION - CE IP50

Austere-D2 5 RF 100




DIM	BASE	FRAME	FRAME	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
		●	●	○	●	
LC	●	AFLC 52293	AFLC 52292	AFLC 52291		2.710€
LC	○	AFLC 52193	AFLC 52192	AFLC 52191		2.710€
LC	●				AFLC 52294	3.200€
LC	○				AFLC 52194	3.200€
1-10 PU	●	AFPU 52293	AFPU 52292	AFPU 52291		2.710€
1-10 PU	○	AFPU 52193	AFPU 52192	AFPU 52191		2.710€
1-10 PU	●				AFPU 52294	3.200€
1-10 PU	○				AFPU 52194	3.200€
PU DA	●	AFDA 52293	AFDA 52292	AFDA 52291		2.710€
PU DA	○	AFDA 52193	AFDA 52192	AFDA 52191		2.710€
PU DA	●				AFDA 52294	3.200€
PU DA	○				AFDA 52194	3.200€

230V - driver included in base - TRIAC/IGBT or 1-10V or PUSH-DIM or DALI dimmable

5 x LED array 6W (LED incl.) - 350mA - 5 x 634lm - 2700K - CRI >93

SUSPENSION - CE IP50 eco

Austere-D1 3 RL 79




DIM	BASE	CABLE LENGTH	FRAME CABLE	FRAME CABLE	FRAME CABLE	FRAME CABLE	RETAIL PRICE VAT. EXCL.
			● ●	● ●	○ ○	● ●	
LC	●	L 1000	ALLC 31213	ALLC 31212	ALLC 31211		1.775€
LC	●	L 1000				ALLC 31214	2.060€
LC	○	L 1000	ALLC 31113	ALLC 31112	ALLC 31111		1.775€
LC	○	L 1000				ALLC 31114	2.060€
1-10 PU	●	L 1000	ALPU 31213	ALPU 31212	ALPU 31211		1.775€
1-10 PU	●	L 1000				ALPU 31214	2.060€
1-10 PU	○	L 1000	ALPU 31113	ALPU 31112	ALPU 31111		1.775€
1-10 PU	○	L 1000				ALPU 31114	2.060€
PU DA	●	L 1000	ALDA 31213	ALDA 31212	ALDA 31211		1.775€
PU DA	●	L 1000				ALDA 31214	2.060€
PU DA	○	L 1000	ALDA 31113	ALDA 31112	ALDA 31111		1.775€
PU DA	○	L 1000				ALDA 31114	2.060€

230V - driver included in base - TRIAC/IGBT or 1-10V or PUSH-DIM or DALI dimmable

3 x LED array 6W (LED incl.) - 350mA - 3 x 634lm - 2700K - CRI >93

Other cable lengths available on demand. - SUSPENSION - CE IP50 eco

Austere-D2 5 RL 79




DIM	BASE	CABLE LENGTH	FRAME CABLE	FRAME CABLE	FRAME CABLE	FRAME CABLE	RETAIL PRICE VAT. EXCL.
			● ●	● ●	○ ○	● ●	
LC	●	L 1000	ALLC 52213	ALLC 52212	ALLC 52211		2.930€
LC	●	L 1000				ALLC 52214	3.415€
LC	○	L 1000	ALLC 52113	ALLC 52112	ALLC 52111		2.930€
LC	○	L 1000				ALLC 52114	3.415€
1-10 PU	●	L 1000	ALPU 52213	ALPU 52212	ALPU 52211		2.930€
1-10 PU	●	L 1000				ALPU 52214	3.415€
1-10 PU	○	L 1000	ALPU 52113	ALPU 52112	ALPU 52111		2.930€
1-10 PU	○	L 1000				ALPU 52114	3.415€
PU DA	●	L 1000	ALDA 52213	ALDA 52212	ALDA 52211		2.930€
PU DA	●	L 1000				ALDA 52214	3.415€
PU DA	○	L 1000	ALDA 52113	ALDA 52112	ALDA 52111		2.930€
PU DA	○	L 1000				ALDA 52114	3.415€

230V - driver included in base - TRIAC/IGBT or 1-10V or PUSH-DIM or DALI dimmable

5 x LED array 6W (LED incl.) - 350mA - 5 x 634lm - 2700K - CRI >93

Other cable lengths available on demand. - SUSPENSION - CE IP50 eco

	FRAME	COVER	FRAME	COVER	FRAME	COVER	FRAME	COVER	RETAIL PRICE VAT. EXCL.
	●	●	●	●	○	○	●	●	
Austere-Solitaire RF (for false ceiling)									
	HVSU 1003		HVSU 1002		HVSU 1001				410€
							HVSU 1004		510€
RF = fixed vertical rod of max. 988mm (possibility to shorten with tube cutter) 350mA - required remote mounted driver see below 1 x LED array 6W (LED incl.) - 350mA - 634lm - 2700K - CRI >93 aperture : Ø 45 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm SUSPENSION -									

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€
	LC	D 10WT	17€
2 x	LC	D 18WT	21€

driver does not fit through cutout hole of fixture
 *110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1-2 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
2-6 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
 For all specs and techs about drivers, see www.trizo21.com/drivers

Austere-Solitaire RFC (for concrete ceiling)

	HVSC 1003		HVSC 1002		HVSC 1001				420€
							HVSC 1004		520€
RF = fixed vertical rod of max. 988mm (possibility to shorten with tube cutter) 350mA - required remote mounted driver see below 1 x LED array 6W (LED incl.) - 350mA - 634lm - 2700K - CRI >93 aperture : Ø 45 - depth : min. 40 mm - depth for driver in ceiling : min. 110 mm SUSPENSION -									

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€
	LC	D 10WT	17€
2 x	LC	D 18WT	21€

driver does not fit through cutout hole of fixture
 *110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1-2 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
2-6 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
 For all specs and techs about drivers, see www.trizo21.com/drivers

Austere-Solitaire RF D+B

	DIM	FRAME	CANOPY	FRAME	CANOPY	FRAME	CANOPY	RETAIL PRICE VAT. EXCL.
		●	●	●	●	○	○	
	NO*	HVSBD 1103		HVSBD 1102		HVSBD 1101		660€
	LC	HVSBD 1113		HVSBD 1112		HVSBD 1111		670€
RF = fixed vertical rod of max. 988mm (possibility to shorten with tube cutter) *110V-230V - driver included in base - non-dimmable 230V - driver included in base - TRIAC/IGBT dimmable 1 x LED array 6W (LED incl.) - 350mA - 634lm - 2700K - CRI >93 SUSPENSION -								

	CABLE LENGTH	FRAME COVER CABLE	FRAME COVER CABLE	FRAME COVER CABLE	FRAME COVER CABLE	RETAIL PRICE VAT. EXCL.
		● ● ●	● ● ●	○ ○ ○	● ● ●	
Austere-Solitaire RL (for false ceiling)						
	L 1000	HVCA 3013	HVCA 3012	HVCA 3011		455€
	L 2000	HVCA 3023	HVCA 3022	HVCA 3021		465€
	L 1000				HVCA 3014	550€
	L 2000				HVCA 3024	560€
RL = long vertical rod of 750 mm + powercord - Other cable lengths available on demand. 350mA - required remote mounted driver see below 1 x LED array 6W (LED incl.) - 350mA - 634lm - 2700K - CRI >93 aperture : Ø 45 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm SUSPENSION - CE IP40 eco						

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€
driver does not fit through cutout hole of fixture				For warranty use only Trizo21® supplied LED drivers as mentioned.			
*110V-230V				For all specs and techs about drivers, see www.trizo21.com/drivers			

Austere-Solitaire RLC (for concrete ceiling)						
	L 1000	HVCC 3013	HVCC 3012	HVCC 3011		465€
	L 2000	HVCC 3023	HVCC 3022	HVCC 3021		475€
	L 1000				HVCC 3014	560€
	L 2000				HVCC 3024	570€
RL = long vertical rod of 750mm + powercord - Other cable lengths available on demand. 350mA - required remote mounted driver see below 1 x LED array 6W (LED incl.) - 350mA - 634lm - 2700K - CRI >93 aperture : Ø 45 - depth : min. 40 mm - depth for driver in ceiling : min. 110 mm SUSPENSION - CE IP40 eco						

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€
driver does not fit through cutout hole of fixture				For warranty use only Trizo21® supplied LED drivers as mentioned.			
*110V-230V				For all specs and techs about drivers, see www.trizo21.com/drivers			

	DIM	CABLE LENGTH	FRAME CANOPY CABLE	FRAME CANOPY CABLE	FRAME CANOPY CABLE	RETAIL PRICE VAT. EXCL.
			● ● ●	● ● ●	○ ○ ○	
Austere-Solitaire RL D+B						
	NO*	L 1000	HVCBD 3113	HVCBD 3112	HVCBD 3111	700€
	NO*	L 2000	HVCBD 3123	HVCBD 3122	HVCBD 3121	710€
	LC	L 1000	HVCBD 3313	HVCBD 3312	HVCBD 3311	710€
	LC	L 2000	HVCBD 3323	HVCBD 3322	HVCBD 3321	720€
RL = long vertical rod of 750mm + powercord - Other cable lengths available on demand. *110V-230V - driver included in base - non-dimmable 230V - driver included in base - TRIAC/IGBT dimmable 1 x LED array 6W (LED incl.) - 350mA - 634lm - 2700K - CRI >93 SUSPENSION - CE IP40 eco						

● :polyvarnished brass ● :black ○ :white ● :gunmetal NO :non-dimmable 1-10 :1-10V PU :PUSH-DIM DA :DALI LC :TRIAC/IGBT

DESIGN YOUR OWN AUSTERE-SUSPENSION - REMOTE MOUNTING

- I. Choose 1 x the **CENTER** length: 500 mm or 750 mm
- II. Choose 2 x the same **END** lengths: 250 mm or 500 mm
- III. Choose 4 x the same **SIDE** lengths: 250 mm or 500 mm




DIMENSIONS:

C 500 mm + 2 x E 250 mm + 4 x S 250 mm	Total size L: 1120 mm W: 590 mm
C 500 mm + 2 x E 250 mm + 4 x S 500 mm	Total size L: 1120 mm W: 1090 mm
C 500 mm + 2 x E 500 mm + 4 x S 250 mm	Total size L: 1620 mm W: 590 mm
C 500 mm + 2 x E 500 mm + 4 x S 500 mm	Total size L: 1620 mm W: 1090 mm
C 750 mm + 2 x E 250 mm + 4 x S 250 mm	Total size L: 1370 mm W: 590 mm
C 750 mm + 2 x E 250 mm + 4 x S 500 mm	Total size L: 1370 mm W: 1090 mm
C 750 mm + 2 x E 500 mm + 4 x S 250 mm	Total size L: 1870 mm W: 590 mm
C 750 mm + 2 x E 500 mm + 4 x S 500 mm	Total size L: 1870 mm W: 1090 mm


- IV. Choose the colors and the vertical ROD: RS 16, RL 79, RF 75 or RF 100

rod: **RS 16**



● ● FRAME
● ○ POWERCORD

rod: **RL 79**



● ● FRAME
● ○ POWERCORD

rod: **RF 75**




● ● FRAME

*Total height depends on the chosen mounting option, SEE **! NOTE** on product page.

Shorter rod available on demand with additional cost.

rod: **RF 100**



● ● FRAME


*Total height depends on the chosen mounting option, SEE **! NOTE** on product page.

Shorter rod available on demand with additional cost.


- V. Choose your cover or canopy for 'remote mounting' driver:




For false ceiling: **RS 16, RL 79, RF 75 & RF 100**
For concrete ceiling: **RS 16 & RL 79**



For **RF 75 & RF 100**



For **RS 16, RL 79, RF 75 & RF 100**



For **RS 16 & RL 79**


- VI. Choose your 'remote mounting' driver:

driver: non-dimmable

driver: 1-10V dimmable
driver: PUSH-DIM dimmable
driver: DALI dimmable

DESIGN YOUR OWN AUSTERE-SUSPENSION - SURFACE MOUNTING

- I. Choose 1 x the **CENTER** length: 500 mm or 750 mm
- II. Choose 2 x the same **END** lengths: 250 mm or 500 mm
- III. Choose 4 x the same **SIDE** lengths: 250 mm or 500 mm




DIMENSIONS:

C 500 mm + 2 x E 250 mm + 4 x S 250 mm	Total size L: 1120 mm W: 590 mm
C 500 mm + 2 x E 250 mm + 4 x S 500 mm	Total size L: 1120 mm W: 1090 mm
C 500 mm + 2 x E 500 mm + 4 x S 250 mm	Total size L: 1620 mm W: 590 mm
C 500 mm + 2 x E 500 mm + 4 x S 500 mm	Total size L: 1620 mm W: 1090 mm
C 750 mm + 2 x E 250 mm + 4 x S 250 mm	Total size L: 1370 mm W: 590 mm
C 750 mm + 2 x E 250 mm + 4 x S 500 mm	Total size L: 1370 mm W: 1090 mm
C 750 mm + 2 x E 500 mm + 4 x S 250 mm	Total size L: 1870 mm W: 590 mm
C 750 mm + 2 x E 500 mm + 4 x S 500 mm	Total size L: 1870 mm W: 1090 mm


- IV. Choose the colors and the vertical **ROD**: RS 16 or RL 79

rod: **RS 16**



● ● FRAME
● ○ POWERCORD

rod: **RL 79**




● ● FRAME
● ○ POWERCORD


- V. Choose your base (driver incl.) for 'surface mounting':




base B20




dimnable driver incl. in base
(1-10V / PUSH-DIM / DALI)
+ casambi possible



base B32



non-dimnable driver incl. in base



base B50



dimnable driver incl. in base
(1-10V / PUSH-DIM / DALI)
+ casambi possible

CENTER
LENGTH

END
LENGTH

SIDE
LENGTH


FRAME

FRAME

RETAIL PRICE
VAT. EXCL.

REMOTE MOUNTED DRIVER


Austere-Suspension 1+ RF 75



1x 500mm	2x 250mm	4x 250mm
1x 500mm	2x 250mm	4x 500mm
1x 500mm	2x 500mm	4x 250mm
1x 500mm	2x 500mm	4x 500mm
1x 750mm	2x 250mm	4x 250mm
1x 750mm	2x 250mm	4x 500mm
1x 750mm	2x 500mm	4x 250mm
1x 750mm	2x 500mm	4x 500mm

1+ SU RF7 52223	1+ SU RF7 52222	2.895€
1+ SU RF7 52523	1+ SU RF7 52522	2.945€
1+ SU RF7 55223	1+ SU RF7 55222	2.915€
1+ SU RF7 55523	1+ SU RF7 55522	2.965€
1+ SU RF7 72223	1+ SU RF7 72222	2.905€
1+ SU RF7 72523	1+ SU RF7 72522	2.955€
1+ SU RF7 75223	1+ SU RF7 75222	2.930€
1+ SU RF7 75523	1+ SU RF7 75522	2.975€

Austere-Suspension 1+ RF 100



1x 500mm	2x 250mm	4x 250mm
1x 500mm	2x 250mm	4x 500mm
1x 500mm	2x 500mm	4x 250mm
1x 500mm	2x 500mm	4x 500mm
1x 750mm	2x 250mm	4x 250mm
1x 750mm	2x 250mm	4x 500mm
1x 750mm	2x 500mm	4x 250mm
1x 750mm	2x 500mm	4x 500mm

1+ SU RF10 52223	1+ SU RF10 52222	2.915€
1+ SU RF10 52523	1+ SU RF10 52522	2.965€
1+ SU RF10 55223	1+ SU RF10 55222	2.935€
1+ SU RF10 55523	1+ SU RF10 55522	2.985€
1+ SU RF10 72223	1+ SU RF10 72222	2.925€
1+ SU RF10 72523	1+ SU RF10 72522	2.975€
1+ SU RF10 75223	1+ SU RF10 75222	2.950€
1+ SU RF10 75523	1+ SU RF10 75522	2.995€

Shorter RF ROD available in other lengths on demand & with additional cost.


350mA - **required remote mounted driver + required cover/canopy see below**

6 x LED array 6W (LED incl.) - 350mA - 6 x 634lm - 2700K - CRI >93

C (CENTER LENGTH), E (END LENGTH), S (SIDE LENGTH), total dimensions see p. 106

SUSPENSION - CE IP50 eco

REQUIRED COVER/CANOPY for Austere-Suspension 1+ RF 75 / RF 100 with REMOTE MOUNTED DRIVER



cover C6


●	22CO 3300	160€ (price incl. 2x C6)
●	22CO 2200	160€ (price incl. 2x C6)
○	22CO 1100	160€ (price incl. 2x C6)

! NOTE: cover C6 + rod RF 75 :

If the thickness of the false ceiling is 15mm, the total length of the chandelier RF 75 with cover C6 will be 778mm.

! NOTE: cover C6 + rod RF 100 :

If the thickness of the false ceiling is 15mm, the total length of the chandelier RF 100 with cover C6 will be 1028mm.



cover C8


22CO 8003	190€ (price incl. 2x C8)
22CO 8002	190€ (price incl. 2x C8)
22CO 8001	190€ (price incl. 2x C8)

! NOTE: cover C8 + rod RF 75 :

the total length of the chandelier RF 75 with cover C8 will be 806mm.

! NOTE: cover C8 + rod RF 100 :

the total length of the chandelier RF 100 with cover C8 will be 1056mm.



canopy B10

22CP 3333	530€ (price incl. 2x B10)
22CP 2222	530€ (price incl. 2x B10)
22CP 1111	530€ (price incl. 2x B10)

! NOTE: canopy B10 + rod RF 75 :

the total length of the chandelier RF 75 with canopy B10 will be 906mm.

! NOTE: canopy B10 + rod RF 100 :

the total length of the chandelier RF 100 with canopy B10 will be 1156mm.

REQUIRED REMOTE MOUNTED DRIVER for Austere-Suspension 1+ RF 75 / RF 100

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 50W *	28€	1 x	I-IO DA	D 80WP D 80WD *	43€ 49€

* driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

CENTER
LENGTH

END
LENGTH

SIDE
LENGTH

FRAME
POWERCORD
STEELCABLE

FRAME
POWERCORD
STEELCABLE


FRAME
POWERCORD
STEELCABLE

FRAME
POWERCORD
STEELCABLE

RETAIL PRICE
VAT. EXCL.


REMOTE MOUNTED DRIVER

Austere-Suspension 1+ RS 16



1x 500mm	2x 250mm	4x 250mm	1+ SU RS 52223	1+ SU RS 52222	1+ SU RS 52213	1+ SU RS 52212	2.915€
1x 500mm	2x 250mm	4x 500mm	1+ SU RS 52523	1+ SU RS 52522	1+ SU RS 52513	1+ SU RS 52512	2.965€
1x 500mm	2x 500mm	4x 250mm	1+ SU RS 55223	1+ SU RS 55222	1+ SU RS 55213	1+ SU RS 55212	2.935€
1x 500mm	2x 500mm	4x 500mm	1+ SU RS 55523	1+ SU RS 55522	1+ SU RS 55513	1+ SU RS 55512	2.985€
1x 750mm	2x 250mm	4x 250mm	1+ SU RS 72223	1+ SU RS 72222	1+ SU RS 72213	1+ SU RS 72212	2.925€
1x 750mm	2x 250mm	4x 500mm	1+ SU RS 72523	1+ SU RS 72522	1+ SU RS 72513	1+ SU RS 72512	2.975€
1x 750mm	2x 500mm	4x 250mm	1+ SU RS 75223	1+ SU RS 75222	1+ SU RS 75213	1+ SU RS 75212	2.950€
1x 750mm	2x 500mm	4x 500mm	1+ SU RS 75523	1+ SU RS 75522	1+ SU RS 75513	1+ SU RS 75512	2.995€

Austere-Suspension 1+ RL 79



1x 500mm	2x 250mm	4x 250mm	1+ SU RL 52223	1+ SU RL 52222	1+ SU RL 52213	1+ SU RL 52212	2.985€
1x 500mm	2x 250mm	4x 500mm	1+ SU RL 52523	1+ SU RL 52522	1+ SU RL 52513	1+ SU RL 52512	3.035€
1x 500mm	2x 500mm	4x 250mm	1+ SU RL 55223	1+ SU RL 55222	1+ SU RL 55213	1+ SU RL 55212	3.005€
1x 500mm	2x 500mm	4x 500mm	1+ SU RL 55523	1+ SU RL 55522	1+ SU RL 55513	1+ SU RL 55512	3.055€
1x 750mm	2x 250mm	4x 250mm	1+ SU RL 72223	1+ SU RL 72222	1+ SU RL 72213	1+ SU RL 72212	2.995€
1x 750mm	2x 250mm	4x 500mm	1+ SU RL 72523	1+ SU RL 72522	1+ SU RL 72513	1+ SU RL 72512	3.045€
1x 750mm	2x 500mm	4x 250mm	1+ SU RL 75223	1+ SU RL 75222	1+ SU RL 75213	1+ SU RL 75212	3.020€
1x 750mm	2x 500mm	4x 500mm	1+ SU RL 75523	1+ SU RL 75522	1+ SU RL 75513	1+ SU RL 75512	3.065€


350mA - **required remote mounted driver + required cover/canopy see below**

6 x LED array 6W (LED incl.) - 350mA - 6 x 634lm - 2700K - CRI >93


C (CENTER LENGTH), E (END LENGTH), S (SIDE LENGTH), total dimensions see p. 106

SUSPENSION - CE IP50 eco


REQUIRED COVER/CANOPY for Austere-Suspension 1+ RS 16 / RL 79 with REMOTE MOUNTED DRIVER



21CO 0003	80€
21CO 0002	80€
21CO 0001	80€



21CO 0013	100€
21CO 0012	100€
21CO 0011	100€



21CP 3003	265€
21CP 2002	265€
21CP 1001	265€

REQUIRED REMOTE MOUNTED DRIVER for Austere-Suspension 1+ RS 16 / RL 79

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 50W	28€	1 x	I-10 PU	D 80WP	43€
					DA PU	D 80WD	49€

* driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

CENTER
LENGTH

END
LENGTH

SIDE
LENGTH

FRAME
POWERCORD
STEELCABLE

FRAME
POWERCORD
STEELCABLE


FRAME
POWERCORD
STEELCABLE

FRAME
POWERCORD
STEELCABLE

RETAIL PRICE
VAT. EXCL.


SURFACE MOUNTED DRIVER

Austere-Suspension 1+ RS 16



1x 500mm	2x 250mm	4x 250mm	1+ SU RS 52223	1+ SU RS 52222	1+ SU RS 52213	1+ SU RS 52212	2.915€
1x 500mm	2x 250mm	4x 500mm	1+ SU RS 52523	1+ SU RS 52522	1+ SU RS 52513	1+ SU RS 52512	2.965€
1x 500mm	2x 500mm	4x 250mm	1+ SU RS 55223	1+ SU RS 55222	1+ SU RS 55213	1+ SU RS 55212	2.935€
1x 500mm	2x 500mm	4x 500mm	1+ SU RS 55523	1+ SU RS 55522	1+ SU RS 55513	1+ SU RS 55512	2.985€
1x 750mm	2x 250mm	4x 250mm	1+ SU RS 72223	1+ SU RS 72222	1+ SU RS 72213	1+ SU RS 72212	2.925€
1x 750mm	2x 250mm	4x 500mm	1+ SU RS 72523	1+ SU RS 72522	1+ SU RS 72513	1+ SU RS 72512	2.975€
1x 750mm	2x 500mm	4x 250mm	1+ SU RS 75223	1+ SU RS 75222	1+ SU RS 75213	1+ SU RS 75212	2.950€
1x 750mm	2x 500mm	4x 500mm	1+ SU RS 75523	1+ SU RS 75522	1+ SU RS 75513	1+ SU RS 75512	2.995€

Austere-Suspension 1+ RL 79



1x 500mm	2x 250mm	4x 250mm	1+ SU RL 52223	1+ SU RL 52222	1+ SU RL 52213	1+ SU RL 52212	2.985€
1x 500mm	2x 250mm	4x 500mm	1+ SU RL 52523	1+ SU RL 52522	1+ SU RL 52513	1+ SU RL 52512	3.035€
1x 500mm	2x 500mm	4x 250mm	1+ SU RL 55223	1+ SU RL 55222	1+ SU RL 55213	1+ SU RL 55212	3.005€
1x 500mm	2x 500mm	4x 500mm	1+ SU RL 55523	1+ SU RL 55522	1+ SU RL 55513	1+ SU RL 55512	3.055€
1x 750mm	2x 250mm	4x 250mm	1+ SU RL 72223	1+ SU RL 72222	1+ SU RL 72213	1+ SU RL 72212	2.995€
1x 750mm	2x 250mm	4x 500mm	1+ SU RL 72523	1+ SU RL 72522	1+ SU RL 72513	1+ SU RL 72512	3.045€
1x 750mm	2x 500mm	4x 250mm	1+ SU RL 75223	1+ SU RL 75222	1+ SU RL 75213	1+ SU RL 75212	3.020€
1x 750mm	2x 500mm	4x 500mm	1+ SU RL 75523	1+ SU RL 75522	1+ SU RL 75513	1+ SU RL 75512	3.065€

350mA - **required base (driver incl.)** see below

6 x LED array 6W **(LED incl.)** - 350mA - 6 x 634lm - 2700K - CRI >93


C (CENTER LENGTH), E (END LENGTH), S (SIDE LENGTH), total dimensions see p. 107

SUSPENSION - CE IP50 eco

REQUIRED BASE (DRIVER INCL.) for Austere-Suspension 1+ RS 16 / RL 79




base B20




●	1-10	PU	DA	BCDP 2402	305€
○	1-10	PU	DA	BCDP 2401	305€

110V-230V - **driver included in base**
+ casambi possible




base B32



●	NO	BNDN 0822	435€
○	NO	BNDN 0811	435€

230V - **driver included in base**




base B50



●	1-10	PU	BDPU 0822	530€
○	1-10	PU	BDPU 0811	530€
●	DA	PU	BDDA 0822	560€
○	DA	PU	BDDA 0811	560€

230V - **driver included in base**
+ casambi possible



I-Tro

DIM.	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
	●	○	
1 side	ITRO 1111	ITRO 2211	1.115€
2 sides	ITRO 1122	ITRO 2222	1.635€

24Vdc - **required remote mounted driver** see below

1 lighting side : 120 x SMD LED 30W **(LED incl.)** - 24Vdc - 2280lm - 2850K - CRI >90
2 lighting sides : 240 x SMD LED 60W **(LED incl.)** - 24Vdc - 4560lm - 2850K - CRI >90
depth for driver in ceiling : min. 120 mm

SUSPENSION -


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x 1 side		D 40W10*	44€	2 x 1 side		D 60W10*	57€
1 x 2 sides		D 60W10*	57€				

*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

I-Tro D+B



1 side		ITRO 1101	ITRO 2201	1.315€
2 sides		ITRO 1102	ITRO 2202	1.845€


100V-240V - **driver included in base** - **1-10V dimmable**

1 lighting side : 120 x SMD LED 30W **(LED incl.)** - 24Vdc - 2280lm - 2850K - CRI >90
2 lighting sides : 240 x SMD LED 60W **(LED incl.)** - 24Vdc - 4560lm - 2850K - CRI >90

SUSPENSION -

DIM	FRAME	INTERIOR	FRAME	INTERIOR	FRAME	INTERIOR	FRAME	INTERIOR	FRAME	INTERIOR	FRAME	INTERIOR	RETAIL PRICE VAT. EXCL.
	●	●	●	●	●	○	○	○	○	○	○	○	
	LC	LISU 2227	LISU 2228	LISU 2221	LISU 2217	LISU 2218	LISU 2211						555€
	PU	LISU 2027	LISU 2028	LISU 2021	LISU 2017	LISU 2018	LISU 2011						555€
	DA	LISU 2527	LISU 2528	LISU 2521	LISU 2517	LISU 2518	LISU 2511						570€


Lipps 200 SU



110V-230V - **driver included in base** - **TRIAC/IGBT, 1-10V, PUSH-DIM or DALI dimmable**

LED array 6W **(LED incl.)** - 700mA - 500lm - 2700K - CRI >90


SUSPENSION -

	DIM	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	RETAIL PRICE VAT. EXCL.
		● ●	● ●	● ○	○ ●	○ ●	○ ○	
 Ø 140 40 2000 Ø 300 I 40	LC	LISU 3327	LISU 3328	LISU 3321	LISU 3317	LISU 3318	LISU 3311	700€
	1-10 PU	LISU 3027	LISU 3028	LISU 3021	LISU 3017	LISU 3018	LISU 3011	700€
	DA	LISU 3527	LISU 3528	LISU 3521	LISU 3517	LISU 3518	LISU 3511	715€

110V-230V - **driver included in base - TRIAC/IGBT, 1-10V, PUSH-DIM or DALI dimmable**
 LED array 9W **(LED incl.)** - 350mA - 750lm - 2700K - CRI >90
SUSPENSION -   IP30 

 Ø 199 40 2000 Ø 600 I 60	LC	LISU 6627	LISU 6628	LISU 6621	LISU 6617	LISU 6618	LISU 6611	1.260€
	1-10 PU DA	LISU 6527	LISU 6528	LISU 6521	LISU 6517	LISU 6518	LISU 6511	1.280€

110V-230V - **driver included in base - TRIAC/IGBT, 1-10V, PUSH-DIM or DALI dimmable**
 LED array 36W **(LED incl.)** - 500mA - 3000lm - 2700K - CRI >90
SUSPENSION -   IP30 

	DIM.	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
		●	○	
 Ø 90 2000 20 130 280 1400		NTRO 1111	NTRO 2222	2.360€


24Vdc - **required remote mounted driver see below**
 240 x SMD LED 60W **(LED incl.)** - 24Vdc - 4560lm - 2850K - CRI >90
 depth for driver in ceiling : min. 120 mm
SUSPENSION -   IP30 

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE
1 X	1-10	D 60W10*	57€


For warranty use only Trizo21® supplied LED drivers as mentioned.
 For all specs and techs about drivers, see www.trizo21.com/drivers

*110V-230V

 89 45 300 2000 20 130 280 1400	1-10	NTRO 1000	NTRO 2000	2.690€

100V-240V - **driver included in base - 1-10V dimmable**
 240 x SMD LED 60W **(LED incl.)** - 24Vdc - 4560lm - 2850K - CRI >90
SUSPENSION -   IP30 

Sirens SU diffuser glass




	FRAME	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
	●	○	●	
Ø 210	SISU 2112	SISU 2111		425€
Ø 265	SISU 2612	SISU 2611		500€
Ø 210			SISU 2117	460€
Ø 265			SISU 2617	530€

110V-230V

E27 - only energy saving bulbs (LED or FLUO)

LED or FLUO bulb excluded - SUSPENSION -


Sirens SU mirror



Ø 161	SISU 1602	SISU 1601		235€
Ø 210	SISU 2102	SISU 2101		330€
Ø 265	SISU 2602	SISU 2601		385€
Ø 161			SISU 1607	270€
Ø 210			SISU 2107	365€
Ø 265			SISU 2607	425€

SUSPENSION

Sirens SU frosted glass big mirror + edge mirror




Ø 210	SISU 2122	SISU 2121		400€
Ø 265	SISU 2622	SISU 2621		455€
Ø 210			SISU 2127	435€
Ø 265			SISU 2627	490€

110V-230V

E27 - only energy saving bulbs (LED or FLUO)

LED or FLUO bulb excluded - SUSPENSION -

Sirens SU frosted glass small mirror + edge mirror




Ø 210	SISU 2132	SISU 2131		400€
Ø 265	SISU 2632	SISU 2631		455€
Ø 210			SISU 2137	435€
Ø 265			SISU 2637	490€

110V-230V

E27 - only energy saving bulbs (LED or FLUO)

LED or FLUO bulb excluded - SUSPENSION -

Sirens SU frosted glass edge mirror



Ø 210	SISU 2142	SISU 2141		400€
Ø 265	SISU 2642	SISU 2641		455€
Ø 210			SISU 2147	435€
Ø 265			SISU 2647	490€

110V-230V

E27 - only energy saving bulbs (LED or FLUO)

LED or FLUO bulb excluded - SUSPENSION -

Recessed



2THIRTY	
2Thirty-C1 in	116
2Thirty-C1 in 350mA	116
2Thirty-C2 in	117
2Thirty-C2 in 350mA	118
2Thirty-W1 in	118
2Thirty-W1 in 350mA	119



AUDETTE	
Audette in	121
Audette-Duo in	123
Audette-Varié in	125



AUST-IN	
Aust-In	132
Aust-In Adjustable	132



BILY	
Bily 16 in	133



AUDETTE R6	
Audette R6	127
Audette-Duo R6	129



7TY	
7Ty in	120



AUDY	
Audy-In	131



BOULY	
Bouly 4	134
Bouly 16	135

Recessed



MINI-PI	
Mini-Pi 1 in	136
Mini-Pi 2 in	136



PIN-IN	
Pin-In 1	137
Pin-In 2	137



R5 IN	
R51 in GU5.3	138
R51 Rimless GU5.3	138
R52 in GU5.3	139
R52 Rimless GU5.3	139
R54 in GU5.3	140
R54 Rimless GU5.3	140
R51 in GU10	141
R52 in GU10	141
R54 in GU10	142
R51 in LED	143
R51 Rimless LED	143
R52 in LED	144
R52 Rimless LED	144
R54 in LED	145
R54 Rimless LED	145




R110 / R111 IN	
R110 in G53	148
R110 Rimless	148
R111 in G53	149
R111 Rimless	149



R07 / R70 IN	
R07 in	146
R07 Rimless	146
R70 in	147
R70 Rimless	147

RING	ROD	FRAME	SWIVEL	RETAIL PRICE VAT. EXCL.
	●	●	●	


2Thirty-C1 in



●	THIN 12223	◆	435€
●	THIN 17223	◆	435€
●	THIN 18223	◆	435€

230V (110V on demand)
1 x LED module 10W **(LED incl.)** - 230V - 1000lm - 2700K - CRI >90 - **TRIAC dimmable**
aperture : Ø 45 - depth : min. 40 mm
◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°
CEILING -


2Thirty-C1 in with honeycomb



●	THIN 12223H	◆	455€
●	THIN 17223H	◆	455€
●	THIN 18223H	◆	455€

230V (110V on demand)
1 x LED module 10W **(LED incl.)** - 230V - 1000lm - 2700K - CRI >90 - **TRIAC dimmable**
aperture : Ø 45 - depth : min. 40 mm
◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°
CEILING -

2Thirty-C1 in 350mA



●	TH3N 12223	◆	340€
●	TH3N 17223	◆	340€
●	TH3N 18223	◆	340€

350mA - **required remote mounted driver see below**
1 x LED array 11,8W **(LED incl.)** - 350mA - 1241lm - 2700K - CRI >97 - **dimmable**
aperture : Ø 45 - depth : min. 40 mm
◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°
CEILING -

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE
1 x	LC	D 18WT	21€
	DA PU	D 15WP*	24€
	DA	D 15WDA*	27€


driver does not fit through cutout hole of fixture
*110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1-3 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

RING	ROD	FRAME	SWIVEL	RETAIL PRICE VAT. EXCL.
	●	●	●	

2Thirty-C1 in 350mA with honeycomb



●	TH3N 12223H	360€
●	TH3N 17223H	360€
●	TH3N 18223H	360€

350mA - **required remote mounted driver** see below
1 x LED array 11,8W **(LED incl.)** - 350mA - 1241lm - 2700K - CRI >97 - **dimmable**
aperture : Ø 45 - depth : min. 40 mm
◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°
CEILING -

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	LC	D 18WT	21€
	DA PU	D 15WP*	24€
	DA	D 15WDA*	27€

driver does not fit through cutout hole of fixture
*110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1-3 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers


2Thirty-C2 in



●	THIN 22223	▲▼	765€
●	THIN 27223	▲▼	765€
●	THIN 28223	▲▼	765€

230V (110V on demand)
2 x LED module 10W **(LED incl.)** - 230V - 2 x 1000lm - 2700K - CRI >90 - **TRIAC dimmable**
aperture : Ø 45 - depth : min. 40 mm
▲ = Choose beam upper lightsource: N=narrow 12° or M=medium 24° or W=wide 40°
▼ = Choose beam lower lightsource: N=narrow 12° or M=medium 24° or W=wide 40°
CEILING -

2Thirty-C2 in with honeycomb



●	THIN 22223H	▲▼	805€
●	THIN 27223H	▲▼	805€
●	THIN 28223H	▲▼	805€

230V (110V on demand)
2 x LED module 10W **(LED incl.)** - 230V - 2 x 1000lm - 2700K - CRI >90 - **TRIAC dimmable**
aperture : Ø 45 - depth : min. 40 mm
▲ = Choose beam upper lightsource: N=narrow 12° or M=medium 24° or W=wide 40°
▼ = Choose beam lower lightsource: N=narrow 12° or M=medium 24° or W=wide 40°
CEILING -

RETAIL PRICE
VAT. EXCL.

2Thirty-C2 in 350mA

10

Ø 70

Choose beam upper lightsource

560

100

132

Ø 80

Choose beam lower lightsource

Ø 12

359°

FRAME

RING BEAM

ROD

SWIVEL

350mA - **required remote mounted driver** see below

2 x LED array 11,8W (LED incl.) - 350mA - 2 x 1241lm - 2700K - CRI >97 - **dimmable**

aperture : Ø 45 - depth : min. 40 mm

▲ = Choose beam upper lightsource: N=narrow 12° or M=medium 24° or W=wide 40°

▼ = Choose beam lower lightsource: N=narrow 12° or M=medium 24° or W=wide 40°

CEILING -

●	TH3N 22223 ▲▼	670€
●	TH3N 27223 ▲▼	670€
●	TH3N 28223 ▲▼	670€

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE
1 x	1-10 PU DA	D.40WDP*	54€

driver does not fit through cutout hole of fixture
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Recessed

10

Ø 70

Choose beam upper lightsource

560

100

136

Ø 80

Choose beam lower lightsource

Ø 12

359°

FRAME

RING BEAM

ROD

SWIVEL

350mA - **required remote mounted driver** see below

2 x LED array 11,8W (LED incl.) - 350mA - 2 x 1241lm - 2700K - CRI >97 - **dimmable**

aperture : Ø 45 - depth : min. 40 mm

▲ = Choose beam upper lightsource: N=narrow 12° or M=medium 24° or W=wide 40°

▼ = Choose beam lower lightsource: N=narrow 12° or M=medium 24° or W=wide 40°

CEILING -

●	TH3N 22223H ▲▼	710€
●	TH3N 27223H ▲▼	710€
●	TH3N 28223H ▲▼	710€

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE
1 x	1-10 PU DA	D.40WDP*	54€

driver does not fit through cutout hole of fixture
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

10

120

Ø 70

Ø 12

100

32

Ø 80

Choose beam

359°

ON / OFF

FRAME

SWIVEL

ROD

RING

230V (110V on demand)

1 x LED module 10W (LED incl.) - 230V - 1000lm - 2700K - CRI >90 - **TRIAC dimmable**

aperture : Ø 45 - depth : min. 40 mm

◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°

WALL -


●	TWIN 12223 ◆	435€
●	TWIN 17223 ◆	435€
●	TWIN 18223 ◆	435€

118

1-10 :1-10V PU :PUSH-DIM DA :DALI ● :black ● :gold ● :bronze

RING	ROD	FRAME	SWIVEL	RETAIL PRICE VAT. EXCL.


2Thirty-W1 in with honeycomb



	TWIN 12223H	455€
	TWIN 17223H	455€
	TWIN 18223H	455€

230V (110V on demand)
1 x LED module 10W (LED incl.) - 230V - 1000lm - 2700K - CRI >90 - **TRIAC dimmable**
aperture : Ø 45 - depth : min. 40 mm
◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°
WALL - CE IP50 eco

2Thirty-W1 in 350mA



	TW3N 12223	340€
	TW3N 17223	340€
	TW3N 18223	340€

350mA - **required remote mounted driver see below** - **PUSH-DIM on armature**
1 x LED array 11,8W (LED incl.) - 350mA - 1241lm - 2700K - CRI >97 - **dimmable**
aperture : Ø 45 - depth : min. 40 mm
◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°
WALL - CE IP50 eco


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE
1 x	PU	D 15WPLV*	30€

driver does not fit through cutout hole of fixture
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

2Thirty-W1 in 350mA with honeycomb



	TW3N 12223H	360€
	TW3N 17223H	360€
	TW3N 18223H	360€

350mA - **required remote mounted driver see below** - **PUSH-DIM on armature**
1 x LED array 11,8W (LED incl.) - 350mA - 1241lm - 2700K - CRI >97 - **dimmable**
aperture : Ø 45 - depth : min. 40 mm
◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°
WALL - CE IP50 eco


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE
1 x	PU	D 15WPLV*	30€

driver does not fit through cutout hole of fixture
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

7Ty in (for false & concrete ceiling)



FRAME



FRAME



FRAME



FRAME



RETAIL PRICE
VAT. EXCL.

STIN 1002◆ STIN 1001◆ STIN 1007◆ STIN 1008◆ | 225€

350mA - **required remote mounted driver see below**
1 x LED array 11,8W **(LED incl.)** - 350mA - 1241lm - 2700K - CRI >97
aperture : Ø 60mm - depth : min. 65 mm

◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°

CEILING - CE IP50

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE
1 x	LC	D 18WT	21€
	DA PU	D 15WP*	24€


driver does not fit through cutout hole of fixture
*110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1 x	DA	D 15WDA*	27€
1-3 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Recessed

7Ty in with honeycomb (for false & concrete ceiling)



STIN 1002H◆ STIN 1001H◆ STIN 1007H◆ STIN 1008H◆ | 230€

350mA - **required remote mounted driver see below**
1 x LED array 11,8W **(LED incl.)** - 350mA - 1241lm - 2700K - CRI >97
aperture : Ø 60mm - depth : min. 65 mm

◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°

CEILING - CE IP50

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	LC	D 18WT	21€
	DA PU	D 15WP*	24€

driver does not fit through cutout hole of fixture
*110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1 x	DA	D 15WDA*	27€
1-3 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audette in (for false ceiling)



COLOR LED	COVER				SWIVEL				FRAME				RING				RETAIL PRICE VAT. EXCL.
	COVER	SWIVEL	FRAME	RING	COVER	SWIVEL	FRAME	RING	COVER	SWIVEL	FRAME	RING	COVER	SWIVEL	FRAME	RING	
2700K	ADFC 2333																325€
2700K																	300€
2700K																	385€
3000K	ADFC 3333																325€
3000K																	300€
3000K																	385€

350mA - required remote mounted driver see below

1 x LED array 6,25W (LED incl.) - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6,25W (LED incl.) - 350mA - 673lm - 3000K - CRI >95

aperture : Ø 45 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm

Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50 eco

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€

driver does not fit through cutout hole of fixture
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Recessed

Audette in with honeycomb (for false ceiling)



2700K	ADFC 2333H																335€
2700K																	310€
2700K																	395€
3000K	ADFC 3333H																335€
3000K																	310€
3000K																	395€

350mA - required remote mounted driver see below

1 x LED array 6,25W (LED incl.) - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6,25W (LED incl.) - 350mA - 673lm - 3000K - CRI >95

aperture : Ø 45 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm

Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50 eco


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€

driver does not fit through cutout hole of fixture
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audette in C (for concrete ceiling)



COLOR LED	COVER SWIVEL FRAME RING				COVER SWIVEL FRAME RING				COVER SWIVEL FRAME RING				COVER SWIVEL FRAME RING				RETAIL PRICE VAT. EXCL.
	COVER	SWIVEL	FRAME	RING	COVER	SWIVEL	FRAME	RING	COVER	SWIVEL	FRAME	RING	COVER	SWIVEL	FRAME	RING	
2700K	ADCC 2333																335€
2700K					ADCC 2222				ADCC 2111								310€
2700K													ADCC 2444				395€
3000K	ADCC 3333																335€
3000K					ADCC 3222				ADCC 3111								310€
3000K													ADCC 3444				395€

350mA - required remote mounted driver see below

1 x LED array 6,25W (LED incl.) - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6,25W (LED incl.) - 350mA - 673lm - 3000K - CRI >95

aperture : Ø 45 - depth : min. 40 mm - depth for driver in ceiling : min. 110 mm

Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50 eco


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€

driver does not fit through cutout hole of fixture
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audette in C with honeycomb (for concrete ceiling)



2700K	ADCC 2333H																345€
2700K				ADCC 2222H				ADCC 2111H									320€
2700K													ADCC 2444H				405€
3000K	ADCC 3333H																345€
3000K				ADCC 3222H				ADCC 3111H									320€
3000K													ADCC 3444H				405€

350mA - required remote mounted driver see below

1 x LED array 6,25W (LED incl.) - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6,25W (LED incl.) - 350mA - 673lm - 3000K - CRI >95

aperture : Ø 45 - depth : min. 40 mm - depth for driver in ceiling : min. 110 mm

Choose beam: M=medium 23° or W=wide 40°


CEILING - CE IP50 eco

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€

driver does not fit through cutout hole of fixture
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers



COLOR LED	COVER				SWIVEL				FRAME				RING				RETAIL PRICE VAT. EXCL.
	COVER	SWIVEL	FRAME	RING	COVER	SWIVEL	FRAME	RING	COVER	SWIVEL	FRAME	RING	COVER	SWIVEL	FRAME	RING	
2700K	ADFCD 2332	ADFCD 2331															300€
2700K									ADFCD 2223	ADFCD 2113							325€
3000K	ADFCD 3332	ADFCD 3331															300€
3000K									ADFCD 3223	ADFCD 3113							325€

350mA - **required remote mounted driver** see below
1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
aperture : Ø 45 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm
◆ Choose beam: M=medium 23° or W=wide 40°
CEILING - CE IP50

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€
	LC	D 10WT	17€
2 x	LC	D 18WT	21€

driver does not fit through cutout hole of fixture
*110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1-2 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
2-6 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21* supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audette-Duo in with honeycomb (for false ceiling)



2700K	ADFCD 2332H	ADFCD 2331H						310€
2700K					ADFCD 2223H	ADFCD 2113H		335€
3000K	ADFCD 3332H	ADFCD 3331H						310€
3000K					ADFCD 3223H	ADFCD 3113H		335€

350mA - **required remote mounted driver** see below
1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
aperture : Ø 45 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm
◆ Choose beam: M=medium 23° or W=wide 40°
CEILING - CE IP50

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€
	LC	D 10WT	17€
2 x	LC	D 18WT	21€

driver does not fit through cutout hole of fixture
*110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1-2 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
2-6 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21* supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audette-Duo in C (for concrete ceiling)



COLOR LED	COVER	SWIVEL	FRAME	RING	COVER	SWIVEL	FRAME	RING	COVER	SWIVEL	FRAME	RING	COVER	SWIVEL	FRAME	RING	RETAIL PRICE VAT. EXCL.
	●	●	●	●	●	●	●	○	●	●	●	●	○	○	○	●	
2700K	ADCCD 2332◆		ADCCD 2331◆				ADCCD 2223◆		ADCCD 2113◆								310€
2700K																	335€
3000K	ADCCD 3332◆		ADCCD 3331◆														310€
3000K							ADCCD 3223◆		ADCCD 3113◆								335€


350mA - **required remote mounted driver** see below
1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
aperture : Ø 45 - depth : min. 40 mm - depth for driver in ceiling : min. 110 mm
◆ Choose beam: M=medium 23° or W=wide 40°
CEILING -

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€

driver does not fit through cutout hole of fixture
*110V-230V
For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audette-Duo in C with honeycomb (for concrete ceiling)



2700K	ADCCD 2332H◆		ADCCD 2331H◆				ADCCD 2223H◆		ADCCD 2113H◆								320€
2700K																	345€
3000K	ADCCD 3332H◆		ADCCD 3331H◆														320€
3000K							ADCCD 3223H◆		ADCCD 3113H◆								345€

350mA - **required remote mounted driver** see below
1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
aperture : Ø 45 - depth : min. 40 mm - depth for driver in ceiling : min. 110 mm
◆ Choose beam: M=medium 23° or W=wide 40°
CEILING -


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€

driver does not fit through cutout hole of fixture
*110V-230V
For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Recessed

Audette-Varié in (for false ceiling)



COLOR LED	COVER	SWIVEL	FRAME	RING	COVER	SWIVEL	FRAME	RING	RETAIL PRICE VAT. EXCL.
	●	●	●	●	○	●	○	○	

2700K		ADFC	D 2232	◆	ADFC	D 2131	◆		300€
3000K		ADFC	D 3232	◆	ADFC	D 3131	◆		300€

350mA - **required remote mounted driver** see below
1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
aperture : Ø 45 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm
◆ Choose beam: M=medium 23° or W=wide 40°
CEILING -

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€
	LC	D 10WT	17€
2 x	LC	D 18WT	21€

driver does not fit through cutout hole of fixture
*110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1-2 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
2-6 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audette-Varié in with honeycomb (for false ceiling)



2700K		ADFC	D 2232H	◆	ADFC	D 2131H	◆		310€
3000K		ADFC	D 3232H	◆	ADFC	D 3131H	◆		310€

350mA - **required remote mounted driver** see below
1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
aperture : Ø 45 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm
◆ Choose beam: M=medium 23° or W=wide 40°
CEILING -

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€
	LC	D 10WT	17€
2 x	LC	D 18WT	21€

driver does not fit through cutout hole of fixture
*110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1-2 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
2-6 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audette-Varié in C (for concrete ceiling)



COLOR LED	COVER	SWIVEL	FRAME	RING	COVER	SWIVEL	FRAME	RING	RETAIL PRICE VAT. EXCL.
	●	●	●	●	○	●	○	○	

2700K		ADCCD 2232	◆	ADCCD 2131	◆		310€
3000K		ADCCD 3232	◆	ADCCD 3131	◆		310€

350mA - **required remote mounted driver** see below
1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
aperture : Ø 45 - depth : min. 40 mm - depth for driver in ceiling : min. 110 mm
◆ Choose beam: M=medium 23° or W=wide 40°
CEILING -

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€
	LC	D 10WT	17€
2 x	LC	D 18WT	21€

driver does not fit through cutout hole of fixture
*110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1-2 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
2-6 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audette-Varié in C with honeycomb (for concrete ceiling)



2700K		ADCCD 2232H	◆	ADCCD 2131H	◆		320€
3000K		ADCCD 3232H	◆	ADCCD 3131H	◆		320€

350mA - **required remote mounted driver** see below
1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
aperture : Ø 45 - depth : min. 40 mm - depth for driver in ceiling : min. 110 mm
◆ Choose beam: M=medium 23° or W=wide 40°
CEILING -

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€
	LC	D 10WT	17€
2 x	LC	D 18WT	21€

driver does not fit through cutout hole of fixture
*110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1-2 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
2-6 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audette R6 (for false ceiling)



COLOR LED	COVER				ROD + SWIVEL				FRAME				RING				RETAIL PRICE VAT. EXCL.
	COVER	ROD + SWIVEL	FRAME	RING	COVER	ROD + SWIVEL	FRAME	RING	COVER	ROD + SWIVEL	FRAME	RING	COVER	ROD + SWIVEL	FRAME	RING	
2700K	●	●	●	●	●	●	●	●	○	○	○	○	●	●	●	●	335€
2700K					ADFC R6 2222				ADFC R6 2111								310€
2700K													ADFC R6 2444				395€
3000K	●	●	●	●	ADFC R6 3333												335€
3000K					ADFC R6 3222				ADFC R6 3111								310€
3000K													ADFC R6 3444				395€

350mA - **required remote mounted driver** see below
1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
aperture : Ø 45 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm
◆ Choose beam: M=medium 23° or W=wide 40°
CEILING -

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€

driver does not fit through cutout hole of fixture
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.

Recessed

Audette R6 with honeycomb (for false ceiling)



2700K	ADFC R6 2333H						345€
2700K		ADFC R6 2222H		ADFC R6 2111H			320€
2700K						ADFC R6 2444H	405€
3000K	ADFC R6 3333H						345€
3000K		ADFC R6 3222H		ADFC R6 3111H			320€
3000K						ADFC R6 3444H	405€

350mA - **required remote mounted driver** see below
1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
aperture : Ø 45 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm
◆ Choose beam: M=medium 23° or W=wide 40°
CEILING -


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€

driver does not fit through cutout hole of fixture
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audette R6C (for concrete ceiling)



COLOR LED	COVER				ROD + SWIVEL				FRAME				RING				RETAIL PRICE VAT. EXCL.
	COVER	ROD + SWIVEL	FRAME	RING	COVER	ROD + SWIVEL	FRAME	RING	COVER	ROD + SWIVEL	FRAME	RING	COVER	ROD + SWIVEL	FRAME	RING	
2700K	●	●	●	●	●	●	●	●	○	○	○	○	●	●	●	●	345€
2700K					ADCC R6 2222				ADCC R6 2111								320€
2700K													ADCC R6 2444				405€
3000K	●	●	●	●	●	●	●	●	○	○	○	○	●	●	●	●	345€
3000K					ADCC R6 3222				ADCC R6 3111								320€
3000K													ADCC R6 3444				405€

350mA - **required remote mounted driver** see below

1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95

aperture : Ø 45 - depth : min. 40 mm - depth for driver in ceiling : min. 110 mm

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€
	LC	D 10WT	17€
2 x	LC	D 18WT	21€

driver does not fit through cutout hole of fixture
*110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1-2 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
2-6 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audette R6C with honeycomb (for concrete ceiling)



2700K	ADCC R6 2333H							355€
2700K		ADCC R6 2222H		ADCC R6 2111H				335€
2700K						ADCC R6 2444H		405€
3000K	ADCC R6 3333H							355€
3000K		ADCC R6 3222H		ADCC R6 3111H				335€
3000K						ADCC R6 3444H		405€

350mA - **required remote mounted driver** see below

1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95

aperture : Ø 45 - depth : min. 40 mm - depth for driver in ceiling : min. 110 mm

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€
	LC	D 10WT	17€
2 x	LC	D 18WT	21€

driver does not fit through cutout hole of fixture
*110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1-2 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
2-6 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audette-Duo R6 (for false ceiling)



COLOR LED	COVER				ROD + SWIVEL				FRAME				RING				RETAIL PRICE VAT. EXCL.
	COVER	ROD + SWIVEL	FRAME	RING	COVER	ROD + SWIVEL	FRAME	RING	COVER	ROD + SWIVEL	FRAME	RING	COVER	ROD + SWIVEL	FRAME	RING	
2700K	●	●	●	●	●	●	●	○	●	●	●	●	○	○	○	○	310€
2700K									ADFC R6 2223		ADFC R6 2113						335€
3000K									ADFC R6 3332		ADFC R6 3331						310€
3000K													ADFC R6 3223		ADFC R6 3113		335€

350mA - **required remote mounted driver see below**
1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
aperture : Ø 45 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm
◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50 VECO

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€

driver does not fit through cutout hole of fixture
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Recessed

Audette-Duo R6 with honeycomb (for false ceiling)



2700K	ADFC R6 2332H	ADFC R6 2331H	320€	
2700K		ADFC R6 2223H	ADFC R6 2113H	345€
3000K	ADFC R6 3332H	ADFC R6 3331H	320€	
3000K		ADFC R6 3223H	ADFC R6 3113H	345€

350mA - **required remote mounted driver see below**
1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
aperture : Ø 45 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm
◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50 VECO


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€

driver does not fit through cutout hole of fixture
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audette-Duo R6C (for concrete ceiling)




COLOR LED	COVER				ROD + SWIVEL				FRAME				RING				RETAIL PRICE VAT. EXCL.
	COVER	ROD + SWIVEL	FRAME	RING	COVER	ROD + SWIVEL	FRAME	RING	COVER	ROD + SWIVEL	FRAME	RING	COVER	ROD + SWIVEL	FRAME	RING	
2700K	●	●	●	●	●	●	●	○	●	●	●	●	○	○	○	●	320€
2700K									ADCC R6 2223				ADCC R6 2113				345€
3000K									ADCC R6 3332								320€
3000K													ADCC R6 3223			ADCC R6 3113	345€

350mA - **required remote mounted driver see below**
1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
aperture : Ø 45 - depth : min. 40 mm - depth for driver in ceiling : min. 110 mm
◆ Choose beam: M=medium 23° or W=wide 40°
CEILING -

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€
driver does not fit through cutout hole of fixture *110V-230V				For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers			

Audette-Duo R6C with honeycomb (for concrete ceiling)




2700K	ADCC R6 2332H	ADCC R6 2331H	335€	
2700K		ADCC R6 2223H	ADCC R6 2113H	355€
3000K	ADCC R6 3332H	ADCC R6 3331H	335€	
3000K		ADCC R6 3223H	ADCC R6 3113H	355€

350mA - **required remote mounted driver see below**
1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
aperture : Ø 45 - depth : min. 40 mm - depth for driver in ceiling : min. 110 mm
◆ Choose beam: M=medium 23° or W=wide 40°
CEILING -

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€
driver does not fit through cutout hole of fixture *110V-230V				For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers			

Audy-In (for false & concrete ceiling)



COLOR LED	FRAME	FRAME	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
	●	●	○	●	
2700K	AUDY 1273◆	AUDY 1272◆	AUDY 1271◆		285€
2700K				AUDY 1274◆	330€
3000K	AUDY 1303◆	AUDY 1302◆	AUDY 1301◆		285€
3000K				AUDY 1304◆	330€

350mA - **required remote mounted driver** see below

1 x LED array 6,25W (**LED incl.**) - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6,25W (**LED incl.**) - 350mA - 673lm - 3000K - CRI >95

For false ceiling: aperture : Ø 45 - depth : min. 50 mm - depth for driver in false ceiling : min. 70 mm

For concrete ceiling: aperture : Ø 45 - depth : min. 50 mm - depth for driver in concrete ceiling : min. 110 mm

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP50 eco

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€

driver does not fit through cutout hole of fixture
 *110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
 For all specs and techs about drivers, see www.trizo21.com/drivers

Recessed

Audy-In with honeycomb (for false & concrete ceiling)



2700K	AUDY 1273H◆	AUDY 1272H◆	AUDY 1271H◆		295€
2700K				AUDY 1274H◆	340€
3000K	AUDY 1303H◆	AUDY 1302H◆	AUDY 1301H◆		295€
3000K				AUDY 1304H◆	340€

350mA - **required remote mounted driver** see below

1 x LED array 6,25W (**LED incl.**) - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6,25W (**LED incl.**) - 350mA - 673lm - 3000K - CRI >95

For false ceiling: aperture : Ø 45 - depth : min. 50 mm - depth for driver in false ceiling : min. 70 mm

For concrete ceiling: aperture : Ø 45 - depth : min. 50 mm - depth for driver in concrete ceiling : min. 110 mm

◆ Choose beam: M=medium 23° or W=wide 40°


CEILING - CE IP50 eco

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€

driver does not fit through cutout hole of fixture
 *110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
 For all specs and techs about drivers, see www.trizo21.com/drivers



FRAME	FRAME	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
AUIN L003	AUIN L002	AUIN L001	AUIN L004	235€ 330€

350mA - **required remote mounted driver** see below
1 x LED array 6W (**LED incl.**) - 350mA - 634lm - 2700K - CRI >93
aperture : Ø 45 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm
CEILING -


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€

driver does not fit through cutout hole of fixture
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Aust-In C (for concrete ceiling)



ACIN L003	ACIN L002	ACIN L001	245€
ACIN L004			340€

350mA - **required remote mounted driver** see below
1 x LED array 6W (**LED incl.**) - 350mA - 634lm - 2700K - CRI >93
aperture : Ø 45 - depth : min. 40 mm - depth for driver in ceiling : min. 110 mm
CEILING -


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€

driver does not fit through cutout hole of fixture
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Aust-In Adjustable (for false ceiling)



AUAN T003	AUAN T002	AUAN T001	290€
AUAN T004			385€

350mA - **required remote mounted driver** see below
1 x LED array 6W (**LED incl.**) - 350mA - 634lm - 2700K - CRI >93
aperture : Ø 45 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm
CEILING -


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€

driver does not fit through cutout hole of fixture
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Aust-In C Adjustable (for concrete ceiling)




FRAME	FRAME	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
●	●	○	●	
ACAN T003	ACAN T002	ACAN T001		300€
			ACAN T004	395€

350mA - **required remote mounted driver see below**
1 x LED array 6W (LED incl.) - 350mA - 634lm - 2700K - CRI >93
aperture : Ø 45 - depth : min. 40 mm - depth for driver in ceiling : min. 110 mm
CEILING -

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€
driver does not fit through cutout hole of fixture *110V-230V				For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers			

Bily 16 in (for false ceiling)




FRAME	INSIDE RING	INSIDE RING	RETAIL PRICE VAT. EXCL.
●	●	●	
●		BIINF 1628	390€
○		BIINF 1610	400€
○		BIINF 1618	390€
●		BIINF 1670	400€
●		BIINF 1678	390€
●		BIINF 1680	400€
●		BIINF 1688	390€

350mA - **required remote mounted driver see below**
1 x LED array 11W (LED incl.) - 350mA - 1125lm - 2700K - CRI >97
aperture : Ø 65 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm
CEILING -

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 12W**	22€	1 x	DA	D 15WDA*	27€
	LC	D 18WT	21€	1-3 x	1-10 PU DA	D 40WDP*	54€
	1-10 PU	D 15WP*	24€				
driver does not fit through cutout hole of fixture *110V-230V **IP 65				For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers			

Bily 16C in (for concrete ceiling)



FRAME	INSIDE RING	INSIDE RING	RETAIL PRICE VAT. EXCL.
	BIINC 1620		395€
		BIINC 1628	405€
	BIINC 1610		395€
		BIINC 1618	405€
	BIINC 1670		395€
		BIINC 1678	405€
	BIINC 1680		395€
		BIINC 1688	405€

350mA - **required remote mounted driver** see below

1 x LED array 11W **(LED incl.)** - 350mA - 1125lm - 2700K - CRI >97
aperture : Ø 65 - depth : min. 70 mm - depth for driver in ceiling : min. 130 mm
CEILING -

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 12W**	22€
	LC	D 18WT	21€
	1-10 PU	D 15WP*	24€

driver does not fit through cutout hole of fixture
*110V-230V **IP 65

DEVICE	DIM.	DRIVER	NET PRICE
1 x	DA	D 15WDA*	27€
1-3 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Bouly 4 (for false ceiling)



BOWW 6010 345€

350mA - **required remote mounted driver** see below

1 x 4 LED 0.96W **(LED incl.)** - 350mA - 456lm - 2700K (on demand 6000K) - CRI >93
aperture : Ø 65 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm
◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°
CEILING -

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 4W	10€
	C	D 6WI	12€
	1-10 PU	D 6WP	13€
1-2 x	NO	N 12W**	22€

driver does not fit through cutout hole of fixture
*110V-230V **IP 65

DEVICE	DIM.	DRIVER	NET PRICE
1-3 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
2-8 x	1-10 PU DA	D 40WDP*	54€


For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

INSIDE RING

INSIDE RING

RETAIL PRICE
VAT. EXCL.

Bouly 4C (for concrete ceiling)



BOWW 6012 355€

350mA - **required remote mounted driver see below**
1 x 4 LED 0.96W (LED incl.) - 350mA - 456lm - 2700K (on demand 6000K) - CRI >93
aperture : Ø 65 - depth : min. 60 mm - depth for driver in ceiling : min. 130 mm
◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°
CEILING - CE IP50 eco

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 4W	10€
	C	D 6WI	12€
	1-10 PU	D 6WP	13€
1-2 x	NO	N 12W**	22€

driver does not fit through cutout hole of fixture
*110V-230V **IP 65

DEVICE	DIM.	DRIVER	NET PRICE
1-3 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
2-8 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Bouly 16 (for false ceiling)



BOIN 1600 355€
BOIN 1608 375€

350mA - **required remote mounted driver see below**
1 x LED array 11W (LED incl.) - 350mA - 1125lm - 2700K - CRI >97
aperture : Ø 65 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm
CEILING - CE IP50 eco

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 12W**	22€
	LC	D 18WT	21€
	1-10 PU	D 15WP*	24€

driver does not fit through cutout hole of fixture
*110V-230V **IP 65

DEVICE	DIM.	DRIVER	NET PRICE
1 x	DA	D 15WDA*	27€
1-3 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Bouly 16C (for concrete ceiling)



BOIN 1602 365€
BOIN 1680 385€

350mA - **required remote mounted driver see below**
1 x LED array 11W (LED incl.) - 350mA - 1125lm - 2700K - CRI >97
aperture : Ø 65 - depth : min. 70 mm - depth for driver in ceiling : min. 130 mm
CEILING - CE IP50 eco

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 12W**	22€
	LC	D 18WT	21€
	1-10 PU	D 15WP*	24€

driver does not fit through cutout hole of fixture
*110V-230V **IP 65

DEVICE	DIM.	DRIVER	NET PRICE
1 x	DA	D 15WDA*	27€
1-3 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

FRAME

FRAME

FRAME

RETAIL PRICE
VAT. EXCL.

●

○

●

230€

MIPI 1225◆

MIPI 1115◆

MIPI 1445◆

I

350mA - **required remote mounted driver see below**

1 x 4 LED 0.96W **(LED incl.)** - 350mA - 456lm - 2700K (on demand 6000K) - CRI >93
aperture : Ø 45 - depth : min. 35 mm - depth for driver in ceiling : min. 70 mm

◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°

CEILING -

REQUIRED REMOTE MOUNTED DRIVER							
DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 4W	10€	3-4 x	LC	D 18WT	21€
	C	D 6WI	12€		1-10 PU	D 15WP*	24€
	1-10 PU	D 6WDP	13€		DA	D 15WDA*	27€
2 x	LC	D 10WT	17€	2-8 x	1-10 PU DA	D 40WDP*	54€
driver does not fit through cutout hole of fixture *110V-230V				For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers			

Mini-Pi 1C in (for concrete ceiling)

REQUIRED REMOTE MOUNTED DRIVER							
DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 4W	10€	3-4 x	LC	D 18WT	21€
	C	D 6WI	12€		1-10 PU	D 15WP*	24€
	1-10 PU	D 6WDP	13€		DA	D 15WDA*	27€
2 x	LC	D 10WT	17€	2-8 x	1-10 PU DA	D 40WDP*	54€
driver does not fit through cutout hole of fixture *110V-230V				For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers			

Mini-Pi 2 in (for false ceiling)

REQUIRED REMOTE MOUNTED DRIVER							
DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	LC	D 10WT	17€	1-4 x	1-10 PU DA	D 40WDP*	54€
	1-10 PU	D 15WP*	24€				
	DA	D 15WDA*	27€				
driver does not fit through cutout hole of fixture *110V-230V				For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers			

136


1-10 :1-10V PU :PUSH-DIM DA :DALI LC :TRIAC/IGBT NO :non-dimmable C :IGBT ● :black ○ :white ● :grey

Pin-In 1 (for false ceiling)  Ø 90 84 Ø 116 -85° / +85° 359°	FRAME	FRAME	FRAME	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
	PIIN 2101	PIIN 1101	PIIN 4101	PIIN 7101	PIIN 9101	
						130€
						190€
12V - transformer excluded G53 - 1 x R111 max. 100W or R111 LED aperture : Ø 60 - depth : min. 55 Bulb excluded - CEILING -   						

Pin-In 1C (for concrete ceiling)  Ø 90 84 Ø 116 -85° / +85° 359°	PIIN 2111	PIIN 1111	PIIN 4111	PIIN 7111	PIIN 9111	RETAIL PRICE VAT. EXCL.
						140€
						200€
12V - transformer excluded G53 - 1 x R111 max. 100W or R111 LED aperture : Ø 60 - depth : min. 20 Bulb excluded - CEILING -   						

Pin-In 2 (for false ceiling)  175 Ø 90 84 Ø 116 -85° / +85° 359°	PIIN 2102	PIIN 1102	PIIN 4102	PIIN 7102	PIIN 9102	RETAIL PRICE VAT. EXCL.
						250€
						340€
12V - transformer excluded G53 - 2 x R111 max. 100W or R111 LED aperture : 2 x Ø 60 - depth : min. 55 Bulbs excluded - CEILING -   						

R51 in GU5.3



RING	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	RETAIL PRICE VAT. EXCL.
●	MRIN 1222	MRIN 1122	MRIN 1212	MRIN 1112	MRIN 1242	MRIN 1142	165€
●	MRIN 1229	MRIN 1129	MRIN 1219	MRIN 1119	MRIN 1249	MRIN 1149	230€
●	MRIN 1224	MRIN 1124	MRIN 1214	MRIN 1114	MRIN 1244	MRIN 1144	165€
○	MRIN 1221	MRIN 1121	MRIN 1211	MRIN 1111	MRIN 1241	MRIN 1141	165€

RING	FRAME INTERIOR	FRAME INTERIOR	RETAIL PRICE VAT. EXCL.
●	MRIN 1292	MRIN 1192	215€
●	MRIN 1299	MRIN 1199	280€
●	MRIN 1294	MRIN 1194	215€
○	MRIN 1291	MRIN 1191	215€

12V - **transformer excluded**
GU5.3 - 1 x HALO QR-CBC51 (alu reflector / no cool beam) max. 50W or 1 x LED
aperture : L 84 W 92 H 66 - depth : min. 90
Bulb excluded - CEILING -

ACCESSORY FOR CONCRETE CEILING

CONC 0051 | 50€



concrete box: L 87 W 97 H 106
aperture: L 90 W 100 H 108


R51 Rimless GU5.3



RING	INTERIOR	INTERIOR	RETAIL PRICE VAT. EXCL.
●	MRRI 1222	MRRI 1122	125€
○	MRRI 1229	MRRI 1199	190€
●	MRRI 1224	MRRI 1144	125€
○	MRRI 1211	MRRI 1111	125€

12V - **transformer excluded - installation kit required**
GU5.3 - 1 x HALO QR-CBC51 (alu reflector / no cool beam) max. 50W or 1 x LED
Bulb excluded - CEILING -

REQUIRED INSTALLATION KIT FOR RIMLESS



PLAS 0051 | 85€


installation kit: L 145 W 145 H 82
aperture: L 100 W 90 H 84

RING	FRAME INTERIOR		FRAME INTERIOR		FRAME INTERIOR		FRAME INTERIOR		FRAME INTERIOR		RETAIL PRICE VAT. EXCL.
	●	MRIN 2222	MRIN 2122	MRIN 2212	MRIN 2112	MRIN 2242	MRIN 2142			235€	
	●	MRIN 2229	MRIN 2129	MRIN 2219	MRIN 2119	MRIN 2249	MRIN 2149			350€	
	●	MRIN 2224	MRIN 2124	MRIN 2214	MRIN 2114	MRIN 2244	MRIN 2144			235€	
	○	MRIN 2221	MRIN 2121	MRIN 2211	MRIN 2111	MRIN 2241	MRIN 2141			235€	
RING	FRAME INTERIOR		FRAME INTERIOR		FRAME INTERIOR		FRAME INTERIOR		RETAIL PRICE VAT. EXCL.		
● ● ● ○											

12V - **transformer excluded**
GU5.3 - 2 x HALO QR-CBC51 (alu reflector / no cool beam) max. 50W or 2 x LED
aperture : L 159 W 92 H 66 - depth : min. 90
Bulbs excluded - CEILING -

ACCESSORY FOR CONCRETE CEILING

CONC 0052 | 55€




concrete box: L 162 W 97 H 106
aperture: L 165 W 100 H 108

RING	INTERIOR		INTERIOR		RETAIL PRICE VAT. EXCL.
	●	MRRI 2222	MRRI 2122		180€
	●	MRRI 2229	MRRI 2129		295€
	●	MRRI 2224	MRRI 2124		180€
	○	MRRI 2221	MRRI 2121		180€


12V - **transformer excluded - installation kit required**
GU5.3 - 2 x HALO QR-CBC51 (alu reflector / no cool beam) max. 50W or 2 x LED
Bulbs excluded - CEILING -

REQUIRED INSTALLATION KIT FOR RIMLESS

PLAS 0052 | 90€




installation kit: L 220 W 145 H 82
aperture: L 175 W 90 H 84



Bulbs excluded - CEILING - IP20

ACCESSORY FOR CONCRETE CEILING

CONC 0054 | 75€



concrete box: L 312 W 97 H 106
aperture: L 315 W 100 H 108




R54 Rimless GU5.3

	RING	INTERIOR	INTERIOR	RETAIL PRICE VAT. EXCL.
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				
38				
39				
40				
41				
42				
43				
44				
45				
46				
47				
48				
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				
61				
62				
63				
64				
65				
66				
67				
68				
69				
70				
71				
72				
73				
74				
75				
76				
77				
78				
79				
80				
81				
82				
83				
84				
85				
86				
87				
88				
89				
90				
91				
92				
93				
94				
95				
96				
97				
98				
99				
100				

Bulbs excluded - CEILING - IP20

REQUIRED INSTALLATION KIT FOR RIMLESS



PLAS 0054 | 105€

installation kit: L 370 W 145 H 82
aperture: L 325 W 90 H 84

	RING	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	RETAIL PRICE VAT. EXCL.
		● ●	● ○	○ ●	○ ○	● ●	● ○	
	●	MIGU 1222	MIGU 1122	MIGU 1212	MIGU 1112	MIGU 1242	MIGU 1142	165€
	●	MIGU 1229	MIGU 1129	MIGU 1219	MIGU 1119	MIGU 1249	MIGU 1149	230€
	●	MIGU 1224	MIGU 1124	MIGU 1214	MIGU 1114	MIGU 1244	MIGU 1144	165€
	○	MIGU 1221	MIGU 1121	MIGU 1211	MIGU 1111	MIGU 1241	MIGU 1141	165€
	RING					FRAME INTERIOR	FRAME INTERIOR	RETAIL PRICE VAT. EXCL.
	●					● ●	● ○	
	●							
	●							
	○							
						MIGU 1292	MIGU 1192	215€
						MIGU 1299	MIGU 1199	280€
						MIGU 1294	MIGU 1194	215€
						MIGU 1291	MIGU 1191	215€
230V								
GU10 - 1 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or 1 x GU10 LED								
aperture : L 84 W 92 H 97 - depth : min. 120								
Bulb excluded - CEILING -								

ACCESSORY FOR CONCRETE CEILING

COGU 0051 | 50€



concrete box: L 87 W 97 H 112
aperture: L 90 W 100 H 120

	RING	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	RETAIL PRICE VAT. EXCL.
		● ●	● ○	○ ●	○ ○	● ●	● ○	
	●	MIGU 2222	MIGU 2122	MIGU 2212	MIGU 2112	MIGU 2242	MIGU 2142	235€
	●	MIGU 2229	MIGU 2129	MIGU 2219	MIGU 2119	MIGU 2249	MIGU 2149	350€
	●	MIGU 2224	MIGU 2124	MIGU 2214	MIGU 2114	MIGU 2244	MIGU 2144	235€
	○	MIGU 2221	MIGU 2121	MIGU 2211	MIGU 2111	MIGU 2241	MIGU 2141	235€
	RING					FRAME INTERIOR	FRAME INTERIOR	RETAIL PRICE VAT. EXCL.
	●					● ●	● ○	
	●							
	●							
	○							
						MIGU 2292	MIGU 2192	300€
						MIGU 2299	MIGU 2199	415€
						MIGU 2294	MIGU 2194	300€
						MIGU 2291	MIGU 2191	300€
230V - GU10 - 2 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or 2 x GU10 LED								
aperture : L 159 W 92 H 97 - depth : min. 120								
Bulbs excluded - CEILING -								

ACCESSORY FOR CONCRETE CEILING

COGU 0052 | 55€



concrete box: L 162 W 97 H 112
aperture: L 165 W 100 H 120




RING	FRAME INTERIOR		FRAME INTERIOR		FRAME INTERIOR		FRAME INTERIOR		FRAME INTERIOR		RETAIL PRICE VAT. EXCL.
●	MIGU 4222	MIGU 4122	MIGU 4212	MIGU 4112	MIGU 4242	MIGU 4142					350€
○	MIGU 4229	MIGU 4129	MIGU 4219	MIGU 4119	MIGU 4249	MIGU 4149					605€
●	MIGU 4224	MIGU 4124	MIGU 4214	MIGU 4114	MIGU 4244	MIGU 4144					350€
○	MIGU 4221	MIGU 4121	MIGU 4211	MIGU 4111	MIGU 4241	MIGU 4141					350€
RING	FRAME INTERIOR		FRAME INTERIOR		FRAME INTERIOR		FRAME INTERIOR		FRAME INTERIOR		RETAIL PRICE VAT. EXCL.
●					MIGU 4292	MIGU 4192					430€
○					MIGU 4299	MIGU 4199					670€
●					MIGU 4294	MIGU 4194					430€
○					MIGU 4291	MIGU 4191					430€

230V
GU10 - 4 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or 4 x GU10 LED
aperture : L 309 W 92 H 97 - depth : min. 120
Bulbs excluded - CEILING -

ACCESSORY FOR CONCRETE CEILING

COGU 0054 | 75€



concrete box: L 312 W 97 H 112
aperture: L 315 W 100 H 120

Recessed



R51 in LED

[illegible]

350mA - **required remote mounted driver** see below

1 x 4 LED 0.96W (LED incl.) - 350mA - 456lm - 2700K (on demand 6000K) - CRI >93

aperture : L 84 W 92 H 66 - depth : min. 90

◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°

CEILING - IP40

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x		N 4W	10€	1-3 x		D 15WP*	24€
		D 6WI	12€			D 15WDA*	27€
		D 6WP	13€	2-8 x		D 40WDP*	54€

driver does not fit through cutout hole of fixture
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

ACCESSORY FOR CONCRETE CEILING



CONC 0051 | 50€

concrete box: L 87 W 97 H 106

aperture: L 90 W 100 H 108

Ring	Interior	Interior	Retail Price w/ VAT. Excl.

R51 Rimless LED



●	MRWW 1202	MRWW 1102	260€
●	MRWW 1204	MRWW 1104	260€
○	MRWW 1201	MRWW 1101	260€

350mA - **required remote mounted driver** see below

1 x 4 LED 0.96W (LED incl.) - 350mA - 456lm - 2700K (on demand 6000K) - CRI >93

◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°

CEILING - IP40 eco


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x		N 4W	10€	1-3 x		D 15WP*	24€
		D 6WI	12€			D 15WDA*	27€
		D 6WP	13€	2-8 x		D 40WDP*	54€

driver does not fit through cutout hole of fixture
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

REQUIRED INSTALLATION KIT FOR RIMLESS




PLAS 0051 85€

installation kit: L 145 W 145 H 82

aperture: L 100 W 90 H 84

R52 in LED

[illegible]

350mA - **required remote mounted driver** see below

2 x 4 LED 0.96W (LED incl.) - 350mA - 2 x 456lm - 2700K (on demand 6000K) - CRI >93

aperture : L 159 W 92 H 66 - depth : min. 90

◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°

CEILING - IP40

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	LC	D 10WT	17€	1-4 x	1-10 PU DA	D 40WDP*	54€
	1-10 PU	D 15WP*	24€				
	DA	D 15WDA*	27€				

driver does not fit through cutout hole of fixture
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

ACCESSORY FOR CONCRETE CEILING


CONC 0052 | 55€



concrete box: L 162 W 97 H 106

aperture: L 165 W 100 H 108

R52 Rimless LED



Ring	Interior	Interior	Retail Price w/ vat. excl.

MRWW 2202	MRWW 2102	490€
MRWW 2204	MRWW 2104	490€
MRWW 2201	MRWW 2101	490€

350mA - **required remote mounted driver** see below - **installation kit required**

2 x 4 LED 0.96W **(LED incl.)** - 350mA - 2 x 456lm - 2700K (on demand 6000K) - CRI >93

◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°

CEILING - IP40

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	LC	D 10WT	17€	1-4 x	1-10 PU DA	D 40WDP*	54€
	1-10 PU	D 15WP*	24€				
	DA	D 15WDA*	27€				

driver does not fit through cutout hole of fixture
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers


REQUIRED INSTALLATION KIT FOR RIMLESS

PLAS 0052 | 90€



installation kit: L 220 W 145 H 82

aperture: L 175 W 90 H 84



RING	●	MIWW 4222◆	MIWW 4122◆	MIWW 4212◆	MIWW 4112◆	MIWW 4242◆	MIWW 4142◆	RETAIL PRICE VAT. EXCL.
	●	MIWW 4224◆	MIWW 4124◆	MIWW 4214◆	MIWW 4114◆	MIWW 4244◆	MIWW 4144◆	
	○	MIWW 4221◆	MIWW 4121◆	MIWW 4211◆	MIWW 4111◆	MIWW 4241◆	MIWW 4141◆	
RING	●							RETAIL PRICE VAT. EXCL.
	●							
	○							

350mA - **required remote mounted driver** see below

4 x 4 LED 0.96W (**LED incl.**) - 350mA - 4 x 456lm - 2700K (on demand 6000K) - CRI >93
aperture : L 309 W 92 H 66 - depth : min. 90

◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°


CEILING - IP40

DEVICE	DIM.	DRIVER	NET PRICE
1-2 x	1-10 PU DA	D 40WDP*	54€


*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

CONC 0054 | 75€



concrete box: L 312 W 97 H 106
aperture: L 315 W 100 H 108

[illegible]

350mA - **required remote mounted driver** see below - **installation kit required**

4 x 4 LED 0.96W (LED incl.) - 350mA - 4 x 456lm - 2700K (on demand 6000K) - CRI >93

◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°


CEILING - IP40

DEVICE	DIM.	DRIVER	NET PRICE
1-2 x	1-10 PU DA	D 40WDP*	54€


*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

PLAS 0054 | 105€



installation kit: L 370 W 145 H 82
aperture: L 325 W 90 H 84



RING	ARIN 2222						RETAIL PRICE VAT. EXCL.
	FRAME	INTERIOR	FRAME	INTERIOR	FRAME	INTERIOR	
●	●	●	●	○	○	○	225€
●	ARIN 2229	ARIN 2129	ARIN 2219	ARIN 2119	ARIN 2249	ARIN 2149	275€
●	ARIN 2224	ARIN 2124	ARIN 2214	ARIN 2114	ARIN 2244	ARIN 2144	225€
○	ARIN 2221	ARIN 2121	ARIN 2211	ARIN 2111	ARIN 2241	ARIN 2141	225€
RING	ARIN 2292						RETAIL PRICE VAT. EXCL.
	FRAME	INTERIOR	FRAME	INTERIOR	FRAME	INTERIOR	
●	●	●	●	○	●	○	255€
●	ARIN 2299	ARIN 2199	ARIN 2294	ARIN 2194	ARIN 2291	ARIN 2191	340€
●	ARIN 2294	ARIN 2194	ARIN 2291	ARIN 2191	ARIN 2292	ARIN 2192	255€
○	ARIN 2291	ARIN 2191	ARIN 2292	ARIN 2192	ARIN 2299	ARIN 2199	255€

12V - **transformer excluded**
BA15d - 1 x QR70 max. 50W. LED version available on demand.
aperture : L 104 W 106 H 105
Bulb excluded - CEILING -   


ACCESSORY FOR CONCRETE CEILING

CONC 0007 | 60€



concrete box: L 105 W 112 H 106
aperture: L 108 W 115 H 108

R07 Rimless




RING		INTERIOR	INTERIOR	RETAIL PRICE VAT. EXCL.
		●	○	
				
				
				
	ARRI 2222	ARRI 2122		160€
	ARRI 2229	ARRI 2129		210€
	ARRI 2224	ARRI 2124		160€
	ARRI 2221	ARRI 2121		160€


12V - **transformer excluded** - **installation kit required**
BA15d - 1 x QR70 max. 50W. LED version available on demand.
Bulb excluded - **CEILING** -   

REQUIRED INSTALLATION KIT FOR RIMLESS

PLAS 0007 | 90€




installation kit: L 165 W 165 H 111
aperture: L 120 W 110 H 113

 R70 in	RING	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	RETAIL PRICE VAT. EXCL.	
									315€	
		ARIN 7229	ARIN 7129	ARIN 7219	ARIN 7119	ARIN 7249	ARIN 7149	ARIN 7149	490€	
		ARIN 7224	ARIN 7124	ARIN 7214	ARIN 7114	ARIN 7244	ARIN 7144	ARIN 7144	315€	
		ARIN 7221	ARIN 7121	ARIN 7211	ARIN 7111	ARIN 7241	ARIN 7141	ARIN 7141	315€	
	RING	FRAME INTERIOR		FRAME INTERIOR		FRAME INTERIOR		FRAME INTERIOR		RETAIL PRICE VAT. EXCL.
										380€
						ARIN 7299		ARIN 7199		555€
						ARIN 7294		ARIN 7194		380€
						ARIN 7291		ARIN 7191		380€

12V - **transformer excluded**
BA15d - 2 x QR70 max. 50W. LED version available on demand.
aperture : L 204 W 106 H 105
Bulbs excluded - CEILING -


ACCESSORY FOR CONCRETE CEILING

CONC 0070 | 80€



concrete box: L 205 W 112 H 106
aperture: L 208 W 115 H 108

R70 Rimless




RING	INTERIOR	INTERIOR	RETAIL PRICE VAT. EXCL.
	ARRI 7222	ARRI 7122	240€
	ARRI 7229	ARRI 7129	415€
	ARRI 7224	ARRI 7124	240€
	ARRI 7221	ARRI 7121	240€

12V - **transformer excluded - installation kit required**
BA15d - 2 x QR70 max. 50W. LED version available on demand.
Bulbs excluded - CEILING -

REQUIRED INSTALLATION KIT FOR RIMLESS

PLAS 0070 | 105€



installation kit: L 265 W 165 H 111
aperture: L 220 W 110 H 113

R110 in G53



RING	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	RETAIL PRICE VAT. EXCL.
●	ARIN 0222	ARIN 0122	ARIN 0212	ARIN 0112	ARIN 0242	ARIN 0142	235€	
●	ARIN 0229	ARIN 0129	ARIN 0219	ARIN 0119	ARIN 0249	ARIN 0149	320€	
●	ARIN 0224	ARIN 0124	ARIN 0214	ARIN 0114	ARIN 0244	ARIN 0144	235€	
○	ARIN 0221	ARIN 0121	ARIN 0211	ARIN 0111	ARIN 0241	ARIN 0141	235€	
RING	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	RETAIL PRICE VAT. EXCL.	
●					ARIN 0292	ARIN 0192	300€	
●					ARIN 0299	ARIN 0199	385€	
●					ARIN 0294	ARIN 0194	300€	
○					ARIN 0291	ARIN 0191	300€	

12V - transformer excluded
G53 - 1 x R111 max. 100W or R111 LED
aperture : L 149 W 151 H 80 - depth : min. 120
Bulb excluded - CEILING - CE IP20 eco


ACCESSORY FOR CONCRETE CEILING

CONC 0110 | 75€



concrete box: L 152 W 158 H 120
aperture: L 155 W 161 H 122

R110 Rimless




RING	INTERIOR	INTERIOR	RETAIL PRICE VAT. EXCL.
●	ARRI 0222	ARRI 0122	165€
●	ARRI 0229	ARRI 0129	245€
●	ARRI 0224	ARRI 0124	165€
○	ARRI 0221	ARRI 0121	165€

12V - transformer excluded - installation kit required
G53 - 1 x R111 max. 100W or R111 LED
Bulb excluded - CEILING - CE IP20 eco

REQUIRED INSTALLATION KIT FOR RIMLESS

PLAS 0110 | 100€



installation kit: L 210 W 210 H 84
aperture: L 165 W 155 H 8

Recessed

	RING	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	FRAME INTERIOR	RETAIL PRICE VAT. EXCL.
		● ●	● ○	○ ●	○ ○	● ●	● ○	
	●	ARIN 1222	ARIN 1122	ARIN 1212	ARIN 1112	ARIN 1242	ARIN 1142	340€
	●	ARIN 1229	ARIN 1129	ARIN 1219	ARIN 1119	ARIN 1249	ARIN 1149	520€
	●	ARIN 1224	ARIN 1124	ARIN 1214	ARIN 1114	ARIN 1244	ARIN 1144	340€
	○	ARIN 1221	ARIN 1121	ARIN 1211	ARIN 1111	ARIN 1241	ARIN 1141	340€
	RING					FRAME INTERIOR	FRAME INTERIOR	RETAIL PRICE VAT. EXCL.
	●					● ●	● ○	
	●							
	●							
	○							
						ARIN 1292	ARIN 1192	410€
						ARIN 1299	ARIN 1199	590€
						ARIN 1294	ARIN 1194	410€
						ARIN 1291	ARIN 1191	410€

12V - transformer excluded


G53 - 2 x R111 max. 100W or R111 LED

aperture : L 289 W 151 H 80 - depth : min. 120

Bulbs excluded - CEILING -   

ACCESSORY FOR CONCRETE CEILING


CONC 0111 | 90€



concrete box: L 292 W 158 H 120

aperture: L 295 W 161 H 122

R111 Rimless



	RING		INTERIOR	INTERIOR	RETAIL PRICE VAT. EXCL.
		●	●	○	
	●				
	●				
	●				
	○				
			ARRI 1222	ARRI 1122	255€
			ARRI 1229	ARRI 1129	440€
			ARRI 1224	ARRI 1124	255€
			ARRI 1221	ARRI 1121	255€


12V - transformer excluded - installation kit required

G53 - 2 x R111 max. 100W or R111 LED

Bulbs excluded - CEILING -   

REQUIRED INSTALLATION KIT FOR RIMLESS

PLAS 0111 | 115€



installation kit: L 350 W 210 H 84

aperture: L 305 W 155 H 86

Bathroom

Bathroom



BILY BATHROOM
Bily 16 BATHROOM 153



AUDY BATHROOM
Audy-In BATHROOM 152



7TY BATHROOM
7Ty up BATHROOM 152



BILY UP BATHROOM
Bily 16 up BATHROOM 154

Bathroom



CODE 1 BATHROOM		
Code 1 BATHROOM		156
Code 1 LED BATHROOM		156



BOULY BATHROOM		
Bouly 4 BATHROOM		155
Bouly 16 BATHROOM		155



CODE W BATHROOM		
Code W BATHROOM		157
Code W LED BATHROOM		157



CODE 2 BATHROOM		
Code 2 BATHROOM		156
Code 2 LED BATHROOM		157

7Ty up BATHROOM



DIM	FRAME	FRAME	FRAME	FRAME	RETAIL PRICE VAT: EXCL.
	●	○	●	●	
LC	STEP 1002	STEP 1001	STEP 1007	STEP 1008	310€

230V - **driver included in base** - TRIAC/IGBT dimmable

1 x LED array 11,8W (incl.) - 250mA - 913lm - 2700K - CRI >97

◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°

CEILING - CE IP55 eco

7Ty up BATHROOM with honeycomb



LC	STEP 1002H	STEP 1001H	STEP 1007H	STEP 1008H	320€
----	------------	------------	------------	------------	------


230V - **driver included in base** - TRIAC/IGBT dimmable

1 x LED array 11,8W (incl.) - 250mA - 913lm - 2700K - CRI >97

◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°

CEILING - CE IP55 eco

Audy-In BATHROOM (for false & concrete ceiling)



COLOR LED	FRAME	FRAME	FRAME	FRAME	RETAIL PRICE VAT: EXCL.
	●	●	○	●	
2700K	AUDX 1273	AUDX 1272	AUDX 1271		310€
2700K				AUDX 1274	360€
3000K	AUDX 1303	AUDX 1302	AUDX 1301		310€
3000K				AUDX 1304	360€

350mA - **required remote mounted driver** see below

1 x LED array 6,25W (incl.) - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6,25W (incl.) - 350mA - 673lm - 3000K - CRI >95

For false ceiling: aperture : Ø 45 - depth : min. 50 mm - depth for driver in false ceiling : min. 70 mm

For concrete ceiling: aperture : Ø 45 - depth : min. 50 mm - depth for driver in concrete ceiling : min. 110 mm

◆ Choose beam: M=medium 23° or W=wide 40°

CEILING - CE IP55 eco

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€

driver does not fit through cutout hole of fixture
*110V-230V

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

COLOR LED

FRAME

FRAME


FRAME

FRAME

RETAIL PRICE
VAT. EXCL.

2700K	AUDEX 1273H	AUDEX 1272H	AUDEX 1271H		320€
2700K				AUDEX 1274H	370€
3000K	AUDEX 1303H	AUDEX 1302H	AUDEX 1301H		320€
3000K				AUDEX 1304H	370€

Choose beam



350mA - **required remote mounted driver** see below
1 x LED array 6,25W (incl.) - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W (incl.) - 350mA - 673lm - 3000K - CRI >95
For false ceiling: aperture : Ø 45 - depth : min. 50 mm - depth for driver in false ceiling : min. 70 mm
For concrete ceiling: aperture : Ø 45 - depth : min. 50 mm - depth for driver in concrete ceiling : min. 110 mm
◆ Choose beam: M=medium 23° or W=wide 40°
CEILING -

REQUIRED REMOTE MOUNTED DRIVER							
DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€	1-2 x	1-10 PU	D 15WP*	24€
	LC	D 10WT	17€		DA	D 15WDA*	27€
2 x	LC	D 18WT	21€	2-6 x	1-10 PU DA	D 40WDP*	54€
driver does not fit through cutout hole of fixture *110V-230V				For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers			

FRAME


INSIDE RING

INSIDE RING

RETAIL PRICE
VAT. EXCL.

●	BIEXF 1620	435€
●	BIEXF 1628	445€
○	BIEXF 1610	435€
○	BIEXF 1618	445€
●	BIEXF 1670	435€
●	BIEXF 1678	445€
●	BIEXF 1680	435€
●	BIEXF 1688	445€


Bily 16 BATHROOM (for false ceiling)



350mA - **required remote mounted driver** see below
1 x LED array 11W (incl.) - 350mA - 1125lm - 2700K - CRI >97
aperture : Ø 65 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm
CEILING -

REQUIRED REMOTE MOUNTED DRIVER							
DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 12W**	22€	1 x	DA	D 15WDA*	27€
	LC	D 18WT	21€	1-3 x	1-10 PU DA	D 40WDP*	54€
	1-10 PU	D 15WP*	24€				
driver does not fit through cutout hole of fixture *110V-230V **IP 65				For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers			

Bily 16C BATHROOM (for concrete ceiling)



FRAME	INSIDE RING	INSIDE RING	RETAIL PRICE VAT. EXCL.
	BIEXC 1620		445€
		BIEXC 1628	455€
	BIEXC 1610		445€
		BIEXC 1618	455€
	BIEXC 1670		445€
		BIEXC 1678	455€
	BIEXC 1680		445€
		BIEXC 1688	455€

350mA - **required remote mounted driver** see below
1 x LED array 11W (LED incl.) - 350mA - 1125lm - 2700K - CRI >97
aperture : Ø 65 - depth : min. 70 mm - depth for driver in ceiling : min. 130 mm
CEILING -

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE
1 x		N 12W**	22€
		D 18WT	21€
		D 15WP*	24€

driver does not fit through cutout hole of fixture
*110V-230V **IP 65

DEVICE	DIM.	DRIVER	NET PRICE
1 x		D 15WDA*	27€
1-3 x		D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Bily 16 up BATHROOM



DIM	FRAME	INSIDE RING	INSIDE RING	RETAIL PRICE VAT. EXCL.
		BUEX 1620		530€
			BUEX 1628	540€
		BUEX 1610		530€
			BUEX 1618	540€
		BUEX 1670		530€
			BUEX 1678	540€
		BUEX 1680		530€
			BUEX 1688	540€


230V - **driver included in base** - **TRIAC/IGBT dimmable**
1 x LED array 11W (LED incl.) - 350mA - 1125lm - 2700K - CRI >97
CEILING -

INSIDE RING

INSIDE RING

RETAIL PRICE
VAT. EXCL.

Bouly 4 BATHROOM (for false ceiling)



BEWW 6010 395€

350mA - **required remote mounted driver see below**
1 x 4 LED 0.96W (LED incl.) - 350mA - 456lm - 2700K (on demand 6000K) - CRI >93
aperture : Ø 65 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm
◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°

CEILING - CE IP55 eco

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 4W	11€
	C	D 6WI	12€
	1-10 PU	D 6WP	13€
1-2 x	NO	N 12W**	22€

driver does not fit through cutout hole of fixture
*110V-230V **IP 65

DEVICE	DIM.	DRIVER	NET PRICE
1-3 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
2-8 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Bouly 4C BATHROOM (for concrete ceiling)



BEWW 6012 405€

350mA - **required remote mounted driver see below**
1 x 4 LED 0.96W (LED incl.) - 350mA - 456lm - 2700K (on demand 6000K) - CRI >93
aperture : Ø 65 - depth : min. 80 mm - depth for driver in ceiling : min. 130 mm
◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°

CEILING - CE IP55 eco

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 4W	11€
	C	D 6WI	12€
	1-10 PU	D 6WP	13€
1-2 x	NO	N 12W**	22€

driver does not fit through cutout hole of fixture
*110V-230V **IP 65

DEVICE	DIM.	DRIVER	NET PRICE
1-3 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
2-8 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Bouly 16 BATHROOM (for false ceiling)



BOEX 1600 405€
BOEX 1608 425€

350mA - **required remote mounted driver see below**
1 x LED array 11W (LED incl.) - 350mA - 1125lm - 2700K - CRI >97
aperture : Ø 65 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm
CEILING - CE IP55 eco

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 12W**	22€
	LC	D 18WT	21€
	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€

driver does not fit through cutout hole of fixture
*110V-230V **IP 65

DEVICE	DIM.	DRIVER	NET PRICE
1-3 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Bouly 16C BATHROOM (for concrete ceiling)



INSIDE RING



INSIDE RING



RETAIL PRICE
VAT. EXCL.

BOEX 1602	415€
BOEX 1680	435€

350mA - **required remote mounted driver see below**
1 x LED array 11W **(LED incl.)** - 350mA - 1125lm - 2700K - CRI >97
aperture : Ø 65 - depth : min. 85 mm - depth for driver in ceiling : min. 130 mm
CEILING -

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 12W**	22€	1-3 x	1-10 PU DA	D 40WDP*	54€
	LC	D 18WT	21€				
	1-10 PU	D 15WP*	24€				
	DA	D 15WDA*	27€				

driver does not fit through cutout hole of fixture
*110V-230V **IP 65

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Code 1 BATHROOM



VOLT

FRAME



FRAME



FRAME



RETAIL PRICE
VAT. EXCL.

230V		COEX 3001	COEX 1001	COEX 2001		230€
12V		COEX 3121	COEX 1121	COEX 2121		230€

230V - GU10 - 1 x HALO QPAR16 max. 35W or 1 x GU10 LED
 12V - **transformer excluded** - GU5.3 - 1 x HALO QR-CBC51 (only alu reflector / no cool beam) max. 35W or 1 x LED
Bulb excluded - **CEILING** -


Code 1 LED BATHROOM



COEX 2151	◆	COEX 1151	◆	COEX 7151	◆		385€
-----------	---	-----------	---	-----------	---	--	------

230V - **driver included in base - non-dimmable**
1 x 4 LED 0.96W **(LED incl.)** - 350mA - 456lm - 2700K (on demand 6000K) - CRI >93
◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°
CEILING -

OPTIONAL COVER CODE 1 BATHROOM & CODE 1 LED BATHROOM



ACEX 7055	ACEX 2055	ACEX 1055		46€
-----------	-----------	-----------	--	-----

Code 2 BATHROOM



230V		COEX 3002	COEX 1002	COEX 2002		275€
12V		COEX 3122	COEX 1122	COEX 2122		275€

230V - GU10 - 2 x HALO QPAR16 max. 35W or 2 x GU10 LED
 12V - **transformer excluded** - GU5.3 - 2 x HALO QR-CBC51 (only alu reflector / no cool beam) max. 35W or 2 x LED
Bulbs excluded - **CEILING** -

VOLT

FRAME

FRAME

FRAME

RETAIL PRICE
VAT. EXCL.


●

○

●

605€

Code 2 LED BATHROOM




230V - driver included in base - non-dimmable

1 x 8 LED 0.96W **(LED incl.)** - 350mA - 912lm - 2700K (on demand 6000K) - CRI >93

◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°

CEILING - IP55

Code W BATHROOM



230V - G9 HALO I

CODE 2006

CODE 1006

CODE 7006

|

215€

12V - GY6.35 HALO I

CODE 2126

CODE 1126

CODE 7126

|

215€

230V - G9 LED I

CODE L2006

CODE L1006

CODE L7006

|

215€

◇ 230V - G9 - 1 x HALO QT14 max. 60W or 1 x G9 LED (max. Ø19, max. L 62mm)

◇ 12V - **transformer excluded** - GY6.35 - 1 x QT12 max. 50W

Bulb excluded - WALL - IP55

OPTIONAL COVER FOR CODE W BATHROOM



80

ACEX 2006


ACEX 1006

ACEX 7006

|

46€

Code W LED BATHROOM



1 side I

COEX 2111◆

COEX 1111◆

COEX 7111◆

|

450€

2 sides I

COEX 2211◆

COEX 1211◆

COEX 7211◆

|

635€

350mA - **required remote mounted driver see below**

1 lighting side : 1 x 4 LED 0.96W **(LED incl.)** - 350mA - 456lm - 2700K (on demand 6000K) - CRI >93

2 lighting sides : 2 x 4 LED 0.96W **(LED incl.)** - 350mA - 2 x 456lm - 2700K (on demand 6000K) - CRI >93

◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°

WALL - IP55

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	1 side	NO I-HO PU	N 4W *** D 6WP *** 11€ 13€	1 x	2 sides	NO LC	N 12W** D 10WT 22€ 17€
1-2 x	1 side	NO	N 12W** *** 22€		I-HO PU	D 15WP* 24€	
2 x	1 side	LC	D 10WT *** 17€		DA	D 15WDA* 27€	
1-3 x	1 side	I-HO PU	D 15WP* *** 24€	1-4 x	2 sides	I-HO PU DA	D 40WDP* 54€
		DA	D 15WDA* *** 27€				
2-8 x	1 side	I-HO PU DA	D 40WDP* 54€				

driver does not fit through cutout hole of fixture

*110V-230V **IP65

***driver fits behind optional cover for CODE W LED

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

OPTIONAL COVER FOR CODE W LED BATHROOM



80

ACEX 2006

ACEX 1006

ACEX 7006

|

46€

Track



2THIRTY		
2Thirty Track 48V		160
2Thirty Track 230V		160



AUDY-SOLITAIRE		
Audy-Solitaire RF 75 Track 48V		164
Audy-Solitaire RF 100 Track 48V		165



AUSTERE-SOLITAIRE		
Austere-Solitaire RF 75 Track 48V		166
Austere-Solitaire RF 100 Track 48V		166



AUDETTE		
Audette Track 48V		161
Audette-Duo Track 48V		162
Audette-Varié Track 48V		163



AUST-IN		
Aust-In Adjustable Track 48V		166



MINI-PI		
Mini-Pi 1 Track 48V		167
Mini-Pi 2 Track 48V		167

Track



T-PATH SURFACE MOUNTING	
T-Path profile	168
T-Path Base	168
T-Path Driver	168
T-Path profile cover	168
T-Path E-connector 180°	168
T-Path M-connector 180°	168
T-Path E-connector 90° INTERNAL	169
T-Path E-connector 90° EXTERNAL	169
T-Path E-connector flexibel	169
T-Path Endplates	169
T-Path Endplates open	169
T-Path power feed	169



T-PATH RIMLESS MOUNTING	
T-Path profile	170
T-Path profile cover	170
T-Path E-connector 180°	170
T-Path E-connector flexibel	170
T-Path M-connector 180°	170
T-Path Endplates	170
T-Path power feed	171

Technical drawing of the adapter 48V. The main view shows a side profile of the adapter with dimensions: 166 (total length), 201 (height to top of beam), 20 (height to top of frame), 85 (height to top of ring), 100 (height to top of beam), 32 (height to top of frame), and Ø 12 (diameter of mounting hole). A callout indicates 'Choose beam' with a diamond symbol. A detail view shows the adapter mounted on a beam, with dimensions: Ø 80 (diameter of beam), 359° (rotation angle), and labels: ROD, SWIVEL, FRAME, RING, BEAM. A note in a dashed box states: 'driver not incl. in adapter see required driver for adapter 48V'.

●	2T4 12723◆	365€
●	2T4 17723◆	365€
●	2T4 18723◆	365€

◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°

TRACK 48V -   IP50 

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x		N 14W	26€	1 x		D 13WP	29€
						D 13WD	32€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Technical drawing of the 48V LED spotlight showing dimensions and components:

- Dimensions: 166 (total length), 100 (rod length), 85 (rod to lens), 36 (lens diameter), Ø 12 (rod diameter), Ø 80 (lens diameter), 359° (beam angle).
- Mounting: 20 (rod to wall), 20 (rod to wall).
- Beam selection: "Choose beam" with a diamond symbol.
- Warning: "driver not incl. in adapter" and "see required driver for adapter 48V".
- Components: ROD, SWIVEL, FRAME, RING, BEAM.

●	2T4 12723H◆	385€
●	2T4 17723H◆	385€
●	2T4 18723H◆	385€

◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°

TRACK 48V - IP50

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x		N 14W	26€	1 x		D 13WP	29€
						D 13WD	32€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

100
40
32
85
100
32
Ø 12
Ø 80
359°

Choose beam ◆

ROD
SWIVEL
FRAME
RING BEAM

LC		2T2 12223		435€
LC		2T2 17223		435€
LC		2T2 18223		435€

◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°

TRACK 230V - IP50

Technical drawing of the Spot 1200 spotlight. The main view shows the spotlight with dimensions: 100 (width), 40 (height), 32 (height), 85 (height), 100 (length), 36 (length), Ø 12 (diameter), and Ø 80 (diameter). A beam angle of 359° is indicated. A callout shows the internal components: ROD, SWIVEL, FRAME, and RING BEAM. A note says "Choose beam" with a diamond symbol.



LC	●	2T2 12223H◆	455€
LC	●	2T2 17223H◆	455€
LC	●	2T2 18223H◆	455€

◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°

TRACK 230V - IP50

COLOR LED	ADAPTER	SWIVEL	FRAME	RING	ADAPTER	SWIVEL	FRAME	RING	ADAPTER	SWIVEL	FRAME	RING	ADAPTER	SWIVEL	FRAME	RING	ADAPTER	SWIVEL	FRAME	RING	RETAIL PRICE VAT. EXCL.
	●	●	●	●	○	●	●	●	●	○	○	○	○	○	○	○	●	●	●	●	

Audette Track 48V



2700K	ADTR 2333	ADTW 2333																			320€
2700K																					300€
2700K																					380€
3000K	ADTR 3333	ADTW 3333																			320€
3000K																					300€
3000K																					380€

48V - adapter included - **driver required for adapter 48V see below**

1 x LED array 6,25W (**LED incl.**) - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6,25W (**LED incl.**) - 350mA - 673lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

TRACK 48V - CE IP50



REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 14W	26€	1 x	1-10	D 13WP	29€
					DA	D 13WD	32€

For warranty use only Trizo21® supplied LED drivers as mentioned.

For all specs and techs about drivers, see www.trizo21.com/drivers

Audette Track 48V with honeycomb



2700K	ADTR 2333H	ADTW 2333H																			330€
2700K																					310€
2700K																					390€
3000K	ADTR 3333H	ADTW 3333H																			330€
3000K																					310€
3000K																					390€

48V - adapter included - **driver required for adapter 48V see below**

1 x LED array 6,25W (**LED incl.**) - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6,25W (**LED incl.**) - 350mA - 673lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

TRACK 48V - CE IP50

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 14W	26€	1 x	1-10	D 13WP	29€
					DA	D 13WD	32€

For warranty use only Trizo21® supplied LED drivers as mentioned.

For all specs and techs about drivers, see www.trizo21.com/drivers

166

201

201

22

33

Ø 40

+ 70°

359°

◆ Choose beam

driver not incl.
in adapter
see required driver
for adapter 48V

ADAPTER

SWIVEL

FRAME

RING

BEAM

COLOR LED	ADAPTER	SWIVEL	FRAME	RING	ADAPTER	SWIVEL	FRAME	RING	ADAPTER	SWIVEL	FRAME	RING	ADAPTER	SWIVEL	FRAME	RING	ADAPTER	SWIVEL	FRAME	RING	RETAIL PRICE VAT. EXCL.
2700K	◆				◆				◆												300€
2700K										◆			◆				◆				320€
3000K	◆				◆				◆												300€
3000K										◆			◆				◆				320€

48V - adapter included - driver required for adapter 48V see below
1 x LED array 6,25W (LED incl.) - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W (LED incl.) - 350mA - 673lm - 3000K - CRI >95
◆ Choose beam: M=medium 23° or W=wide 40°
TRACK 48V - CE IP50 eco

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 14W	26€	1 x	1-10V	D 13WP	29€
					DA	D 13WD	32€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audette-Duo Track 48V with honeycomb

166

201

201

22

33

Ø 40

+ 70°

359°

◆ Choose beam

driver not incl.
in adapter
see required driver
for adapter 48V

ADAPTER

SWIVEL

FRAME

RING

BEAM

2700K	◆	◆	◆		◆	◆	◆		310€
2700K					◆	◆	◆		330€
3000K	◆	◆	◆						310€
3000K					◆	◆	◆		330€


48V - adapter included - driver required for adapter 48V see below
1 x LED array 6,25W (LED incl.) - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W (LED incl.) - 350mA - 673lm - 3000K - CRI >95
◆ Choose beam: M=medium 23° or W=wide 40°
TRACK 48V - CE IP50 eco

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 14W	26€	1 x	1-10V	D 13WP	29€
					DA	D 13WD	32€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audette-Varié Track 48V



COLOR LED	ADAPTER				ADAPTER				ADAPTER				RETAIL PRICE VAT. EXCL.
	ADAPTER	SWIVEL	FRAME	RING	ADAPTER	SWIVEL	FRAME	RING	ADAPTER	SWIVEL	FRAME	RING	
2700K	ADTRD 2232	ADTRD 2131	ADTWD 2131										300€
3000K	ADTRD 3232	ADTRD 3131	ADTWD 3131										300€


48V - adapter included - **driver required for adapter 48V see below**
1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
◆ Choose beam: M=medium 23° or W=wide 40°
TRACK 48V -

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 14W	26€	1 x	1-10	D 13WP	29€
					DA	D 13WD	32€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Audette-Varié Track 48V with honeycomb



2700K	ADTRD 2232H	ADTRD 2131H	ADTWD 2131H	310€
3000K	ADTRD 3232H	ADTRD 3131H	ADTWD 3131H	310€

48V - adapter included - **driver required for adapter 48V see below**
1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
◆ Choose beam: M=medium 23° or W=wide 40°
TRACK 48V -

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 14W	26€	1 x	1-10	D 13WP	29€
					DA	D 13WD	32€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

COLOR LED

ADAPTER
FRAME
RING

ADAPTER
FRAME
RING

ADAPTER
FRAME
RING

ADAPTER
FRAME
RING

ADAPTER
FRAME
RING

ADAPTER
FRAME
RING

RETAIL PRICE
VAT. EXCL.

Audy-Solitaire RF 75 Track 48V

20

166

20

ROD 745

55

Ø40

Choose beam

! driver not incl. in adapter
see required driver for adapter 48V

2700K

AYTR 2703

AYTW 2703

2700K

AYTR 2702

AYTW 2702

AYTW 2701

2700K

AYTR 2704

3000K

AYTR 3703

AYTW 3703

3000K

AYTR 3702

AYTW 3702

AYTW 3701

3000K

AYTR 3704

535€

515€

600€

535€

515€

600€

48V - adapter included - driver required for adapter 48V see below

1 x LED array 6,25W (LED incl.) - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6,25W (LED incl.) - 350mA - 673lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

TRACK 48V -

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE

DIM.

DRIVER

NET PRICE

DEVICE

DIM.

DRIVER

NET PRICE

1 x

NO

N 14W

26€

1 x

1-10
DA

D 13WP

29€

DA

D 13WD

32€

For warranty use only Trizo21® supplied LED drivers as mentioned.

For all specs and techs about drivers, see www.trizo21.com/drivers

Audy-Solitaire RF 75 Track 48V with honeycomb

20

166

20

ROD 745

55

Ø40

Choose beam

! driver not incl. in adapter
see required driver for adapter 48V

2700K

AYTR 2703H

AYTW 2703H

2700K

AYTR 2702H

AYTW 2702H

AYTW 2701H

2700K

AYTR 2704H

3000K

AYTR 3703H

AYTW 3703H

3000K

AYTR 3702H

AYTW 3702H

AYTW 3701H

3000K

AYTR 3704H

545€

525€

610€

545€

525€

610€

48V - adapter included - driver required for adapter 48V see below

1 x LED array 6,25W (LED incl.) - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6,25W (LED incl.) - 350mA - 673lm - 3000K - CRI >95

◆ Choose beam: M=medium 23° or W=wide 40°

TRACK 48V -

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE

DIM.

DRIVER

NET PRICE

DEVICE

DIM.

DRIVER

NET PRICE

1 x

NO

N 14W

26€

1 x

1-10
DA

D 13WP

29€

DA

D 13WD

32€

For warranty use only Trizo21® supplied LED drivers as mentioned.

For all specs and techs about drivers, see www.trizo21.com/drivers

COLOR LED

ADAPTER
FRAME
RING

ADAPTER
FRAME
RING

ADAPTER
FRAME
RING

ADAPTER
FRAME
RING

ADAPTER
FRAME
RING

ADAPTER
FRAME
RING

RETAIL PRICE
VAT. EXCL.

Audy-Solitaire RF 100 Track 48V

2700K

2700K

2700K

AYTR 2903

AYTW 2903

AYTR 2902

AYTW 2902

AYTW 2901

AYTR 2904

550€

530€

610€

3000K

3000K

3000K

AYTR 3903

AYTW 3903

AYTR 3902

AYTW 3902

AYTW 3901

AYTR 3904

550€

530€

610€

166

20

20

ROD 995

55

Ø40

Choose beam

! driver not incl. in adapter

see required driver for adapter 48V

48V - adapter included - driver required for adapter 48V see below

1 x LED array 6,25W (LED incl.) - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6,25W (LED incl.) - 350mA - 673lm - 3000K - CRI >95

Choose beam: M=medium 23° or W=wide 40°

TRACK 48V -

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)							
DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 14W	26€	1 x	1-10	D 13WP	29€
					DA	D 13WD	32€
For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers							

Audy-Solitaire RF 100 Track 48V with honeycomb

2700K

2700K

2700K

AYTR 2903H

AYTW 2903H

AYTR 2902H

AYTW 2902H

AYTW 2901H

AYTR 2904H

560€

540€

620€

3000K

3000K

3000K

AYTR 3903H

AYTW 3903H

AYTR 3902H

AYTW 3902H

AYTW 3901H

AYTR 3904H

560€

540€

620€

166

20

20

ROD 995

55

Ø40

Choose beam

! driver not incl. in adapter

see required driver for adapter 48V

48V - adapter included - driver required for adapter 48V see below

1 x LED array 6,25W (LED incl.) - 350mA - 633lm - 2700K - CRI >95

or 1 x LED array 6,25W (LED incl.) - 350mA - 673lm - 3000K - CRI >95

Choose beam: M=medium 23° or W=wide 40°

TRACK 48V -

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)							
DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 14W	26€	1 x	1-10	D 13WP	29€
					DA	D 13WD	32€
For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers							

polyvarnished brass :black :white :gunmetal 1-10 :1-10V DA :DALI NO :non-dimmable

Track

165

ADAPTER
FRAME

ADAPTER
FRAME

ADAPTER
FRAME


ADAPTER
FRAME

ADAPTER
FRAME

ADAPTER
FRAME

RETAIL PRICE
VAT. EXCL.

Aust-In Adjustable Track 48V



! driver not incl. in adapter
see required driver for adapter 48V

AUTR 1733

AUTW 1733

AUTR 1722

AUTW 1722

AUTW 1711

AUTR 1744

290€

385€

48V - adapter included - driver required for adapter 48V see below

1 x LED array 6W (LED incl.) - 350mA - 634lm - 2700K - CRI >93


TRACK 48V - CE IP40 eco

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 14W	26€	1 x	I-10	D 13WP	29€
					DA	D 13WD	32€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Austere-Solitaire RF 75 Track 48V



! driver not incl. in adapter
see required driver for adapter 48V

HVSU 4773

HVSW 4773

HVSU 4772

HVSW 4772

HVSW 4771

HVSU 4774

450€

545€

48V - adapter included - driver required for adapter 48V see below

1 x LED array 6W (LED incl.) - 350mA - 634lm - 2700K - CRI >93


TRACK 48V - CE IP40 eco

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 14W	26€	1 x	I-10	D 13WP	29€
					DA	D 13WD	32€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Austere-Solitaire RF 100 Track 48V



! driver not incl. in adapter
see required driver for adapter 48V

HVSU 4793

HVSW 4793

HVSU 4792

HVSW 4792

HVSW 4791

HVSU 4794

465€

560€

48V - adapter included - driver required for adapter 48V see below

1 x LED array 6W (LED incl.) - 350mA - 634lm - 2700K - CRI >93

TRACK 48V - CE IP40 eco

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 14W	26€	1 x	I-10	D 13WP	29€
					DA	D 13WD	32€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Mini-Pi 1 Track 48V



! driver not incl. in adapter
see required driver for adapter 48V

ADAPTER	FRAME	ADAPTER	FRAME	ADAPTER	FRAME	RETAIL PRICE VAT. EXCL.
●	●	●	○	○	○	
MIPI 4712	◆	MIPI 4711	◆	MIPW 4711	◆	285€

48V - adapter included - driver required for adapter 48V see below
1 x 4 LED 0,96W (LED incl.) - 350mA - 456lm - 2700K - CRI >93
◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°
TRACK 48V -

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 14W	26€	1 x	1-10 DA	D 13WP D 13WD	29€ 32€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Mini-Pi 2 Track 48V



! driver not incl. in adapter
see required driver for adapter 48V

MIPI 4722	◆	MIPI 4721	◆	MIPW 4721	◆	510€
-----------	---	-----------	---	-----------	---	------

48V - adapter included - driver required for adapter 48V see below
2 x 4 LED 0.96W (LED incl.) - 350mA - 2 x 456lm - 2700K - CRI >93
◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°
TRACK 48V -


REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 14W	26€	1 x	1-10 DA	D 13WP D 13WD	29€ 32€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

SURFACE MOUNTING


T-Path profile 48V



1000		TPCM 1002	TPCM 1001		P.P. on request
2000		TPCM 2002	TPCM 2001		P.P. on request

48V - driver required for T-Path (T-Path base or T-Path driver)
TRACK 48V -

T-Path base (built-up)




NO		TPBA 2000	TPBA 1000		P.P. on request
----	--	-----------	-----------	--	-----------------

230V - driver included in base - non-dimmable max.100W
TRACK 48V -

T-Path driver (built-in)

REQUIRED DRIVER FOR REMOTE MOUNTING DRIVER T-PATH							
DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 75W	on request	1 x	NO	N 150W	on request
					NO	N 240W	on request
For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers							


T-Path profile cover



1000		TPCO 1002	TPCO 1001		P.P. on request
2000		TPCO 2002	TPCO 2001		P.P. on request

48V
TRACK 48V -


T-Path E-connector 180° 48V



TPEC 1802	TPEC 1801		P.P. on request
-----------	-----------	--	-----------------

48V
TRACK 48V -

T-Path M-connector 180° 48V




TPMC 1802	TPMC 1801		P.P. on request
-----------	-----------	--	-----------------

48V
TRACK 48V -

SURFACE MOUNTING


T-Path E-connector 90° INTERNAL 48V



TPCI 0902 TPCI 0901 | P.P. on request

48V
TRACK 48V -


T-Path E-connector 90° EXTERNAL 48V



TPCE 0902 TPCE 0901 | P.P. on request

48V
TRACK 48V -


T-Path E-connector flexibel 48V



TPEF 0002 TPEF 0001 | P.P. on request

48V
TRACK 48V -


T-Path Endplate



TPEP 2002 TPEP 2001 | P.P. on request

48V
TRACK 48V -


T-Path Endplate open



TPOP 2002 TPOP 2001 | P.P. on request

48V
TRACK 48V -


T-Path power feed left



TPPL 1002 TPPL 1001 | P.P. on request

48V
TRACK 48V -

T-Path power feed right




TPPR 1002 TPPR 1001 | P.P. on request

48V
TRACK 48V -

RIMLESS MOUNTING

T-Path profile 48V



1000		TPRI 1002		P.P. on request
2000		TPRI 2002		P.P. on request


48V - **required remote mounted driver**
Bracket for rimless mounting incl. (4 pieces / meter)
TRACK 48V -

REQUIRED DRIVER FOR REMOTE MOUNTING DRIVER T-PATH (RIMLESS MOUNTING)

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 75W	on request	1 x	NO	N 150W	on request
					NO	N 240W	on request

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers


T-Path profile cover



1000		TPCO 1002	TPCO 1001		P.P. on request
------	--	-----------	-----------	--	-----------------

48V
TRACK 48V -

T-Path E-connector 180° 48V



TPREC 1802		P.P. on request
------------	--	-----------------

48V
TRACK 48V -


T-Path E-connector flexibel 48V



TPEF 0002		P.P. on request
-----------	--	-----------------

48V
TRACK 48V -

T-Path Endplates (2 pieces)




TPREP 0002		P.P. on request
------------	--	-----------------

48V
TRACK 48V -

RIMLESS MOUNTING


T-Path power feed left



TPPL 1002 TPPL 1001 | P.P. on request

48V
TRACK 48V -

T-Path power feed right



TPPR 1002 TPPR 1001 | P.P. on request

48V
TRACK 48V -

Outdoor



BILY OUT
Bily 16 OUT 175



AUDY OUT
Audy-In OUT 174



7TY OUT
7Ty up OUT 174



BILY UP OUT
Bily 16 up OUT 176

Outdoor

Outdoor



CODE 1 OUT		
Code 1 OUT		178
Code 1 LED OUT		178



BOULY OUT		
Bouly 4 OUT		176
Bouly 16 OUT		177




CODE W OUT		
Code W OUT		178
Code W LED OUT		179



CODE 2 OUT		
Code 2 OUT		178
Code 2 LED OUT		178


7Ty up OUT



DIM	FRAME	FRAME	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
LC	STEP 1002	STEP 1001	STEP 1007	STEP 1008	310€

230V - **driver included in base** - TRIAC/IGBT dimmable
1 x LED array 11,8W **(LED incl.)** - 250mA - 913lm - 2700K - CRI >97
◆ Choose beam: N=narrow 12° or M=medium 24° or W=wide 40°
CEILING - CE IP55 eco

Audy-In OUT (for false & concrete ceiling)



COLOR LED	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
2700K	AUDEX 1272	AUDEX 1271	310€
3000K	AUDEX 1302	AUDEX 1301	310€

350mA - **required remote mounted driver see below**
1 x LED array 6,25W **(LED incl.)** - 350mA - 633lm - 2700K - CRI >95
or 1 x LED array 6,25W **(LED incl.)** - 350mA - 673lm - 3000K - CRI >95
For false ceiling: aperture : Ø 45 - depth : min. 50 mm - depth for driver in false ceiling : min. 70 mm
For concrete ceiling: aperture : Ø 45 - depth : min. 50 mm - depth for driver in concrete ceiling : min. 110 mm
◆ Choose beam: M=medium 23° or W=wide 40°
CEILING - CE IP55 eco

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 6W	13€
	LC	D 10WT	17€
2 x	LC	D 18WT	21€

driver does not fit through cutout hole of fixture
*110V-230V

DEVICE	DIM.	DRIVER	NET PRICE
1-2 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
2-6 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Bily 16 OUT (for false ceiling)



FRAME	INSIDE RING	INSIDE RING	RETAIL PRICE VAT. EXCL.
●		BIEXF 1620	435€
●		BIEXF 1628	445€
○		BIEXF 1610	435€
○		BIEXF 1618	445€
●		BIEXF 1670	435€
●		BIEXF 1678	445€
●		BIEXF 1680	435€
●		BIEXF 1688	445€

350mA - **required remote mounted driver see below**
1 x LED array 11W (LED incl.) - 350mA - 1125lm - 2700K - CRI >97
aperture : Ø 65 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm
CEILING -

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 12W**	22€
	LC	D 18WT	21€
	1-10 PU	D 15WP*	24€

driver does not fit through cutout hole of fixture
*110V-230V **IP 65

DEVICE	DIM.	DRIVER	NET PRICE
1 x	DA	D 15WDA*	27€
1-3 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

Bily 16C OUT (for concrete ceiling)



●	BIEXC 1620	445€
●	BIEXC 1628	455€
○	BIEXC 1610	445€
○	BIEXC 1618	455€
●	BIEXC 1670	445€
●	BIEXC 1678	455€
●	BIEXC 1680	445€
●	BIEXC 1688	455€

350mA - **required remote mounted driver see below**
1 x LED array 11W (LED incl.) - 350mA - 1125lm - 2700K - CRI >97
aperture : Ø 65 - depth : min. 70 mm - depth for driver in ceiling : min. 130 mm
CEILING -

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 12W**	22€
	LC	D 18WT	21€
	1-10 PU	D 15WP*	24€

driver does not fit through cutout hole of fixture
*110V-230V **IP 65

DEVICE	DIM.	DRIVER	NET PRICE
1 x	DA	D 15WDA*	27€
1-3 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers


Bily 16 up OUT



DIM	FRAME	INSIDE RING	INSIDE RING	RETAIL PRICE VAT. EXCL.
		●	●	
▲	●	BUEX 1620		530€
▲	●		BUEX 1628	540€
▲	○	BUEX 1610		530€
▲	○		BUEX 1618	540€
▲	●	BUEX 1670		530€
▲	●		BUEX 1678	540€
▲	●	BUEX 1680		530€
▲	●		BUEX 1688	540€

230V - **driver included in base** - TRIAC/IGBT dimmable
1 x LED array 11W **(LED incl.)** - 350mA - 1125lm - 2700K - CRI >97
CEILING -

Bouly 4 OUT (for false ceiling)



INSIDE RING	INSIDE RING	RETAIL PRICE VAT. EXCL.
●	●	
BEWW 6010◆		395€

350mA - **required remote mounted driver** see below
1 x 4 LED 0.96W **(LED incl.)** - 350mA - 456lm - 2700K (on demand 6000K) - CRI >93
aperture : Ø 65 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm
◆ **Choose beam:** N=narrow 10° or M=medium 25° or W=wide 40°
CEILING -

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 4W	11€
	C	D 6WI	12€
	1-10 PU	D 6WP	13€
1-2 x	NO	N 12W**	22€

driver does not fit through cutout hole of fixture
*110V-230V **IP 65

DEVICE	DIM.	DRIVER	NET PRICE
1-3 x	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€
2-8 x	1-10 PU DA	D 40WDP*	54€


For warranty use only Trizo21® supplied LED drivers as mentioned.
For all specs and techs about drivers, see www.trizo21.com/drivers

INSIDE RING

INSIDE RING

RETAIL PRICE
 VAT. EXCL.

Bouly 4C OUT (for concrete ceiling)



BEWW 6012 405€

350mA - **required remote mounted driver** see below

1 x 4 LED 0.96W (LED incl.) - 350mA - 456lm - 2700K (on demand 6000K) - CRI >93
 aperture : Ø 65 - depth : min. 80 mm - depth for driver in ceiling : min. 130 mm

◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°

CEILING - CE IP55 eco

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 4W	11€
	C	D 6WI	12€
	1-10 PU	D 6WP	13€
1-2 x	NO	N 12W**	22€

driver does not fit through cutout hole of fixture
 *110V-230V **IP 65

DEVICE	DIM.	DRIVER	NET PRICE
1-3 x	1-10 PU DA	D 15WP*	24€
		D 15WDA*	27€
2-8 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
 For all specs and techs about drivers, see www.trizo21.com/drivers

Bouly 16 OUT (for false ceiling)



BOEX 1600 405€

BOEX 1608 425€

350mA - **required remote mounted driver** see below

1 x LED array 11W (LED incl.) - 350mA - 1125lm - 2700K - CRI >97

aperture : Ø 65 - depth : min. 50 mm - depth for driver in ceiling : min. 70 mm

CEILING - CE IP55 eco

REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 12W**	22€
	LC	D 18WT	21€
	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€

driver does not fit through cutout hole of fixture
 *110V-230V **IP 65

DEVICE	DIM.	DRIVER	NET PRICE
1-3 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
 For all specs and techs about drivers, see www.trizo21.com/drivers

Bouly 16C OUT (for concrete ceiling)



BOEX 1602 415€

BOEX 1680 435€

350mA - **required remote mounted driver** see below

1 x LED array 11W (LED incl.) - 350mA - 1125lm - 2700K - CRI >97

aperture : Ø 65 - depth : min. 85 mm - depth for driver in ceiling : min. 130 mm

CEILING - CE IP55 eco

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE
1 x	NO	N 12W**	22€
	LC	D 18WT	21€
	1-10 PU	D 15WP*	24€
	DA	D 15WDA*	27€

driver does not fit through cutout hole of fixture
 *110V-230V **IP 65

DEVICE	DIM.	DRIVER	NET PRICE
1-3 x	1-10 PU DA	D 40WDP*	54€

For warranty use only Trizo21® supplied LED drivers as mentioned.
 For all specs and techs about drivers, see www.trizo21.com/drivers


Code 1 OUT



VOLT	FRAME	FRAME	FRAME	RETAIL PRICE VAT. EXCL.
	●	○	●	
230V	COEX 3001	COEX 1001	COEX 2001	230€
12V	COEX 3121	COEX 1121	COEX 2121	230€

◇ 230V - GU10 - 1 x HALO QPAR16 max. 35W or 1 x GU10 LED
◇ 12V - **transformer excluded** - GU5.3 - 1 x HALO QR-CBC51 (only alu reflector / no cool beam) max. 35W or 1 x LED
Bulb excluded - CEILING -

Code 1 LED OUT



COEX 2151◆	COEX 1151◆	COEX 7151◆	385€
------------	------------	------------	------

230V - **driver included in base - non-dimmable**
1 x 4 LED 0.96W (**LED incl.**) - 350mA - 456lm - 2700K (on demand 6000K) - CRI >93
◆ **Choose beam:** N=narrow 10° or M=medium 25° or W=wide 40°
CEILING -

OPTIONAL COVER CODE 1 OUT & CODE 1 LED OUT



ACEX 7055	ACEX 2055	ACEX 1055	46€
-----------	-----------	-----------	-----


Code 2 OUT



230V	COEX 3002	COEX 1002	COEX 2002	275€
12V	COEX 3122	COEX 1122	COEX 2122	275€

◇ 230V - GU10 - 2 x HALO QPAR16 max. 35W or 2 x GU10 LED
◇ 12V - **transformer excluded** - GU5.3 - 2 x HALO QR-CBC51 (only alu reflector / no cool beam) max. 35W or 2 x LED
Bulbs excluded - CEILING -

Code 2 LED OUT



COEX 2251◆	COEX 1251◆	COEX 7251◆	605€
------------	------------	------------	------

230V - **driver included in base - non-dimmable**
1 x 8 LED 0.96W (**LED incl.**) - 350mA - 912lm - 2700K (on demand 6000K) - CRI >93
◆ **Choose beam:** N=narrow 10° or M=medium 25° or W=wide 40°
CEILING -


Code W OUT



230V - G9 HALO	CODE 2006	CODE 1006	CODE 7006	215€
12V - GY6.35 HALO	CODE 2126	CODE 1126	CODE 7126	215€
230V - G9 LED	CODE L2006	CODE L1006	CODE L7006	215€


◇ 230V - G9 - 1 x HALO QT14 max. 60W or 1 x G9 LED (max. Ø19, max. L 62mm)
◇ 12V - **transformer excluded** - GY6.35 - 1 x QT12 max. 50W
Bulb excluded - WALL -

OPTIONAL COVER FOR CODE W OUT



ACEX 2006	ACEX 1006	ACEX 7006	46€
-----------	-----------	-----------	-----

Code W LED OUT



1 side	COEX 2111◆	COEX 1111◆	COEX 7111◆		450€
2 sides	COEX 2211◆	COEX 1211◆	COEX 7211◆		635€

350mA - **required remote mounted driver see below**

1 lighting side : 1 x 4 LED 0.96W **(LED incl.)** - 350mA - 456lm - 2700K (on demand 6000K) - CRI >93
2 lighting sides : 2 x 4 LED 0.96W **(LED incl.)** - 350mA - 2 x 456lm - 2700K (on demand 6000K) - CRI >93

◆ Choose beam: N=narrow 10° or M=medium 25° or W=wide 40°

WALL - IP55

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	NET PRICE	DEVICE	DIM.	DRIVER	NET PRICE
1 x	1 side	NO	N 4W *** 11€	1 x	2 sides	NO	N 12W** 22€
		1-10 PU	D 6WP *** 13€			LC	D 10WT 17€
1-2 x	1 side	NO	N 12W** *** 22€			1-10 PU	D 15WP* 24€
2 x	1 side	LC	D 10WT *** 17€			DA	D 15WDA* 27€
1-3 x	1 side	1-10 PU	D 15WP* *** 24€	1-4 x	2 sides	1-10 PU DA	D 40WDP* 54€
		DA	D 15WDA* *** 27€				
2-8 x	1 side	1-10 PU DA	D 40WDP* 54€				

driver does not fit through cutout hole of fixture

*110V-230V **IP65

***driver fits behind optional cover for CODE W LED

For warranty use only Trizo21® supplied LED drivers as mentioned.

For all specs and techs about drivers, see www.trizo21.com/drivers

OPTIONAL COVER FOR CODE W LED OUT



ACEX 2006	ACEX 1006	ACEX 7006		46€
-----------	-----------	-----------	--	-----

Productcodes

1+ C 2022	46	1+ SU RL 72522	109	1+ SU RS 75523	109	1Y RF10 5022	84	2X RL 5713	97
1+ C 2033	46	1+ SU RL 72522	110	1+ SU RS 75523	110	1Y RF10 5023	84	2X RL 5713	98
1+ C 5022	46	1+ SU RL 72523	109	1X C 2022	46	1Y RF10 7022	84	2X RL 5722	97
1+ C 5033	46	1+ SU RL 72523	110	1X C 2033	46	1Y RF10 7023	84	2X RL 5722	98
1+ C 7022	46	1+ SU RL 75212	109	1X C 5022	46	1Y RL 2012	85	2X RL 5723	97
1+ C 7033	46	1+ SU RL 75212	110	1X C 5033	46	1Y RL 2012	86	2X RL 5723	98
1+ SU RF7 52222	108	1+ SU RL 75213	109	1X C 7022	46	1Y RL 2013	85	2X RS 2512	97
1+ SU RF7 52223	108	1+ SU RL 75213	110	1X C 7033	46	1Y RL 2013	86	2X RS 2512	98
1+ SU RF7 52522	108	1+ SU RL 75222	109	1X RF7 2022	93	1Y RL 2022	85	2X RS 2513	97
1+ SU RF7 52523	108	1+ SU RL 75222	110	1X RF7 2023	93	1Y RL 2022	86	2X RS 2513	98
1+ SU RF7 55222	108	1+ SU RL 75223	109	1X RF7 5022	93	1Y RL 2023	85	2X RS 2522	97
1+ SU RF7 55223	108	1+ SU RL 75223	110	1X RF7 5023	93	1Y RL 2023	86	2X RS 2522	98
1+ SU RF7 55522	108	1+ SU RL 75512	109	1X RF7 7022	93	1Y RL 5012	85	2X RS 2523	97
1+ SU RF7 55523	108	1+ SU RL 75512	110	1X RF7 7023	93	1Y RL 5012	86	2X RS 2523	98
1+ SU RF7 72222	108	1+ SU RL 75513	109	1X RF10 2022	93	1Y RL 5013	85	2X RS 5712	97
1+ SU RF7 72223	108	1+ SU RL 75513	110	1X RF10 2023	93	1Y RL 5013	86	2X RS 5712	98
1+ SU RF7 72522	108	1+ SU RL 75522	109	1X RF10 5022	93	1Y RL 5022	85	2X RS 5713	97
1+ SU RF7 72523	108	1+ SU RL 75522	110	1X RF10 5023	93	1Y RL 5022	86	2X RS 5713	98
1+ SU RF7 75222	108	1+ SU RL 75523	109	1X RF10 7022	93	1Y RL 5023	85	2X RS 5722	97
1+ SU RF7 75223	108	1+ SU RL 75523	110	1X RF10 7023	93	1Y RL 5023	86	2X RS 5722	98
1+ SU RF7 75522	108	1+ SU RS 52212	109	1X RL 2012	94	1Y RL 7012	85	2X RS 5723	97
1+ SU RF7 75523	108	1+ SU RS 52212	110	1X RL 2012	95	1Y RL 7012	86	2X RS 5723	98
1+ SU RF10 52222	108	1+ SU RS 52213	109	1X RL 2013	94	1Y RL 7013	85	2Y RF7 2222	87
1+ SU RF10 52223	108	1+ SU RS 52213	110	1X RL 2013	95	1Y RL 7013	86	2Y RF7 2223	87
1+ SU RF10 52522	108	1+ SU RS 52222	109	1X RL 2022	94	1Y RL 7022	85	2Y RF7 2522	87
1+ SU RF10 52523	108	1+ SU RS 52222	110	1X RL 2022	95	1Y RL 7022	86	2Y RF7 2523	87
1+ SU RF10 55222	108	1+ SU RS 52223	109	1X RL 2023	94	1Y RL 7023	85	2Y RF7 5522	87
1+ SU RF10 55223	108	1+ SU RS 52223	110	1X RL 2023	95	1Y RL 7023	86	2Y RF7 5523	87
1+ SU RF10 55522	108	1+ SU RS 52512	109	1X RL 5012	94	1Y RS 2012	85	2Y RF7 5722	87
1+ SU RF10 55523	108	1+ SU RS 52512	110	1X RL 5012	95	1Y RS 2012	86	2Y RF7 5723	87
1+ SU RF10 72222	108	1+ SU RS 52513	109	1X RL 5013	94	1Y RS 2013	85	2Y RF7 7722	87
1+ SU RF10 72223	108	1+ SU RS 52513	110	1X RL 5013	95	1Y RS 2013	86	2Y RF7 7723	87
1+ SU RF10 72522	108	1+ SU RS 52522	109	1X RL 5022	94	1Y RS 2022	85	2Y RF10 2222	87
1+ SU RF10 72523	108	1+ SU RS 52522	110	1X RL 5022	95	1Y RS 2022	86	2Y RF10 2223	87
1+ SU RF10 75222	108	1+ SU RS 52523	109	1X RL 5023	94	1Y RS 2023	85	2Y RF10 2522	87
1+ SU RF10 75223	108	1+ SU RS 52523	110	1X RL 5023	95	1Y RS 2023	86	2Y RF10 2523	87
1+ SU RF10 75522	108	1+ SU RS 55212	109	1X RL 7012	94	1Y RS 5012	85	2Y RF10 5522	87
1+ SU RF10 75523	108	1+ SU RS 55212	110	1X RL 7012	95	1Y RS 5012	86	2Y RF10 5523	87
1+ SU RL 52212	109	1+ SU RS 55213	109	1X RL 7013	94	1Y RS 5013	85	2Y RF10 5722	87
1+ SU RL 52212	110	1+ SU RS 55213	110	1X RL 7013	95	1Y RS 5013	86	2Y RF10 5723	87
1+ SU RL 52213	109	1+ SU RS 55222	109	1X RL 7022	94	1Y RS 5022	85	2Y RF10 7722	87
1+ SU RL 52213	110	1+ SU RS 55222	110	1X RL 7022	95	1Y RS 5022	86	2Y RF10 7723	87
1+ SU RL 52222	109	1+ SU RS 55223	109	1X RL 7023	94	1Y RS 5023	85	2Y RL 2212	88
1+ SU RL 52222	110	1+ SU RS 55223	110	1X RL 7023	95	1Y RS 5023	86	2Y RL 2212	89
1+ SU RL 52223	109	1+ SU RS 55512	109	1X RS 2012	94	1Y RS 7012	85	2Y RL 2213	88
1+ SU RL 52223	110	1+ SU RS 55512	110	1X RS 2012	95	1Y RS 7012	86	2Y RL 2213	89
1+ SU RL 52512	109	1+ SU RS 55513	109	1X RS 2013	94	1Y RS 7013	85	2Y RL 2222	88
1+ SU RL 52512	110	1+ SU RS 55513	110	1X RS 2013	95	1Y RS 7013	86	2Y RL 2222	89
1+ SU RL 52513	109	1+ SU RS 55522	109	1X RS 2022	94	1Y RS 7022	85	2Y RL 2223	88
1+ SU RL 52513	110	1+ SU RS 55522	110	1X RS 2022	95	1Y RS 7022	86	2Y RL 2223	89
1+ SU RL 52522	109	1+ SU RS 55523	109	1X RS 2023	94	1Y RS 7023	85	2Y RL 2512	88
1+ SU RL 52522	110	1+ SU RS 55523	110	1X RS 2023	95	1Y RS 7023	86	2Y RL 2512	89
1+ SU RL 52523	109	1+ SU RS 72212	109	1X RS 5012	94	2T2 12223◆	160	2Y RL 2513	88
1+ SU RL 52523	110	1+ SU RS 72212	110	1X RS 5012	95	2T2 12223H◆	160	2Y RL 2513	89
1+ SU RL 55212	109	1+ SU RS 72213	109	1X RS 5013	94	2T2 17223◆	160	2Y RL 2522	88
1+ SU RL 55212	110	1+ SU RS 72213	110	1X RS 5013	95	2T2 17223H◆	160	2Y RL 2522	89
1+ SU RL 55213	109	1+ SU RS 72222	109	1X RS 5022	94	2T2 18223◆	160	2Y RL 2523	88
1+ SU RL 55213	110	1+ SU RS 72222	110	1X RS 5022	95	2T2 18223H◆	160	2Y RL 2523	89
1+ SU RL 55222	109	1+ SU RS 72223	109	1X RS 5023	94	2T4 12723◆	160	2Y RL 5512	88
1+ SU RL 55222	110	1+ SU RS 72223	110	1X RS 5023	95	2T4 12723H◆	160	2Y RL 5512	89
1+ SU RL 55223	109	1+ SU RS 72512	109	1X RS 7012	94	2T4 17723◆	160	2Y RL 5513	88
1+ SU RL 55223	110	1+ SU RS 72512	110	1X RS 7012	95	2T4 17723H◆	160	2Y RL 5513	89
1+ SU RL 55512	109	1+ SU RS 72513	109	1X RS 7013	94	2T4 18723◆	160	2Y RL 5522	88
1+ SU RL 55512	110	1+ SU RS 72513	110	1X RS 7013	95	2T4 18723H◆	160	2Y RL 5522	89
1+ SU RL 55513	109	1+ SU RS 72522	109	1X RS 7022	94	2X RF7 2522	96	2Y RL 5523	88
1+ SU RL 55513	110	1+ SU RS 72522	110	1X RS 7022	95	2X RF7 2523	96	2Y RL 5523	89
1+ SU RL 55522	109	1+ SU RS 72523	109	1X RS 7023	94	2X RF7 5722	96	2Y RL 5712	88
1+ SU RL 55522	110	1+ SU RS 72523	110	1X RS 7023	95	2X RF7 5723	96	2Y RL 5712	89
1+ SU RL 55523	109	1+ SU RS 75212	109	1Y C 2022	46	2X RF10 2522	96	2Y RL 5713	88
1+ SU RL 55523	110	1+ SU RS 75212	110	1Y C 2033	46	2X RF10 2523	96	2Y RL 5713	89
1+ SU RL 72212	109	1+ SU RS 75213	109	1Y C 5022	46	2X RF10 5722	96	2Y RL 5722	88
1+ SU RL 72212	110	1+ SU RS 75213	110	1Y C 5033	46	2X RF10 5723	96	2Y RL 5722	89
1+ SU RL 72213	109	1+ SU RS 75222	109	1Y C 7022	46	2X RL 2512	97	2Y RL 5723	88
1+ SU RL 72213	110	1+ SU RS 75222	110	1Y C 7033	46	2X RL 2512	98	2Y RL 5723	89
1+ SU RL 72222	109	1+ SU RS 75223	109	1Y RF7 2022	84	2X RL 2513	97	2Y RL 7712	88
1+ SU RL 72222	110	1+ SU RS 75223	110	1Y RF7 2023	84	2X RL 2513	98	2Y RL 7712	89
1+ SU RL 72223	109	1+ SU RS 75512	109	1Y RF7 5022	84	2X RL 2522	97	2Y RL 7713	88
1+ SU RL 72223	110	1+ SU RS 75512	110	1Y RF7 5023	84	2X RL 2522	98	2Y RL 7713	89
1+ SU RL 72512	109	1+ SU RS 75513	109	1Y RF7 7022	84	2X RL 2523	97	2Y RL 7722	88
1+ SU RL 72512	110	1+ SU RS 75513	110	1Y RF7 7023	84	2X RL 2523	98	2Y RL 7722	89
1+ SU RL 72513	109	1+ SU RS 75522	109	1Y RF10 2022	84	2X RL 5712	97	2Y RL 7723	88
1+ SU RL 72513	110	1+ SU RS 75522	110	1Y RF10 2023	84	2X RL 5712	98	2Y RL 7723	89

2Y RS 2212	88	3Y RL 22513	91	21IN 3261*	61	ADCC 2222◆	122	ADFC 3333◆	121
2Y RS 2212	89	3Y RL 22513	92	21IN 3271*	61	ADCC 2222H◆	122	ADFC 3333H◆	121
2Y RS 2213	88	3Y RL 22522	91	21IN 4201	61	ADCC 2333◆	122	ADFC 3444◆	121
2Y RS 2213	89	3Y RL 22522	92	21IN 4241	61	ADCC 2333H◆	122	ADFC 3444H◆	121
2Y RS 2222	88	3Y RL 22523	91	21IN 4261*	61	ADCC 2444◆	122	ADFC 2113◆	123
2Y RS 2222	89	3Y RL 22523	92	21IN 4271*	61	ADCC 2444H◆	122	ADFC 2113H◆	123
2Y RS 2223	88	3Y RL 25512	91	21SO 3201	62	ADCC 3111◆	122	ADFC 2131◆	125
2Y RS 2223	89	3Y RL 25512	92	21SO 3241	62	ADCC 3111H◆	122	ADFC 2131H◆	125
2Y RS 2512	88	3Y RL 25513	91	21SO 3251*	62	ADCC 3222◆	122	ADFC 2223◆	123
2Y RS 2512	89	3Y RL 25513	92	21SO 3271*	62	ADCC 3222H◆	122	ADFC 2223H◆	123
2Y RS 2513	88	3Y RL 25522	91	21SO L3202	62	ADCC 3333◆	122	ADFC 2232◆	125
2Y RS 2513	89	3Y RL 25522	92	21SO L3214	62	ADCC 3333H◆	122	ADFC 2232H◆	125
2Y RS 2522	88	3Y RL 25523	91	21SO L3242	62	ADCC 3444◆	122	ADFC 2331◆	123
2Y RS 2522	89	3Y RL 25523	92	21SO L3243	62	ADCC 3444H◆	122	ADFC 2331H◆	123
2Y RS 2523	88	3Y RL 25712	91	21SO L3252*	62	ADCC 2113◆	124	ADFC 2332◆	123
2Y RS 2523	89	3Y RL 25712	92	21SO L3253*	62	ADCC 2113H◆	124	ADFC 2332H◆	123
2Y RS 5512	88	3Y RL 25713	91	21SO L3272*	62	ADCC 2131◆	126	ADFC 3113◆	123
2Y RS 5512	89	3Y RL 25713	92	21SO L3273*	62	ADCC 2131H◆	126	ADFC 3113H◆	123
2Y RS 5513	88	3Y RL 25722	91	21SO L3314	62	ADCC 2223◆	124	ADFC 3131◆	125
2Y RS 5513	89	3Y RL 25722	92	21SO L3343	62	ADCC 2223H◆	124	ADFC 3131H◆	125
2Y RS 5522	88	3Y RL 25723	91	21SO L3353*	62	ADCC 2232◆	126	ADFC 3223◆	123
2Y RS 5522	89	3Y RL 25723	92	21SO L3373*	62	ADCC 2232H◆	126	ADFC 3223H◆	123
2Y RS 5523	88	3Y RL 55712	91	21SO L3402	62	ADCC 2331◆	124	ADFC 3232◆	125
2Y RS 5523	89	3Y RL 55712	92	21SO L3404	63	ADCC 2331H◆	124	ADFC 3232H◆	125
2Y RS 5712	88	3Y RL 55713	91	21SO L3406	63	ADCC 2332◆	124	ADFC 3331◆	123
2Y RS 5712	89	3Y RL 55713	92	21SO L3442	62	ADCC 2332H◆	124	ADFC 3331H◆	123
2Y RS 5713	88	3Y RL 55722	91	21SO L3444	63	ADCC 3113◆	124	ADFC 3332◆	123
2Y RS 5713	89	3Y RL 55722	92	21SO L3446	63	ADCC 3113H◆	124	ADFC 3332H◆	123
2Y RS 5722	88	3Y RL 55723	91	21SO L3452*	62	ADCC 3131◆	126	ADFC R6 2111◆	127
2Y RS 5722	89	3Y RL 55723	92	21SO L3454*	63	ADCC 3131H◆	126	ADFC R6 2111H◆	127
2Y RS 5723	88	3Y RL 55712	91	21SO L3456*	63	ADCC 3223◆	124	ADFC R6 2113◆	129
2Y RS 5723	89	3Y RL 57712	92	21SO L3472*	62	ADCC 3223H◆	124	ADFC R6 2113H◆	129
2Y RS 7712	88	3Y RL 57713	91	21SO L3474*	63	ADCC 3232◆	126	ADFC R6 2222◆	127
2Y RS 7712	89	3Y RL 57713	92	21SO L3476*	63	ADCC 3232H◆	126	ADFC R6 2222H◆	127
2Y RS 7713	88	3Y RL 57722	91	ACAN T001	133	ADCC 3331◆	124	ADFC R6 2223◆	129
2Y RS 7713	89	3Y RL 57722	92	ACAN T002	133	ADCC 3331H◆	124	ADFC R6 2223H◆	129
2Y RS 7722	88	3Y RL 57723	91	ACAN T003	133	ADCC 3332◆	124	ADFC R6 2331◆	129
2Y RS 7722	89	3Y RL 57723	92	ACAN T004	133	ADCC 3332H◆	124	ADFC R6 2331H◆	129
2Y RS 7723	88	3Y RS 22512	91	ACDE 1005	60	ADCC R6 2111◆	128	ADFC R6 2332◆	129
2Y RS 7723	89	3Y RS 22512	92	ACDE 1005	61	ADCC R6 2111H◆	128	ADFC R6 2332H◆	129
3X RF7 25722	99	3Y RS 22513	91	ACDE 1010	59	ADCC R6 2113◆	130	ADFC R6 2333◆	127
3X RF7 25723	99	3Y RS 22513	92	ACDE 1010	60	ADCC R6 2113H◆	130	ADFC R6 2333H◆	127
3X RF10 25722	99	3Y RS 22522	91	ACDE 2005	60	ADCC R6 2222◆	128	ADFC R6 2444◆	127
3X RF10 25723	99	3Y RS 22522	92	ACDE 2005	61	ADCC R6 2222H◆	128	ADFC R6 2444H◆	127
3X RL 25712	100	3Y RS 22523	91	ACDE 2010	59	ADCC R6 2223◆	130	ADFC R6 3111◆	127
3X RL 25712	101	3Y RS 22523	92	ACDE 2010	60	ADCC R6 2223H◆	130	ADFC R6 3111H◆	127
3X RL 25713	100	3Y RS 25512	91	ACDE 3005	60	ADCC R6 2331◆	130	ADFC R6 3113◆	129
3X RL 25713	101	3Y RS 25512	92	ACDE 3005	61	ADCC R6 2331H◆	130	ADFC R6 3113H◆	129
3X RL 25722	100	3Y RS 25513	91	ACDE 3010	59	ADCC R6 2332◆	130	ADFC R6 3222◆	127
3X RL 25722	101	3Y RS 25513	92	ACDE 3010	60	ADCC R6 2332H◆	130	ADFC R6 3222H◆	127
3X RL 25723	100	3Y RS 25522	91	ACDE 7005	60	ADCC R6 2333◆	128	ADFC R6 3223◆	129
3X RL 25723	101	3Y RS 25522	92	ACDE 7005	61	ADCC R6 2333H◆	128	ADFC R6 3223H◆	129
3X RS 25712	100	3Y RS 25523	91	ACDE 7010	59	ADCC R6 2444◆	128	ADFC R6 3331◆	129
3X RS 25712	101	3Y RS 25523	92	ACDE 7010	60	ADCC R6 2444H◆	128	ADFC R6 3331H◆	129
3X RS 25713	100	3Y RS 25712	91	ACDE 9005	60	ADCC R6 3111◆	128	ADFC R6 3332◆	129
3X RS 25713	101	3Y RS 25712	92	ACDE 9005	61	ADCC R6 3111H◆	128	ADFC R6 3332H◆	129
3X RS 25722	100	3Y RS 25713	91	ACDE 9010	59	ADCC R6 3113◆	130	ADFC R6 3333◆	127
3X RS 25722	101	3Y RS 25713	92	ACDE 9010	60	ADCC R6 3113H◆	130	ADFC R6 3333H◆	127
3X RS 25723	100	3Y RS 25722	91	ACEX 1006	157	ADCC R6 3222◆	128	ADFC R6 3444◆	127
3X RS 25723	101	3Y RS 25722	92	ACEX 1006	157	ADCC R6 3222H◆	128	ADFC R6 3444H◆	127
3Y RF7 22522	90	3Y RS 25723	91	ACEX 1006	178	ADCC R6 3223◆	130	ADFL 1273	10
3Y RF7 22523	90	3Y RS 25723	92	ACEX 1006	179	ADCC R6 3223H◆	130	ADFL 1273AU	10
3Y RF7 25522	90	3Y RS 55712	91	ACEX 1055	156	ADCC R6 3331◆	130	ADFL 1273H	10
3Y RF7 25523	90	3Y RS 55712	92	ACEX 1055	178	ADCC R6 3331H◆	130	ADFL 1273HAU	10
3Y RF7 25722	90	3Y RS 55713	91	ACEX 2006	157	ADCC R6 3332◆	130	ADFL 1273HUK	10
3Y RF7 25723	90	3Y RS 55713	92	ACEX 2006	157	ADCC R6 3332H◆	130	ADFL 1273HUS	10
3Y RF7 55722	90	3Y RS 55722	91	ACEX 2006	178	ADCC R6 3333◆	128	ADFL 1273UK	10
3Y RF7 55723	90	3Y RS 55722	92	ACEX 2006	179	ADCC R6 3333H◆	128	ADFL 1273US	10
3Y RF7 57722	90	3Y RS 55723	91	ACEX 2055	156	ADCC R6 3444◆	128	ADFL 1274	10
3Y RF7 57723	90	3Y RS 55723	92	ACEX 2055	178	ADCC R6 3444H◆	128	ADFL 1274AU	10
3Y RF10 22522	90	3Y RS 57712	91	ACEX 7006	157	ADFC 2111◆	121	ADFL 1274H	10
3Y RF10 22523	90	3Y RS 57712	92	ACEX 7006	157	ADFC 2111H◆	121	ADFL 1274HAU	10
3Y RF10 25522	90	3Y RS 57713	91	ACEX 7006	178	ADFC 2222◆	121	ADFL 1274HUK	10
3Y RF10 25523	90	3Y RS 57713	92	ACEX 7006	179	ADFC 2222H◆	121	ADFL 1274HUS	10
3Y RF10 25722	90	3Y RS 57722	91	ACEX 7055	156	ADFC 2333◆	121	ADFL 1274UK	10
3Y RF10 25723	90	3Y RS 57722	92	ACEX 7055	178	ADFC 2333H◆	121	ADFL 1274US	10
3Y RF10 55722	90	3Y RS 57723	91	ACIN L001	132	ADFC 2444◆	121	ADFL 1303	10
3Y RF10 55723	90	3Y RS 57723	92	ACIN L002	132	ADFC 2444H◆	121	ADFL 1303AU	10
3Y RF10 57722	90	21AC 3200	61	ACIN L003	132	ADFC 3111◆	121	ADFL 1303H	10
3Y RF10 57723	90	21AC 3203	61	ACIN L004	132	ADFC 3111H◆	121	ADFL 1303HAU	10
3Y RL 22512	91	21IN 3201	61	ADCC 2111◆	122	ADFC 3222◆	121	ADFL 1303HUK	10
3Y RL 22512	92	21IN 3241	61	ADCC 2111H◆	122	ADFC 3222H◆	121	ADFL 1303HUS	10

ADFL 1303UK	10	ADRT 231111◆	32	ADST 222333◆	26	ADST 431111H◆	27	ADTR 3444◆	161
ADFL 1303US	10	ADRT 231111H◆	32	ADST 222333H◆	26	ADST 431113◆	29	ADTR 3444H◆	161
ADFL 1304	10	ADRT 231113◆	34	ADST 231111◆	26	ADST 431113H◆	29	ADTRD 2113◆	162
ADFL 1304AU	10	ADRT 231113H◆	34	ADST 231111H◆	26	ADST 431311◆	31	ADTRD 2113H◆	162
ADFL 1304H	10	ADRT 231311◆	35	ADST 231113◆	28	ADST 431311H◆	31	ADTRD 2131◆	163
ADFL 1304HAU	10	ADRT 231311H◆	35	ADST 231113H◆	28	ADST 431331◆	29	ADTRD 2131H◆	163
ADFL 1304HUK	10	ADRT 231331◆	34	ADST 231311◆	30	ADST 431331H◆	29	ADTRD 2223◆	162
ADFL 1304HUS	10	ADRT 231331H◆	34	ADST 231311H◆	30	ADST 431333◆	27	ADTRD 2223H◆	162
ADFL 1304UK	10	ADRT 232222◆	32	ADST 231331◆	28	ADST 431333H◆	27	ADTRD 2232◆	163
ADFL 1304US	10	ADRT 232222H◆	32	ADST 231331H◆	28	ADST 432222◆	27	ADTRD 2232H◆	163
ADRT 121111◆	32	ADRT 232223◆	34	ADST 231333◆	26	ADST 432222H◆	27	ADTRD 2233◆	162
ADRT 121111H◆	32	ADRT 232223H◆	34	ADST 231333H◆	26	ADST 432223◆	29	ADTRD 2331H◆	162
ADRT 121113◆	33	ADRT 232322◆	35	ADST 232222◆	26	ADST 432223H◆	29	ADTRD 2332◆	162
ADRT 121113H◆	33	ADRT 232322H◆	35	ADST 232222H◆	26	ADST 432322◆	31	ADTRD 2332H◆	162
ADRT 121311◆	35	ADRT 232332◆	34	ADST 232223◆	28	ADST 432322H◆	31	ADTRD 2333◆	162
ADRT 121311H◆	35	ADRT 232332H◆	34	ADST 232223H◆	28	ADST 432332◆	29	ADTRD 3113H◆	162
ADRT 121331◆	33	ADRT 233331◆	34	ADST 232322◆	30	ADST 432332H◆	29	ADTRD 3131◆	163
ADRT 121331H◆	33	ADRT 233331H◆	34	ADST 232322H◆	30	ADST 432333◆	27	ADTRD 3131H◆	163
ADRT 122222◆	32	ADRT 232332◆	34	ADST 232332◆	28	ADST 432333H◆	27	ADTRD 3223◆	162
ADRT 122222H◆	32	ADRT 233332H◆	34	ADST 232332H◆	28	ADST 421333◆	27	ADTRD 3223H◆	162
ADRT 122223◆	33	ADRT 233333◆	32	ADST 232333◆	26	ADTA 1272	11	ADTRD 3232◆	163
ADRT 122223H◆	33	ADRT 233333H◆	32	ADST 232333H◆	26	ADTA 1272AU	11	ADTRD 3232H◆	163
ADRT 122322◆	35	ADRT 234444◆	32	ADST 321111◆	27	ADTA 1272H	11	ADTRD 3331◆	162
ADRT 122322H◆	35	ADRT 234444H◆	32	ADST 321111H◆	27	ADTA 1272HAU	11	ADTRD 3331H◆	162
ADRT 122332◆	33	ADST 121111◆	26	ADST 321113◆	29	ADTA 1272HUK	11	ADTRD 3332◆	162
ADRT 122332H◆	33	ADST 121111H◆	26	ADST 321113H◆	29	ADTA 1272HUS	11	ADTRD 3332H◆	162
ADRT 123331◆	33	ADST 121113◆	28	ADST 321311◆	31	ADTA 1272UK	11	ADTW 2111◆	161
ADRT 123331H◆	33	ADST 121113H◆	28	ADST 321311H◆	31	ADTA 1272US	11	ADTW 2111H◆	161
ADRT 123332◆	33	ADST 121311◆	30	ADST 321331◆	29	ADTA 1273	11	ADTW 2333◆	161
ADRT 123332H◆	33	ADST 121311H◆	30	ADST 321331H◆	29	ADTA 1273AU	11	ADTW 2333H◆	161
ADRT 123333◆	32	ADST 121331◆	28	ADST 321333◆	27	ADTA 1273H	11	ADTW 3111◆	161
ADRT 123333H◆	32	ADST 121331H◆	28	ADST 321333H◆	27	ADTA 1273HAU	11	ADTW 3111H◆	161
ADRT 124444◆	32	ADST 121333◆	26	ADST 322222◆	27	ADTA 1273HUK	11	ADTW 3333◆	161
ADRT 124444H◆	32	ADST 121333H◆	26	ADST 322222H◆	27	ADTA 1273HUS	11	ADTW 3333H◆	161
ADRT 131111◆	32	ADST 122222◆	26	ADST 322223◆	29	ADTA 1273UK	11	ADTWD 2113◆	162
ADRT 131111H◆	32	ADST 122222H◆	26	ADST 322223H◆	29	ADTA 1273US	11	ADTWD 2113H◆	162
ADRT 131113◆	33	ADST 122223◆	28	ADST 322322◆	31	ADTA 1274	11	ADTWD 2131◆	163
ADRT 131113H◆	33	ADST 122223H◆	28	ADST 322322H◆	31	ADTA 1274AU	11	ADTWD 2131H◆	163
ADRT 131311◆	35	ADST 122322◆	30	ADST 322332◆	29	ADTA 1274H	11	ADTWD 2331◆	162
ADRT 131311H◆	35	ADST 122322H◆	30	ADST 322332H◆	29	ADTA 1274HAU	11	ADTWD 2331H◆	162
ADRT 131331◆	33	ADST 122332◆	28	ADST 322333◆	27	ADTA 1274HUK	11	ADTWD 3113◆	162
ADRT 131331H◆	33	ADST 122332H◆	28	ADST 322333H◆	27	ADTA 1274HUS	11	ADTWD 3113H◆	162
ADRT 132222◆	32	ADST 122333◆	26	ADST 331111◆	27	ADTA 1274UK	11	ADTWD 3131◆	163
ADRT 132222H◆	32	ADST 122333H◆	26	ADST 331111H◆	27	ADTA 1274US	11	ADTWD 3131H◆	163
ADRT 132223◆	33	ADST 131111◆	26	ADST 331113◆	29	ADTA 1302	11	ADTWD 3331◆	162
ADRT 132223H◆	33	ADST 131111H◆	26	ADST 331113H◆	29	ADTA 1302AU	11	ADTWD 3331H◆	162
ADRT 132322◆	35	ADST 131113◆	28	ADST 331311◆	31	ADTA 1302H	11	ADWL 1273◆	22
ADRT 132322H◆	35	ADST 131113H◆	28	ADST 331311H◆	31	ADTA 1302HAU	11	ADWL 1273AU◆	23
ADRT 132332◆	33	ADST 131311◆	30	ADST 331331◆	29	ADTA 1302HUK	11	ADWL 1273EU◆	23
ADRT 132332H◆	33	ADST 131311H◆	30	ADST 331331H◆	29	ADTA 1302HUS	11	ADWL 1273H◆	22
ADRT 133331◆	33	ADST 131331◆	28	ADST 331333◆	27	ADTA 1302UK	11	ADWL 1273HAU◆	23
ADRT 133331H◆	33	ADST 131331H◆	28	ADST 331333H◆	27	ADTA 1302US	11	ADWL 1273HEU◆	23
ADRT 133332◆	33	ADST 131333◆	26	ADST 332222◆	27	ADTA 1303	11	ADWL 1273HUK◆	23
ADRT 133332H◆	33	ADST 131333H◆	26	ADST 332222H◆	27	ADTA 1303AU	11	ADWL 1273HUS◆	23
ADRT 133333◆	32	ADST 132222◆	26	ADST 332223◆	29	ADTA 1303H	11	ADWL 1273UK◆	23
ADRT 133333H◆	32	ADST 132222H◆	26	ADST 332223H◆	29	ADTA 1303HAU	11	ADWL 1273US◆	23
ADRT 134444◆	32	ADST 132223◆	28	ADST 332322◆	31	ADTA 1303HUK	11	ADWL 1274◆	22
ADRT 134444H◆	32	ADST 132223H◆	28	ADST 332322H◆	31	ADTA 1303HUS	11	ADWL 1274AU◆	23
ADRT 221111◆	32	ADST 132322◆	30	ADST 332332◆	29	ADTA 1303UK	11	ADWL 1274EU◆	23
ADRT 221111H◆	32	ADST 132322H◆	30	ADST 332332H◆	29	ADTA 1303US	11	ADWL 1274H◆	22
ADRT 221113◆	34	ADST 132332◆	28	ADST 332333◆	27	ADTA 1304	11	ADWL 1274HAU◆	23
ADRT 221113H◆	34	ADST 132332H◆	28	ADST 332333H◆	27	ADTA 1304AU	11	ADWL 1274HEU◆	23
ADRT 221311◆	35	ADST 132333◆	26	ADST 421111◆	27	ADTA 1304H	11	ADWL 1274HUK◆	23
ADRT 221311H◆	35	ADST 132333H◆	26	ADST 421111H◆	27	ADTA 1304HAU	11	ADWL 1274HUS◆	23
ADRT 221331◆	34	ADST 221111◆	26	ADST 421113◆	29	ADTA 1304HUK	11	ADWL 1274UK◆	23
ADRT 221331H◆	34	ADST 221111H◆	26	ADST 421113H◆	29	ADTA 1304HUS	11	ADWL 1274US◆	23
ADRT 222222◆	32	ADST 221113◆	28	ADST 421311◆	31	ADTA 1304UK	11	ADWL 1303◆	22
ADRT 222222H◆	32	ADST 221113H◆	28	ADST 421311H◆	31	ADTA 1304US	11	ADWL 1303AU◆	23
ADRT 222223◆	34	ADST 221311◆	30	ADST 421331◆	29	ADTR 2111◆	161	ADWL 1303EU◆	23
ADRT 222223H◆	34	ADST 221311H◆	30	ADST 421331H◆	29	ADTR 2111H◆	161	ADWL 1303H◆	22
ADRT 222322◆	35	ADST 221331◆	28	ADST 421333◆	27	ADTR 2222◆	161	ADWL 1303HAU◆	23
ADRT 222322H◆	35	ADST 221331H◆	28	ADST 422222◆	27	ADTR 2222H◆	161	ADWL 1303HEU◆	23
ADRT 222332◆	34	ADST 221333◆	26	ADST 422222H◆	27	ADTR 2333◆	161	ADWL 1303HUK◆	23
ADRT 222332H◆	34	ADST 221333H◆	26	ADST 422223◆	29	ADTR 2333H◆	161	ADWL 1303HUS◆	23
ADRT 222333◆	34	ADST 222222◆	26	ADST 422223H◆	29	ADTR 2444◆	161	ADWL 1303UK◆	23
ADRT 222333H◆	34	ADST 222222H◆	26	ADST 422322◆	31	ADTR 2444H◆	161	ADWL 1303US◆	23
ADRT 223332◆	34	ADST 222223◆	28	ADST 422322H◆	31	ADTR 3111◆	161	ADWL 1304◆	22
ADRT 223332H◆	34	ADST 222223H◆	28	ADST 422332◆	29	ADTR 3111H◆	161	ADWL 1304AU◆	23
ADRT 223333◆	32	ADST 222322◆	30	ADST 422332H◆	29	ADTR 3222◆	161	ADWL 1304EU◆	23
ADRT 223333H◆	32	ADST 222322H◆	30	ADST 422333◆	27	ADTR 3222H◆	161	ADWL 1304H◆	22
ADRT 224444◆	32	ADST 222332◆	28	ADST 422333H◆	27	ADTR 3333◆	161	ADWL 1304HAU◆	23
ADRT 224444H◆	32	ADST 222332H◆	28	ADST 431111◆	27	ADTR 3333H◆	161	ADWL 1304HEU◆	23

ADWL 1304HUK◆	23	AFLC 31193	102	ALLC 52111	103	ARIN 1244	149	ARRI 1221	149
ADWL 1304HUS◆	23	AFLC 31194	102	ALLC 52112	103	ARIN 1249	149	ARRI 1222	149
ADWL 1304UK◆	23	AFLC 31271	102	ALLC 52113	103	ARIN 1291	149	ARRI 1224	149
ADWL 1304US◆	23	AFLC 31272	102	ALLC 52114	103	ARIN 1292	149	ARRI 1229	149
ADWS 1273◆	24	AFLC 31273	102	ALLC 52211	103	ARIN 1294	149	ARRI 2121	146
ADWS 1273AU◆	25	AFLC 31274	102	ALLC 52212	103	ARIN 1299	149	ARRI 2122	146
ADWS 1273EU◆	25	AFLC 31291	102	ALLC 52213	103	ARIN 2111	146	ARRI 2124	146
ADWS 1273H◆	24	AFLC 31292	102	ALLC 52214	103	ARIN 2112	146	ARRI 2129	146
ADWS 1273HAU◆	25	AFLC 31293	102	ALPU 31111	103	ARIN 2114	146	ARRI 2221	146
ADWS 1273HEU◆	25	AFLC 31294	102	ALPU 31112	103	ARIN 2119	146	ARRI 2222	146
ADWS 1273HUK◆	25	AFLC 31294	102	ALPU 31113	103	ARIN 2121	146	ARRI 2224	146
ADWS 1273HUS◆	25	AFLC 52172	102	ALPU 31114	103	ARIN 2122	146	ARRI 2229	146
ADWS 1273UK◆	25	AFLC 52173	102	ALPU 31211	103	ARIN 2124	146	ARRI 7121	147
ADWS 1273US◆	25	AFLC 52174	102	ALPU 31212	103	ARIN 2129	146	ARRI 7122	147
ADWS 1274◆	24	AFLC 52191	103	ALPU 31213	103	ARIN 2141	146	ARRI 7124	147
ADWS 1274AU◆	25	AFLC 52192	103	ALPU 31214	103	ARIN 2142	146	ARRI 7129	147
ADWS 1274EU◆	25	AFLC 52193	103	ALPU 52111	103	ARIN 2144	146	ARRI 7221	147
ADWS 1274H◆	24	AFLC 52194	103	ALPU 52112	103	ARIN 2149	146	ARRI 7222	147
ADWS 1274HAU◆	25	AFLC 52271	102	ALPU 52113	103	ARIN 2191	146	ARRI 7224	147
ADWS 1274HEU◆	25	AFLC 52272	102	ALPU 52114	103	ARIN 2192	146	ARRI 7229	147
ADWS 1274HUK◆	25	AFLC 52273	102	ALPU 52211	103	ARIN 2194	146	ARUP 2111	68
ADWS 1274HUS◆	25	AFLC 52274	102	ALPU 52212	103	ARIN 2199	146	ARUP 2112	68
ADWS 1274UK◆	25	AFLC 52291	103	ALPU 52213	103	ARIN 2211	146	ARUP 2114	68
ADWS 1274US◆	25	AFLC 52292	103	ALPU 52214	103	ARIN 2212	146	ARUP 2119	68
ADWS 1303◆	24	AFLC 52293	103	ARIN 0111	148	ARIN 2214	146	ARUP 2121	68
ADWS 1303AU◆	25	AFLC 52294	103	ARIN 0112	148	ARIN 2219	146	ARUP 2122	68
ADWS 1303EU◆	25	AFPU 31171	102	ARIN 0114	148	ARIN 2221	146	ARUP 2124	68
ADWS 1303H◆	24	AFPU 31172	102	ARIN 0119	148	ARIN 2222	146	ARUP 2129	68
ADWS 1303HAU◆	25	AFPU 31173	102	ARIN 0121	148	ARIN 2224	146	ARUP 2141	68
ADWS 1303HEU◆	25	AFPU 31174	102	ARIN 0122	148	ARIN 2229	146	ARUP 2142	68
ADWS 1303HUK◆	25	AFPU 31191	102	ARIN 0124	148	ARIN 2241	146	ARUP 2144	68
ADWS 1303HUS◆	25	AFPU 31192	102	ARIN 0129	148	ARIN 2242	146	ARUP 2149	68
ADWS 1303UK◆	25	AFPU 31193	102	ARIN 0141	148	ARIN 2244	146	ARUP 2211	68
ADWS 1303US◆	25	AFPU 31194	102	ARIN 0142	148	ARIN 2249	146	ARUP 2212	68
ADWS 1304◆	24	AFPU 31271	102	ARIN 0144	148	ARIN 2291	146	ARUP 2214	68
ADWS 1304AU◆	25	AFPU 31272	102	ARIN 0149	148	ARIN 2292	146	ARUP 2219	68
ADWS 1304EU◆	25	AFPU 31273	102	ARIN 0191	148	ARIN 2294	146	ARUP 2221	68
ADWS 1304H◆	24	AFPU 31274	102	ARIN 0192	148	ARIN 2299	146	ARUP 2222	68
ADWS 1304HAU◆	25	AFPU 31291	102	ARIN 0194	148	ARIN 7111	147	ARUP 2224	68
ADWS 1304HEU◆	25	AFPU 31292	102	ARIN 0199	148	ARIN 7112	147	ARUP 2229	68
ADWS 1304HUK◆	25	AFPU 31293	102	ARIN 0211	148	ARIN 7114	147	ARUP 2241	68
ADWS 1304HUS◆	25	AFPU 31294	102	ARIN 0212	148	ARIN 7119	147	ARUP 2242	68
ADWS 1304UK◆	25	AFPU 52171	102	ARIN 0214	148	ARIN 7121	147	ARUP 2244	68
ADWS 1304US◆	25	AFPU 52172	102	ARIN 0219	148	ARIN 7122	147	ARUP 2249	68
AFDA 31171	102	AFPU 52173	102	ARIN 0221	148	ARIN 7124	147	ARUP 7111	68
AFDA 31172	102	AFPU 52174	102	ARIN 0222	148	ARIN 7129	147	ARUP 7112	68
AFDA 31173	102	AFPU 52191	103	ARIN 0224	148	ARIN 7141	147	ARUP 7114	68
AFDA 31174	102	AFPU 52192	103	ARIN 0229	148	ARIN 7142	147	ARUP 7119	68
AFDA 31191	102	AFPU 52193	103	ARIN 0241	148	ARIN 7144	147	ARUP 7121	68
AFDA 31192	102	AFPU 52194	103	ARIN 0242	148	ARIN 7149	147	ARUP 7122	68
AFDA 31193	102	AFPU 52271	102	ARIN 0244	148	ARIN 7191	147	ARUP 7124	68
AFDA 31194	102	AFPU 52272	102	ARIN 0249	148	ARIN 7192	147	ARUP 7129	68
AFDA 31271	102	AFPU 52273	102	ARIN 0291	148	ARIN 7194	147	ARUP 7141	68
AFDA 31272	102	AFPU 52274	102	ARIN 0292	148	ARIN 7199	147	ARUP 7142	68
AFDA 31273	102	AFPU 52291	103	ARIN 0294	148	ARIN 7211	147	ARUP 7144	68
AFDA 31274	102	AFPU 52292	103	ARIN 0299	148	ARIN 7212	147	ARUP 7149	68
AFDA 31291	102	AFPU 52293	103	ARIN 1111	149	ARIN 7214	147	ARUP 7211	68
AFDA 31292	102	AFPU 52294	103	ARIN 1112	149	ARIN 7219	147	ARUP 7212	68
AFDA 31293	102	ALDA 31111	103	ARIN 1114	149	ARIN 7221	147	ARUP 7214	68
AFDA 31294	102	ALDA 31112	103	ARIN 1119	149	ARIN 7222	147	ARUP 7219	68
AFDA 52171	102	ALDA 31113	103	ARIN 1121	149	ARIN 7224	147	ARUP 7221	68
AFDA 52172	102	ALDA 31114	103	ARIN 1122	149	ARIN 7229	147	ARUP 7222	68
AFDA 52173	102	ALDA 31211	103	ARIN 1124	149	ARIN 7241	147	ARUP 7224	68
AFDA 52174	102	ALDA 31212	103	ARIN 1129	149	ARIN 7242	147	ARUP 7229	68
AFDA 52191	103	ALDA 31213	103	ARIN 1141	149	ARIN 7244	147	ARUP 7241	68
AFDA 52192	103	ALDA 31214	103	ARIN 1142	149	ARIN 7249	147	ARUP 7242	68
AFDA 52193	103	ALDA 52111	103	ARIN 1144	149	ARIN 7291	147	ARUP 7244	68
AFDA 52194	103	ALDA 52112	103	ARIN 1149	149	ARIN 7292	147	ARUP 7249	68
AFDA 52271	102	ALDA 52113	103	ARIN 1191	149	ARIN 7294	147	ARUP HO111	68
AFDA 52272	102	ALDA 52114	103	ARIN 1192	149	ARIN 7299	147	ARUP HO112	68
AFDA 52273	102	ALDA 52211	103	ARIN 1194	149	ARRI 0121	148	ARUP HO114	68
AFDA 52274	102	ALDA 52212	103	ARIN 1199	149	ARRI 0122	148	ARUP HO119	68
AFDA 52291	103	ALDA 52213	103	ARIN 1211	149	ARRI 0124	148	ARUP HO121	68
AFDA 52292	103	ALDA 52214	103	ARIN 1212	149	ARRI 0129	148	ARUP HO122	68
AFDA 52293	103	ALLC 31111	103	ARIN 1214	149	ARRI 0221	148	ARUP HO124	68
AFDA 52294	103	ALLC 31112	103	ARIN 1219	149	ARRI 0222	148	ARUP HO129	68
AFLC 31171	102	ALLC 31113	103	ARIN 1221	149	ARRI 0224	148	ARUP HO141	68
AFLC 31172	102	ALLC 31114	103	ARIN 1222	149	ARRI 0229	148	ARUP HO142	68
AFLC 31173	102	ALLC 31211	103	ARIN 1224	149	ARRI 1121	149	ARUP HO144	68
AFLC 31174	102	ALLC 31212	103	ARIN 1229	149	ARRI 1122	149	ARUP HO149	68
AFLC 31191	102	ALLC 31213	103	ARIN 1241	149	ARRI 1124	149	ARUP HO211	68
AFLC 31192	102	ALLC 31214	103	ARIN 1242	149	ARRI 1129	149	ARUP HO212	68

ARUP H0214	68	ATWD 2213	45	AUCBD 1313◆	81	AUSC 1201◆	77	AWBI 33332H◆	37
ARUP H0219	68	ATWD 2223	45	AUCBD 1313H◆	81	AUSC 1201H◆	77	AWBI 33333◆	36
ARUP H0221	68	ATWD 2231	45	AUCC 1211◆	80	AUSC 1202◆	77	AWBI 33333H◆	36
ARUP H0222	68	ATWD 2232	45	AUCC 1211H◆	80	AUSC 1202H◆	77	AWBI 34444◆	36
ARUP H0224	68	ATWD 2234	45	AUCC 1222◆	80	AUSC 1203◆	77	AWBI 34444H◆	36
ARUP H0229	68	ATWD 2243	45	AUCC 1222H◆	80	AUSC 1203H◆	77	AWBU 2111◆	39
ARUP H0241	68	ATWD 2271	45	AUCC 1232◆	80	AUSC 1204◆	77	AWBU 2111H◆	39
ARUP H0242	68	ATWD 2272	45	AUCC 1232H◆	80	AUSC 1204H◆	77	AWBU 21113◆	39
ARUP H0244	68	ATWD 2273	45	AUCC 1242◆	80	AUSC 1301◆	77	AWBU 21113H◆	40
ARUP H0249	68	ATWD 2274	45	AUCC 1242H◆	80	AUSC 1301H◆	77	AWBU 2131◆	40
ARUP H1111	68	ATWD 2301	45	AUCC 1311◆	80	AUSC 1302◆	77	AWBU 2131H◆	40
ARUP H1112	68	ATWD 2302	45	AUCC 1311H◆	80	AUSC 1302H◆	77	AWBU 21331◆	39
ARUP H1114	68	ATWD 2303	45	AUCC 1322◆	80	AUSC 1303◆	77	AWBU 21331H◆	40
ARUP H1119	68	ATWD 2304	45	AUCC 1322H◆	80	AUSC 1303H◆	77	AWBU 22222◆	39
ARUP H1121	68	ATWD 2313	45	AUCC 1332◆	80	AUSC 1304◆	77	AWBU 22222H◆	39
ARUP H1122	68	ATWD 2323	45	AUCC 1332H◆	80	AUSC 1304H◆	77	AWBU 22223◆	39
ARUP H1124	68	ATWD 2331	45	AUCC 1342◆	80	AUSF 1201◆	76	AWBU 22223H◆	40
ARUP H1129	68	ATWD 2332	45	AUCC 1342H◆	80	AUSF 1201H◆	76	AWBU 22322◆	40
ARUP H1141	68	ATWD 2334	45	AUDEX 1271◆	152	AUSF 1202◆	76	AWBU 22322H◆	40
ARUP H1142	68	ATWD 2343	45	AUDEX 1271H◆	174	AUSF 1202H◆	76	AWBU 22332◆	39
ARUP H1144	68	ATWS 1213◆	44	AUDEX 1271H◆	153	AUSF 1203◆	76	AWBU 22332H◆	40
ARUP H1149	68	ATWS 1223◆	44	AUDEX 1272◆	152	AUSF 1203H◆	76	AWBU 23331◆	39
ARUP H1211	68	ATWS 1231◆	44	AUDEX 1272◆	174	AUSF 1204◆	76	AWBU 23331H◆	40
ARUP H1212	68	ATWS 1232◆	44	AUDEX 1272H◆	153	AUSF 1204H◆	76	AWBU 23332◆	39
ARUP H1214	68	ATWS 1234◆	44	AUDEX 1273◆	152	AUSF 1301◆	76	AWBU 23332H◆	40
ARUP H1219	68	ATWS 1243◆	44	AUDEX 1273H◆	153	AUSF 1301H◆	76	AWBU 23333◆	39
ARUP H1221	68	ATWS 1271◆	44	AUDEX 1274◆	152	AUSF 1302◆	76	AWBU 23333H◆	39
ARUP H1222	68	ATWS 1272◆	44	AUDEX 1274H◆	153	AUSF 1302H◆	76	AWBU 24444◆	39
ARUP H1224	68	ATWS 1273◆	44	AUDEX 1301◆	152	AUSF 1303◆	76	AWBU 24444H◆	39
ARUP H1229	68	ATWS 1274◆	44	AUDEX 1301◆	174	AUSF 1303H◆	76	AWBU 3111◆	39
ARUP H1241	68	ATWS 1301◆	44	AUDEX 1301H◆	153	AUSF 1304◆	76	AWBU 3111H◆	39
ARUP H1242	68	ATWS 1302◆	44	AUDEX 1302◆	152	AUSF 1304H◆	76	AWBU 31113◆	39
ARUP H1244	68	ATWS 1303◆	44	AUDEX 1302◆	174	AUTR 1711	166	AWBU 31113H◆	40
ARUP H1249	68	ATWS 1304◆	44	AUDEX 1302H◆	153	AUTR 1722	166	AWBU 3131◆	40
ARUP L0111	68	ATWS 1313◆	44	AUDEX 1303◆	152	AUTR 1733	166	AWBU 3131H◆	40
ARUP L0112	68	ATWS 1323◆	44	AUDEX 1303H◆	153	AUTR 1744	166	AWBU 31331◆	39
ARUP L0114	68	ATWS 1331◆	44	AUDEX 1304◆	152	AUTW 1711	166	AWBU 31331H◆	40
ARUP L0119	68	ATWS 1332◆	44	AUDEX 1304H◆	153	AUTW 1722	166	AWBU 32222◆	39
ARUP L0121	68	ATWS 1334◆	44	AUDY 1271◆	131	AUTW 1733	166	AWBU 32222H◆	39
ARUP L0122	68	ATWS 1343◆	44	AUDY 1271H◆	131	AWBI 2111◆	36	AWBU 32223◆	39
ARUP L0124	68	AUAN T001	132	AUDY 1272◆	131	AWBI 2111H◆	36	AWBU 32223H◆	40
ARUP L0129	68	AUAN T002	132	AUDY 1272H◆	131	AWBI 21113◆	37	AWBU 32322◆	40
ARUP L0141	68	AUAN T003	132	AUDY 1273◆	131	AWBI 21113H◆	37	AWBU 32322H◆	40
ARUP L0142	68	AUAN T004	132	AUDY 1273H◆	131	AWBI 2131◆	38	AWBU 32332◆	39
ARUP L0144	68	AUCA 1211◆	79	AUDY 1274◆	131	AWBI 2131H◆	38	AWBU 32332H◆	40
ARUP L0149	68	AUCA 1211H◆	79	AUDY 1274H◆	131	AWBI 21331◆	37	AWBU 33331◆	39
ARUP L0211	68	AUCA 1222◆	79	AUDY 1301◆	131	AWBI 21331H◆	37	AWBU 33331H◆	40
ARUP L0212	68	AUCA 1222H◆	79	AUDY 1301H◆	131	AWBI 22222◆	36	AWBU 33332◆	39
ARUP L0214	68	AUCA 1232◆	79	AUDY 1302◆	131	AWBI 22222H◆	36	AWBU 33332H◆	40
ARUP L0219	68	AUCA 1232H◆	79	AUDY 1302H◆	131	AWBI 22223◆	37	AWBU 33333◆	39
ARUP L0221	68	AUCA 1242◆	79	AUDY 1303◆	131	AWBI 22223H◆	37	AWBU 33333H◆	39
ARUP L0222	68	AUCA 1242H◆	79	AUDY 1303H◆	131	AWBI 22322◆	38	AWBU 34444◆	39
ARUP L0224	68	AUCA 1311◆	79	AUDY 1304◆	131	AWBI 22322H◆	38	AWBU 34444H◆	39
ARUP L0229	68	AUCA 1311H◆	79	AUDY 1304H◆	131	AWBI 22332◆	37	AYTR 2701◆	164
ARUP L0241	68	AUCA 1322◆	79	AUIN L001	132	AWBI 22332H◆	37	AYTR 2701H◆	164
ARUP L0242	68	AUCA 1322H◆	79	AUIN L002	132	AWBI 23331◆	37	AYTR 2702◆	164
ARUP L0244	68	AUCA 1332◆	79	AUIN L003	132	AWBI 23331H◆	37	AYTR 2702H◆	164
ARUP L0249	68	AUCA 1332H◆	79	AUIN L004	132	AWBI 23332◆	37	AYTR 2703◆	164
ARUP L1111	68	AUCA 1342◆	79	AUSBD 1201◆	78	AWBI 23332H◆	37	AYTR 2703H◆	164
ARUP L1112	68	AUCA 1342H◆	79	AUSBD 1201H◆	78	AWBI 23333◆	36	AYTR 2704◆	164
ARUP L1114	68	AUCBD 1201◆	81	AUSBD 1202◆	78	AWBI 23333H◆	36	AYTR 2704H◆	164
ARUP L1119	68	AUCBD 1201H◆	81	AUSBD 1202H◆	78	AWBI 24444◆	36	AYTR 2902◆	165
ARUP L1121	68	AUCBD 1202◆	81	AUSBD 1203◆	78	AWBI 24444H◆	36	AYTR 2902H◆	165
ARUP L1122	68	AUCBD 1202H◆	81	AUSBD 1203H◆	78	AWBI 3111◆	36	AYTR 2903◆	165
ARUP L1124	68	AUCBD 1203◆	81	AUSBD 1211◆	78	AWBI 3111H◆	36	AYTR 2903H◆	165
ARUP L1129	68	AUCBD 1203H◆	81	AUSBD 1211H◆	78	AWBI 31113◆	37	AYTR 2904◆	165
ARUP L1141	68	AUCBD 1211◆	81	AUSBD 1212◆	78	AWBI 31113H◆	37	AYTR 2904H◆	165
ARUP L1142	68	AUCBD 1211H◆	81	AUSBD 1212H◆	78	AWBI 3131◆	38	AYTR 3701◆	164
ARUP L1144	68	AUCBD 1212◆	81	AUSBD 1213◆	78	AWBI 3131H◆	38	AYTR 3701H◆	164
ARUP L1149	68	AUCBD 1212H◆	81	AUSBD 1213H◆	78	AWBI 31331◆	37	AYTR 3702◆	164
ARUP L1211	68	AUCBD 1213◆	81	AUSBD 1301◆	78	AWBI 31331H◆	37	AYTR 3702H◆	164
ARUP L1212	68	AUCBD 1213H◆	81	AUSBD 1301H◆	78	AWBI 32222◆	36	AYTR 3703◆	164
ARUP L1214	68	AUCBD 1301◆	81	AUSBD 1302◆	78	AWBI 32222H◆	36	AYTR 3703H◆	164
ARUP L1219	68	AUCBD 1301H◆	81	AUSBD 1302H◆	78	AWBI 32223◆	37	AYTR 3704◆	164
ARUP L1221	68	AUCBD 1302◆	81	AUSBD 1303◆	78	AWBI 32223H◆	37	AYTR 3704H◆	164
ARUP L1222	68	AUCBD 1302H◆	81	AUSBD 1303H◆	78	AWBI 32322◆	38	AYTW 3902◆	165
ARUP L1224	68	AUCBD 1303◆	81	AUSBD 1311◆	78	AWBI 32322H◆	38	AYTW 3902H◆	165
ARUP L1229	68	AUCBD 1303H◆	81	AUSBD 1311H◆	78	AWBI 32332◆	37	AYTR 3902◆	165
ARUP L1241	68	AUCBD 1311◆	81	AUSBD 1312◆	78	AWBI 32332H◆	37	AYTR 3902H◆	165
ARUP L1242	68	AUCBD 1311H◆	81	AUSBD 1312H◆	78	AWBI 33331◆	37	AYTR 3903◆	165
ARUP L1244	68	AUCBD 1312◆	81	AUSBD 1313◆	78	AWBI 33331H◆	37	AYTR 3903H◆	165
ARUP L1249	68	AUCBD 1312H◆	81	AUSBD 1313H◆	78	AWBI 33332◆	37	AYTR 3904◆	165

AYTR 3904H◆	165	AYUP 3213H◆	43	BIEXF 1680	175	BUEX 1670	176	CODE L7006	157
AYTW 2701◆	164	AYUP 3222◆	42	BIEXF 1688	153	BUEX 1678	154	CODE L7006	178
AYTW 2701H◆	164	AYUP 3222H◆	42	BIEXF 1688	175	BUEX 1678	176	CODE L9005	60
AYTW 2703◆	164	AYUP 3223◆	43	BIINC 1610	134	BUEX 1680	154	COEX 1001	156
AYTW 2703H◆	164	AYUP 3223H◆	43	BIINC 1618	134	BUEX 1680	176	COEX 1001	178
AYTW 2901◆	165	AYUP 3231◆	43	BIINC 1620	134	BUEX 1688	154	COEX 1002	156
AYTW 2901H◆	165	AYUP 3231H◆	43	BIINC 1628	134	BUEX 1688	176	COEX 1002	178
AYTW 2902◆	165	AYUP 3232◆	43	BIINC 1670	134	CODE 1001	59	COEX 1111◆	157
AYTW 2902H◆	165	AYUP 3232H◆	43	BIINC 1678	134	CODE 1002	60	COEX 1111◆	179
AYTW 2903◆	165	AYUP 3233◆	42	BIINC 1680	134	CODE 1005	60	COEX 1121	156
AYTW 2903H◆	165	AYUP 3233H◆	42	BIINC 1688	134	CODE 1006	157	COEX 1121	178
AYTW 3701◆	164	AYUP 3234◆	43	BIINF 1610	133	CODE 1006	178	COEX 1122	156
vvH◆	164	AYUP 3234H◆	43	BIINF 1618	133	CODE 1105◆	60	COEX 1122	178
AYTW 3703◆	164	AYUP 3243◆	43	BIINF 1620	133	CODE 1121	59	COEX 1151◆	156
AYTW 3703H◆	164	AYUP 3243H◆	43	BIINF 1628	133	CODE 1122	60	COEX 1151◆	178
AYTW 3901◆	165	AYUP 3244◆	42	BIINF 1670	133	CODE 1125	60	COEX 1211◆	157
AYTW 3901H◆	165	AYUP 3244H◆	42	BIINF 1678	133	CODE 1126	157	COEX 1211◆	179
AYTW 3903◆	165	BDDA 0811	52	BIINF 1680	133	CODE 1126	178	COEX 1251◆	157
AYTW 3903H◆	165	BDDA 0811	86	BIINF 1688	133	CODE 1207◆	60	COEX 1251◆	178
AYUP 2111◆	41	BDDA 0811	89	BIUP 1610	58	CODE 1555◆	61	COEX 2001	156
AYUP 2111H◆	41	BDDA 0811	92	BIUP 1618	58	CODE 1605◆	60	COEX 2001	178
AYUP 2113◆	41	BDDA 0811	95	BIUP 1620	58	CODE 1666◆	61	COEX 2002	156
AYUP 2113H◆	42	BDDA 0811	98	BIUP 1628	58	CODE 2001	59	COEX 2002	178
AYUP 2122◆	41	BDDA 0811	101	BIUP 1670	58	CODE 2002	60	COEX 2111◆	157
AYUP 2122H◆	41	BDDA 0811	110	BIUP 1678	58	CODE 2005	60	COEX 2111◆	179
AYUP 2123◆	41	BDDA 0822	52	BIUP 1680	58	CODE 2006	157	COEX 2121	156
AYUP 2123H◆	42	BDDA 0822	86	BIUP 1688	58	CODE 2006	178	COEX 2121	178
AYUP 2131◆	41	BDDA 0822	89	BNDN 0811	52	CODE 2105◆	60	COEX 2122	156
AYUP 2131H◆	42	BDDA 0822	92	BNDN 0811	86	CODE 2121	59	COEX 2122	178
AYUP 2132◆	41	BDDA 0822	95	BNDN 0811	89	CODE 2122	60	COEX 2151◆	156
AYUP 2132H◆	42	BDDA 0822	98	BNDN 0811	92	CODE 2125	60	COEX 2151◆	178
AYUP 2133◆	41	BDDA 0822	101	BNDN 0811	95	CODE 2126	157	COEX 2211◆	157
AYUP 2133H◆	41	BDDA 0822	110	BNDN 0811	98	CODE 2126	178	COEX 2211◆	179
AYUP 2134◆	41	BDPU 0811	52	BNDN 0811	101	CODE 2207◆	60	COEX 2251◆	157
AYUP 2134H◆	42	BDPU 0811	86	BNDN 0811	110	CODE 2405◆	60	COEX 2251◆	178
AYUP 2143◆	41	BDPU 0811	89	BNDN 0822	52	CODE 2555◆	61	COEX 3001	156
AYUP 2143H◆	42	BDPU 0811	92	BNDN 0822	86	CODE 2666◆	61	COEX 3001	178
AYUP 2144◆	41	BDPU 0811	95	BNDN 0822	89	CODE 3001	59	COEX 3002	156
AYUP 2144H◆	41	BDPU 0811	98	BNDN 0822	92	CODE 3002	60	COEX 3002	178
AYUP 2211◆	42	BDPU 0811	101	BNDN 0822	95	CODE 3005	60	COEX 3121	156
AYUP 2211H◆	42	BDPU 0811	110	BNDN 0822	98	CODE 3105◆	60	COEX 3121	178
AYUP 2213◆	43	BDPU 0822	52	BNDN 0822	101	CODE 3121	59	COEX 3122	156
AYUP 2213H◆	43	BDPU 0822	86	BNDN 0822	110	CODE 3122	60	COEX 3122	178
AYUP 2222◆	42	BDPU 0822	89	BOEX 1600	155	CODE 3125	60	COEX 7111◆	157
AYUP 2222H◆	42	BDPU 0822	92	BOEX 1600	177	CODE 3207◆	60	COEX 7111◆	179
AYUP 2223◆	43	BDPU 0822	95	BOEX 1602	156	CODE 3555◆	61	COEX 7151◆	156
AYUP 2223H◆	43	BDPU 0822	98	BOEX 1602	177	CODE 3605◆	60	COEX 7151◆	178
AYUP 2231◆	43	BDPU 0822	101	BOEX 1608	155	CODE 3666◆	61	COEX 7211◆	157
AYUP 2231H◆	43	BDPU 0822	110	BOEX 1608	177	CODE 7001	59	COEX 7211◆	179
AYUP 2232◆	43	BEWW 6010◆	155	BOEX 1680	156	CODE 7002	60	COEX 7251◆	157
AYUP 2232H◆	43	BEWW 6010◆	176	BOEX 1680	177	CODE 7005	60	COEX 7251◆	178
AYUP 2233◆	42	BEWW 6012◆	155	BOIN 1600	135	CODE 7006	157	COGU 0051	141
AYUP 2233H◆	42	BEWW 6012◆	177	BOIN 1602	135	CODE 7006	178	COGU 0052	141
AYUP 2234◆	43	BIEXC 1610	154	BOIN 1608	135	CODE 7105◆	60	COGU 0054	142
AYUP 2234H◆	43	BIEXC 1610	175	BOIN 1680	135	CODE 7121	59	CONC 0007	146
AYUP 2243◆	43	BIEXC 1618	154	BOWW 1001	59	CODE 7122	60	CONC 0051	138
AYUP 2243H◆	43	BIEXC 1618	175	BOWW 1002	59	CODE 7125	60	CONC 0051	143
AYUP 2244◆	42	BIEXC 1620	154	BOWW 1003	59	CODE 7126	157	CONC 0052	139
AYUP 2244H◆	42	BIEXC 1620	175	BOWW 1009	59	CODE 7126	178	CONC 0052	144
AYUP 3111◆	41	BIEXC 1628	154	BOWW 1101	59	CODE 7207◆	60	CONC 0054	140
AYUP 3111H◆	41	BIEXC 1628	175	BOWW 1102	59	CODE 7555◆	61	CONC 0054	145
AYUP 3113◆	41	BIEXC 1670	154	BOWW 1103	59	CODE 7605◆	60	CONC 0070	147
AYUP 3113H◆	42	BIEXC 1670	175	BOWW 1109	59	CODE 7666◆	61	CONC 0110	148
AYUP 3122◆	41	BIEXC 1678	154	BOWW 4201	12	CODE 9001	59	CONC 0111	149
AYUP 3122H◆	41	BIEXC 1678	175	BOWW 4202	12	CODE 9002	60	ELEM 1212	53
AYUP 3123◆	41	BIEXC 1680	154	BOWW 4203	12	CODE 9005	60	ELEM 1222	53
AYUP 3123H◆	42	BIEXC 1680	175	BOWW 4209	12	CODE 9105◆	60	ELEM 1313	53
AYUP 3131◆	41	BIEXC 1688	154	BOWW 5201	12	CODE 9121	59	ELEM 1323	53
AYUP 3131H◆	42	BIEXC 1688	175	BOWW 5202	12	CODE 9122	60	ELEM 2212	53
AYUP 3132◆	41	BIEXF 1610	153	BOWW 5203	12	CODE 9125	60	ELEM 2222	53
AYUP 3132H◆	42	BIEXF 1610	175	BOWW 5209	12	CODE 9207◆	60	ELEM 2313	53
AYUP 3133◆	41	BIEXF 1618	153	BOWW 6010◆	134	CODE 9555◆	61	ELEM 2323	53
AYUP 3133H◆	41	BIEXF 1618	175	BOWW 6012◆	135	CODE 9605◆	60	ELEM 3212	54
AYUP 3134◆	41	BIEXF 1620	153	BUEX 1610	154	CODE 9666◆	61	ELEM 3222	54
AYUP 3134H◆	42	BIEXF 1620	175	BUEX 1610	176	CODE L1005	60	ELEM 3313	54
AYUP 3143◆	41	BIEXF 1628	153	BUEX 1618	154	CODE L1006	157	ELEM 3323	54
AYUP 3143H◆	42	BIEXF 1628	175	BUEX 1618	176	CODE L1006	178	ELEM 4212	54
AYUP 3144◆	41	BIEXF 1670	153	BUEX 1620	154	CODE L2005	60	ELEM 4222	54
AYUP 3144H◆	41	BIEXF 1670	175	BUEX 1620	176	CODE L2006	157	ELEM 4313	54
AYUP 3211◆	42	BIEXF 1678	153	BUEX 1628	154	CODE L2006	178	ELEM 4323	54
AYUP 3211H◆	42	BIEXF 1678	175	BUEX 1628	176	CODE L3005	60	ELEM 5212	55
AYUP 3213◆	43	BIEXF 1680	153	BUEX 1670	154	CODE L7005	60	ELEM 5222	55

ELEM 5313	55	HEC 90 L112	51	HEC E 0222	50	HEC X 0312	50	HEL E 0002	49
ELEM 5323	55	HEC 90 L113	51	HEC E 0223	50	HEC X 0313	50	HEL E 0003	49
ELEM 6212	55	HEC 90 L122	51	HEC E 0312	50	HEC X 0322	50	HEL E L002	49
ELEM 6222	55	HEC 90 L123	51	HEC E 0313	50	HEC X 0323	50	HEL E L003	49
ELEM 6313	55	HEC 90 L212	51	HEC E 0322	50	HEC X 0512	50	HEL- L002	49
ELEM 6323	55	HEC 90 L213	51	HEC E 0323	50	HEC X 0513	50	HEL- L003	49
ELEM 7212	56	HEC 90 L222	51	HEC E 0512	50	HEC X 0522	50	HEL R 2002	48
ELEM 7222	56	HEC 90 L223	51	HEC E 0513	50	HEC X 0523	50	HEL R 2003	48
ELEM 7313	56	HEC 90 L312	51	HEC E 0522	50	HEC X L012	51	HEL R 5002	48
ELEM 7323	56	HEC 90 L313	51	HEC E 0523	50	HEC X L013	51	HEL R 5003	48
ELEM 8212	56	HEC 90 L322	51	HEC- L012	51	HEC X L022	51	HEL R 7002	48
ELEM 8222	56	HEC 90 L323	51	HEC- L013	51	HEC X L023	51	HEL R 7003	48
ELEM 8313	56	HEC 90 L512	51	HEC- L022	51	HEC X L112	51	HEL S 0022	48
ELEM 8323	56	HEC 90 L513	51	HEC- L023	51	HEC X L113	51	HEL S 0023	48
HEC+ 0012	50	HEC 90 L522	51	HEC- L112	51	HEC X L122	51	HEL S 0032	48
HEC+ 0013	50	HEC 90 L523	51	HEC- L113	51	HEC X L123	51	HEL S 0033	48
HEC+ 0022	50	HEC- 0112	50	HEC- L122	51	HEC X L212	51	HEL S 0522	48
HEC+ 0023	50	HEC- 0113	50	HEC- L123	51	HEC X L213	51	HEL S 0523	48
HEC+ 0112	50	HEC 120 0012	50	HEC- L212	51	HEC X L222	51	HEL S 0532	48
HEC+ 0113	50	HEC 120 0013	50	HEC- L213	51	HEC X L223	51	HEL S 0533	48
HEC+ 0122	50	HEC 120 0022	50	HEC- L222	51	HEC X L312	51	HEL S 0922	48
HEC+ 0123	50	HEC 120 0023	50	HEC- L223	51	HEC X L313	51	HEL S 0923	48
HEC+ 0212	50	HEC 120 0112	50	HEC- L312	51	HEC X L322	51	HEL S 0932	48
HEC+ 0213	50	HEC 120 0113	50	HEC- L313	51	HEC X L323	51	HEL S 0933	48
HEC+ 0222	50	HEC 120 0122	50	HEC- L322	51	HEC X L512	51	HEL S 1022	48
HEC+ 0223	50	HEC 120 0123	50	HEC- L323	51	HEC X L513	51	HEL S 1023	48
HEC+ 0312	50	HEC 120 0212	50	HEC- L512	51	HEC X L522	51	HEL S 1032	48
HEC+ 0313	50	HEC 120 0213	50	HEC- L513	51	HEC X L523	51	HEL S 1033	48
HEC+ 0322	50	HEC 120 0222	50	HEC- L522	51	HEC Y 0012	50	HEL S 2022	48
HEC+ 0323	50	HEC 120 0223	50	HEC- L523	51	HEC Y 0013	50	HEL S 2023	48
HEC+ 0512	50	HEC 120 0312	50	HECT 0012	50	HEC Y 0022	50	HEL S 2032	48
HEC+ 0513	50	HEC 120 0313	50	HECT 0013	50	HEC Y 0023	50	HEL S 2033	48
HEC+ 0522	50	HEC 120 0322	50	HECT 0022	50	HEC Y 0112	50	HEL S 3022	48
HEC+ 0523	50	HEC 120 0323	50	HECT 0023	50	HEC Y 0113	50	HEL S 3023	48
HEC+ L012	51	HEC 120 0512	50	HECT 0112	50	HEC Y 0122	50	HEL S 3032	48
HEC+ L013	51	HEC 120 0513	50	HECT 0113	50	HEC Y 0123	50	HEL S 3033	48
HEC+ L022	51	HEC 120 0522	50	HECT 0122	50	HEC Y 0212	50	HELT 0002	49
HEC+ L023	51	HEC 120 0523	50	HECT 0123	50	HEC Y 0213	50	HELT 0003	49
HEC+ L112	51	HEC 120 L012	51	HECT 0212	50	HEC Y 0222	50	HELT L002	49
HEC+ L113	51	HEC 120 L013	51	HECT 0213	50	HEC Y 0223	50	HELT L003	49
HEC+ L122	51	HEC 120 L022	51	HECT 0222	50	HEC Y 0312	50	HEL X 0002	49
HEC+ L123	51	HEC 120 L023	51	HECT 0223	50	HEC Y 0313	50	HEL X 0003	49
HEC+ L212	51	HEC 120 L112	51	HECT 0312	50	HEC Y 0322	50	HEL X L002	49
HEC+ L213	51	HEC 120 L113	51	HECT 0313	50	HEC Y 0323	50	HEL X L003	49
HEC+ L222	51	HEC 120 L122	51	HECT 0322	50	HEC Y 0512	50	HELY 0002	49
HEC+ L223	51	HEC 120 L123	51	HECT 0323	50	HEC Y 0513	50	HELY 0003	49
HEC+ L312	51	HEC 120 L212	51	HECT 0512	50	HEC Y 0522	50	HELY L002	49
HEC+ L313	51	HEC 120 L213	51	HECT 0513	50	HEC Y 0523	50	HELY L003	49
HEC+ L322	51	HEC 120 L222	51	HECT 0522	50	HEC Y L012	51	HVCA 3011	105
HEC+ L323	51	HEC 120 L223	51	HECT 0523	50	HEC Y L013	51	HVCA 3012	105
HEC+ L512	51	HEC 120 L312	51	HECT L012	51	HEC Y L022	51	HVCA 3013	105
HEC+ L513	51	HEC 120 L313	51	HECT L013	51	HEC Y L023	51	HVCA 3014	105
HEC+ L522	51	HEC 120 L322	51	HECT L022	51	HEC Y L112	51	HVCA 3021	105
HEC+ L523	51	HEC 120 L323	51	HECT L023	51	HEC Y L113	51	HVCA 3022	105
HEC- 0012	50	HEC 120 L512	51	HECT L112	51	HEC Y L122	51	HVCA 3023	105
HEC- 0013	50	HEC 120 L513	51	HECT L113	51	HEC Y L123	51	HVCA 3024	105
HEC- 0022	50	HEC 120 L522	51	HECT L122	51	HEC Y L212	51	HVCBD 3111	105
HEC- 0023	50	HEC 120 L523	51	HECT L123	51	HEC Y L213	51	HVCBD 3112	105
HEC 90 0012	50	HEC- 0122	50	HECT L212	51	HEC Y L222	51	HVCBD 3113	105
HEC 90 0013	50	HEC- 0123	50	HECT L213	51	HEC Y L223	51	HVCBD 3121	105
HEC 90 0022	50	HEC- 0212	50	HECT L222	51	HEC Y L312	51	HVCBD 3122	105
HEC 90 0023	50	HEC- 0213	50	HECT L223	51	HEC Y L313	51	HVCBD 3123	105
HEC 90 0112	50	HEC- 0222	50	HECT L312	51	HEC Y L322	51	HVCBD 3311	105
HEC 90 0113	50	HEC- 0223	50	HECT L313	51	HEC Y L323	51	HVCBD 3312	105
HEC 90 0122	50	HEC- 0312	50	HECT L322	51	HEC Y L512	51	HVCBD 3313	105
HEC 90 0123	50	HEC- 0313	50	HECT L323	51	HEC Y L513	51	HVCBD 3321	105
HEC 90 0212	50	HEC- 0322	50	HECT L512	51	HEC Y L522	51	HVCBD 3322	105
HEC 90 0213	50	HEC- 0323	50	HECT L513	51	HEC Y L523	51	HVCBD 3323	105
HEC 90 0222	50	HEC- 0512	50	HECT L522	51	HEL+ 0002	49	HVCC 3011	105
HEC 90 0223	50	HEC- 0513	50	HECT L523	51	HEL+ 0003	49	HVCC 3012	105
HEC 90 0312	50	HEC- 0522	50	HEC X 0012	50	HEL+ L002	49	HVCC 3013	105
HEC 90 0313	50	HEC- 0523	50	HEC X 0013	50	HEL+ L003	49	HVCC 3014	105
HEC 90 0322	50	HEC E 0012	50	HEC X 0022	50	HEL- 0002	49	HVCC 3021	105
HEC 90 0323	50	HEC E 0013	50	HEC X 0023	50	HEL- 0003	49	HVCC 3022	105
HEC 90 0512	50	HEC E 0022	50	HEC X 0112	50	HEL 90 0002	49	HVCC 3023	105
HEC 90 0513	50	HEC E 0023	50	HEC X 0113	50	HEL 90 0003	49	HVCC 3024	105
HEC 90 0522	50	HEC E 0112	50	HEC X 0122	50	HEL 90 L002	49	HVFL 1001	12
HEC 90 0523	50	HEC E 0113	50	HEC X 0123	50	HEL 90 L003	49	HVFL 1001AU	12
HEC 90 L012	51	HEC E 0122	50	HEC X 0212	50	HEL 120 0002	49	HVFL 1001UK	12
HEC 90 L013	51	HEC E 0123	50	HEC X 0213	50	HEL 120 0003	49	HVFL 1001US	12
HEC 90 L022	51	HEC E 0212	50	HEC X 0222	50	HEL 120 L002	49	HVFL 1002	12
HEC 90 L023	51	HEC E 0213	50	HEC X 0223	50	HEL 120 L003	49	HVFL 1002AU	12

HVFL 1002UK	12	HVWT 1002UK	58	LISU 2518	111	MIGU 2211	141	MIWW 1122◆	143
HVFL 1002US	12	HVWT 1002US	58	LISU 2521	111	MIGU 2212	141	MIWW 1124◆	143
HVFL 1003	12	HVWT 1003	57	LISU 2527	111	MIGU 2214	141	MIWW 1141◆	143
HVFL 1003AU	12	HVWT 1003AU	58	LISU 2528	111	MIGU 2219	141	MIWW 1142◆	143
HVFL 1003UK	12	HVWT 1003EU	58	LISU 3011	112	MIGU 2221	141	MIWW 1144◆	143
HVFL 1003US	12	HVWT 1003UK	58	LISU 3017	112	MIGU 2222	141	MIWW 1191◆	143
HVFL 1004	12	HVWT 1003US	58	LISU 3018	112	MIGU 2224	141	MIWW 1192◆	143
HVFL 1004AU	12	HVWT 1004	57	LISU 3021	112	MIGU 2229	141	MIWW 1194◆	143
HVFL 1004UK	12	HVWT 1004AU	58	LISU 3027	112	MIGU 2241	141	MIWW 1211◆	143
HVFL 1004US	12	HVWT 1004EU	58	LISU 3028	112	MIGU 2242	141	MIWW 1212◆	143
HVSBD 1101	104	HVWT 1004UK	58	LISU 3311	112	MIGU 2244	141	MIWW 1214◆	143
HVSBD 1102	104	HVWT 1004US	58	LISU 3317	112	MIGU 2249	141	MIWW 1221◆	143
HVSBD 1103	104	ITRO 1101	111	LISU 3318	112	MIGU 2291	141	MIWW 1222◆	143
HVSBD 1111	104	ITRO 1102	111	LISU 3321	112	MIGU 2292	141	MIWW 1224◆	143
HVSBD 1112	104	ITRO 1111	111	LISU 3327	112	MIGU 2294	141	MIWW 1241◆	143
HVSBD 1113	104	ITRO 1122	111	LISU 3328	112	MIGU 2299	141	MIWW 1242◆	143
HVSC 1001	104	ITRO 2201	111	LISU 3511	112	MIGU 4111	142	MIWW 1244◆	143
HVSC 1002	104	ITRO 2202	111	LISU 3517	112	MIGU 4112	142	MIWW 1291◆	143
HVSC 1003	104	ITRO 2211	111	LISU 3518	112	MIGU 4114	142	MIWW 1292◆	143
HVSC 1004	104	ITRO 2222	111	LISU 3521	112	MIGU 4119	142	MIWW 1294◆	143
HVSU 1001	104	LIPR 2011	63	LISU 3527	112	MIGU 4121	142	MIWW 2111◆	144
HVSU 1002	104	LIPR 2017	63	LISU 3528	112	MIGU 4122	142	MIWW 2112◆	144
HVSU 1003	104	LIPR 2018	63	LISU 6511	112	MIGU 4124	142	MIWW 2114◆	144
HVSU 1004	104	LIPR 2021	63	LISU 6517	112	MIGU 4129	142	MIWW 2121◆	144
HVSU 4772	166	LIPR 2027	63	LISU 6518	112	MIGU 4141	142	MIWW 2122◆	144
HVSU 4772	166	LIPR 2028	63	LISU 6521	112	MIGU 4142	142	MIWW 2124◆	144
HVSU 4773	166	LIPR 2211	63	LISU 6527	112	MIGU 4144	142	MIWW 2141◆	144
HVSU 4774	166	LIPR 2217	63	LISU 6528	112	MIGU 4149	142	MIWW 2142◆	144
HVSU 4791	166	LIPR 2218	63	LISU 6611	112	MIGU 4191	142	MIWW 2144◆	144
HVSU 4792	166	LIPR 2221	63	LISU 6617	112	MIGU 4192	142	MIWW 2191◆	144
HVSU 4793	166	LIPR 2227	63	LISU 6618	112	MIGU 4194	142	MIWW 2192◆	144
HVSU 4794	166	LIPR 2228	63	LISU 6621	112	MIGU 4199	142	MIWW 2194◆	144
HVSW 4771	166	LIPR 2511	63	LISU 6627	112	MIGU 4211	142	MIWW 2211◆	144
HVSW 4772	166	LIPR 2517	63	LISU 6628	112	MIGU 4212	142	MIWW 2212◆	144
HVSW 4773	166	LIPR 2518	63	MIGU 1111	141	MIGU 4214	142	MIWW 2214◆	144
HVSW 4791	166	LIPR 2521	63	MIGU 1112	141	MIGU 4219	142	MIWW 2221◆	144
HVSW 4792	166	LIPR 2527	63	MIGU 1114	141	MIGU 4221	142	MIWW 2222◆	144
HVSW 4793	166	LIPR 2528	63	MIGU 1119	141	MIGU 4222	142	MIWW 2224◆	144
HVTA 1001	12	LIPR 3011	63	MIGU 1121	141	MIGU 4224	142	MIWW 2241◆	144
HVTA 1001AU	12	LIPR 3017	63	MIGU 1122	141	MIGU 4229	142	MIWW 2242◆	144
HVTA 1001UK	12	LIPR 3018	63	MIGU 1124	141	MIGU 4241	142	MIWW 2244◆	144
HVTA 1001US	12	LIPR 3021	63	MIGU 1129	141	MIGU 4242	142	MIWW 2291◆	144
HVTA 1002	12	LIPR 3027	63	MIGU 1141	141	MIGU 4244	142	MIWW 2292◆	144
HVTA 1002AU	12	LIPR 3028	63	MIGU 1142	141	MIGU 4249	142	MIWW 2294◆	144
HVTA 1002UK	12	LIPR 3311	63	MIGU 1144	141	MIGU 4291	142	MIWW 4111◆	145
HVTA 1002US	12	LIPR 3317	63	MIGU 1149	141	MIGU 4292	142	MIWW 4112◆	145
HVTA 1003	12	LIPR 3318	63	MIGU 1191	141	MIGU 4294	142	MIWW 4114◆	145
HVTA 1003AU	12	LIPR 3321	63	MIGU 1192	141	MIGU 4299	142	MIWW 4121◆	145
HVTA 1003UK	12	LIPR 3327	63	MIGU 1194	141	MIPU 1115◆	136	MIWW 4122◆	145
HVTA 1003US	12	LIPR 3328	63	MIGU 1199	141	MIPU 1125◆	136	MIWW 4124◆	145
HVTA 1004	12	LIPR 3511	63	MIGU 1211	141	MIPU 1225◆	136	MIWW 4141◆	145
HVTA 1004AU	12	LIPR 3517	63	MIGU 1212	141	MIPU 1235◆	136	MIWW 4142◆	145
HVTA 1004UK	12	LIPR 3518	63	MIGU 1214	141	MIPU 1445◆	136	MIWW 4144◆	145
HVTA 1004US	12	LIPR 3521	63	MIGU 1219	141	MIPU 1455◆	136	MIWW 4191◆	145
HVWA 1001	57	LIPR 3527	63	MIGU 1221	141	MIPU 2117◆	136	MIWW 4192◆	145
HVWA 1001AU	57	LIPR 3528	63	MIGU 1222	141	MIPU 2227◆	136	MIWW 4194◆	145
HVWA 1001UK	57	LIPR 6511	63	MIGU 1224	141	MIPU 2447◆	136	MIWW 4211◆	145
HVWA 1001US	57	LIPR 6517	63	MIGU 1229	141	MIPU 4711◆	167	MIWW 4212◆	145
HVWA 1002	57	LIPR 6518	63	MIGU 1241	141	MIPU 4712◆	167	MIWW 4214◆	145
HVWA 1002AU	57	LIPR 6521	63	MIGU 1242	141	MIPU 4721◆	167	MIWW 4221◆	145
HVWA 1002UK	57	LIPR 6527	63	MIGU 1244	141	MIPU 4722◆	167	MIWW 4222◆	145
HVWA 1002US	57	LIPR 6528	63	MIGU 1249	141	MIPRU 1115◆	64	MIWW 4224◆	145
HVWA 1003	57	LIPR 6611	63	MIGU 1291	141	MIPRU 1225◆	64	MIWW 4241◆	145
HVWA 1003AU	57	LIPR 6617	63	MIGU 1292	141	MIPU 1115◆	64	MIWW 4242◆	145
HVWA 1003UK	57	LIPR 6618	63	MIGU 1294	141	MIPU 1225◆	64	MIWW 4244◆	145
HVWA 1003US	57	LIPR 6621	63	MIGU 1299	141	MIPU 1445◆	64	MIWW 4291◆	145
HVWA 1004	57	LIPR 6627	63	MIGU 2111	141	MIPU 1525◆	64	MIWW 4292◆	145
HVWA 1004AU	57	LIPR 6628	63	MIGU 2112	141	MIPU 1615◆	64	MIWW 4294◆	145
HVWA 1004UK	57	LISU 2011	111	MIGU 2114	141	MIPU 1945◆	64	MRIN 1111	138
HVWA 1004US	57	LISU 2017	111	MIGU 2119	141	MIPU 2115◆	64	MRIN 1112	138
HVWB 1001	57	LISU 2018	111	MIGU 2121	141	MIPU 2225◆	64	MRIN 1114	138
HVWB 1002	57	LISU 2021	111	MIGU 2122	141	MIPU 2445◆	64	MRIN 1119	138
HVWB 1003	57	LISU 2027	111	MIGU 2124	141	MIPU 3115◆	64	MRIN 1121	138
HVWB 1004	57	LISU 2028	111	MIGU 2129	141	MIPU 3225◆	64	MRIN 1122	138
HVWT 1001	57	LISU 2211	111	MIGU 2141	141	MIPU 3315◆	64	MRIN 1124	138
HVWT 1001AU	58	LISU 2217	111	MIGU 2142	141	MIPU 3325◆	64	MRIN 1129	138
HVWT 1001EU	58	LISU 2218	111	MIGU 2144	141	MIPW 4711◆	167	MRIN 1141	138
HVWT 1001UK	58	LISU 2221	111	MIGU 2149	141	MIPW 4721◆	167	MRIN 1142	138
HVWT 1001US	58	LISU 2227	111	MIGU 2191	141	MIWW 1111◆	143	MRIN 1144	138
HVWT 1002	57	LISU 2228	111	MIGU 2192	141	MIWW 1112◆	143	MRIN 1149	138
HVWT 1002AU	58	LISU 2511	111	MIGU 2194	141	MIWW 1114◆	143	MRIN 1191	138
HVWT 1002EU	58	LISU 2517	111	MIGU 2199	141	MIWW 1121◆	143	MRIN 1192	138

MRIN 1194	138	MRRI 1111	138	MRUP L4144	66	MUGU 4114	67	MUWW 2221◆	67
MRIN 1199	138	MRRI 1122	138	MRUP L4149	66	MUGU 4119	67	MUWW 2221P◆	67
MRIN 1211	138	MRRI 1144	138	MRUP L4211	66	MUGU 4121	67	MUWW 2222◆	67
MRIN 1212	138	MRRI 1199	138	MRUP L4212	66	MUGU 4122	67	MUWW 2222P◆	67
MRIN 1214	138	MRRI 1211	138	MRUP L4214	66	MUGU 4124	67	MUWW 2224◆	67
MRIN 1219	138	MRRI 1222	138	MRUP L4219	66	MUGU 4129	67	MUWW 2224P◆	67
MRIN 1221	138	MRRI 1224	138	MRUP L4221	66	MUGU 4141	67	MUWW 2241◆	67
MRIN 1222	138	MRRI 1229	138	MRUP L4222	66	MUGU 4142	67	MUWW 2241P◆	67
MRIN 1224	138	MRRI 2121	139	MRUP L4224	66	MUGU 4144	67	MUWW 2242◆	67
MRIN 1229	138	MRRI 2122	139	MRUP L4229	66	MUGU 4149	67	MUWW 2242P◆	67
MRIN 1241	138	MRRI 2124	139	MRUP L4241	66	MUGU 4211	67	MUWW 2244◆	67
MRIN 1242	138	MRRI 2129	139	MRUP L4242	66	MUGU 4212	67	MUWW 2244P◆	67
MRIN 1244	138	MRRI 2221	139	MRUP L4244	66	MUGU 4214	67	MUWW 4111◆	67
MRIN 1249	138	MRRI 2222	139	MRUP L4249	66	MUGU 4219	67	MUWW 4111P◆	67
MRIN 1291	138	MRRI 2224	139	MRWW 1101◆	143	MUGU 4221	67	MUWW 4112◆	67
MRIN 1292	138	MRRI 2229	139	MRWW 1102◆	143	MUGU 4222	67	MUWW 4112P◆	67
MRIN 1294	138	MRRI 4121	140	MRWW 1104◆	143	MUGU 4224	67	MUWW 4114◆	67
MRIN 1299	138	MRRI 4122	140	MRWW 1201◆	143	MUGU 4229	67	MUWW 4114P◆	67
MRIN 2111	139	MRRI 4124	140	MRWW 1202◆	143	MUGU 4241	67	MUWW 4121◆	67
MRIN 2112	139	MRRI 4129	140	MRWW 1204◆	143	MUGU 4242	67	MUWW 4121P◆	67
MRIN 2114	139	MRRI 4221	140	MRWW 2101◆	144	MUGU 4244	67	MUWW 4122◆	67
MRIN 2119	139	MRRI 4222	140	MRWW 2102◆	144	MUGU 4249	67	MUWW 4122P◆	67
MRIN 2121	139	MRRI 4224	140	MRWW 2104◆	144	MUWW 1111◆	67	MUWW 4124◆	67
MRIN 2122	139	MRRI 4229	140	MRWW 2201◆	144	MUWW 1112◆	67	MUWW 4124P◆	67
MRIN 2124	139	MRUP L1111	66	MRWW 2202◆	144	MUWW 1114◆	67	MUWW 4141◆	67
MRIN 2129	139	MRUP L1112	66	MRWW 2204◆	144	MUWW 1121◆	67	MUWW 4141P◆	67
MRIN 2141	139	MRUP L1114	66	MRWW 4101◆	145	MUWW 1122◆	67	MUWW 4142◆	67
MRIN 2142	139	MRUP L1119	66	MRWW 4102◆	145	MUWW 1124◆	67	MUWW 4142P◆	67
MRIN 2144	139	MRUP L1121	66	MRWW 4104◆	145	MUWW 1141◆	67	MUWW 4144◆	67
MRIN 2149	139	MRUP L1122	66	MRWW 4201◆	145	MUWW 1142◆	67	MUWW 4144P◆	67
MRIN 2191	139	MRUP L1124	66	MRWW 4202◆	145	MUWW 1144◆	67	MUWW 4211◆	67
MRIN 2192	139	MRUP L1129	66	MRWW 4204◆	145	MUWW 1211◆	67	MUWW 4211P◆	67
MRIN 2194	139	MRUP L1141	66	MUGU 1111	66	MUWW 1212◆	67	MUWW 4212◆	67
MRIN 2199	139	MRUP L1142	66	MUGU 1112	66	MUWW 1214◆	67	MUWW 4212P◆	67
MRIN 2211	139	MRUP L1144	66	MUGU 1114	66	MUWW 1221◆	67	MUWW 4214◆	67
MRIN 2212	139	MRUP L1149	66	MUGU 1119	66	MUWW 1222◆	67	MUWW 4214P◆	67
MRIN 2214	139	MRUP L1211	66	MUGU 1121	66	MUWW 1224◆	67	MUWW 4221◆	67
MRIN 2219	139	MRUP L1212	66	MUGU 1122	66	MUWW 1241◆	67	MUWW 4221P◆	67
MRIN 2221	139	MRUP L1214	66	MUGU 1124	66	MUWW 1242◆	67	MUWW 4222◆	67
MRIN 2222	139	MRUP L1219	66	MUGU 1129	66	MUWW 1244◆	67	MUWW 4222P◆	67
MRIN 2224	139	MRUP L1221	66	MUGU 1141	66	MUWW 1511◆	67	MUWW 4224◆	67
MRIN 2229	139	MRUP L1222	66	MUGU 1142	66	MUWW 1512◆	67	MUWW 4224P◆	67
MRIN 2241	139	MRUP L1224	66	MUGU 1144	66	MUWW 1514◆	67	MUWW 4241◆	67
MRIN 2242	139	MRUP L1229	66	MUGU 1149	66	MUWW 1521◆	67	MUWW 4241P◆	67
MRIN 2244	139	MRUP L1241	66	MUGU 1211	66	MUWW 1522◆	67	MUWW 4242◆	67
MRIN 2249	139	MRUP L1242	66	MUGU 1212	66	MUWW 1524◆	67	MUWW 4242P◆	67
MRIN 2291	139	MRUP L1244	66	MUGU 1214	66	MUWW 1541◆	67	MUWW 4244◆	67
MRIN 2292	139	MRUP L1249	66	MUGU 1219	66	MUWW 1542◆	67	MUWW 4244P◆	67
MRIN 2294	139	MRUP L2111	66	MUGU 1221	66	MUWW 1544◆	67	NAGA 1111	64
MRIN 2299	139	MRUP L2112	66	MUGU 1222	66	MUWW 1611◆	67	NAGA 1112	64
MRIN 4111	140	MRUP L2114	66	MUGU 1224	66	MUWW 1612◆	67	NAGA 1116	64
MRIN 4112	140	MRUP L2119	66	MUGU 1229	66	MUWW 1614◆	67	NAGA 1117	64
MRIN 4114	140	MRUP L2121	66	MUGU 1241	66	MUWW 1621◆	67	NAGA 2111	64
MRIN 4119	140	MRUP L2122	66	MUGU 1242	66	MUWW 1622◆	67	NAGA 2112	64
MRIN 4121	140	MRUP L2124	66	MUGU 1244	66	MUWW 1624◆	67	NAGA 2116	64
MRIN 4122	140	MRUP L2129	66	MUGU 1249	66	MUWW 1641◆	67	NAGA 2117	64
MRIN 4124	140	MRUP L2141	66	MUGU 2111	66	MUWW 1642◆	67	NAGA 7111	64
MRIN 4129	140	MRUP L2142	66	MUGU 2112	66	MUWW 1644◆	67	NAGA 7112	64
MRIN 4141	140	MRUP L2144	66	MUGU 2114	66	MUWW 2111◆	67	NAGA 7116	64
MRIN 4142	140	MRUP L2149	66	MUGU 2119	66	MUWW 2111P◆	67	NAGA 7117	64
MRIN 4144	140	MRUP L2211	66	MUGU 2121	66	MUWW 2112◆	67	NTRO 1000	112
MRIN 4149	140	MRUP L2212	66	MUGU 2122	66	MUWW 2112P◆	67	NTRO 1111	112
MRIN 4191	140	MRUP L2214	66	MUGU 2124	66	MUWW 2114◆	67	NTRO 2000	112
MRIN 4192	140	MRUP L2219	66	MUGU 2129	66	MUWW 2114P◆	67	NTRO 2222	112
MRIN 4194	140	MRUP L2221	66	MUGU 2141	66	MUWW 2121◆	67	PIIN 1101	137
MRIN 4199	140	MRUP L2222	66	MUGU 2142	66	MUWW 2121P◆	67	PIIN 1102	137
MRIN 4211	140	MRUP L2224	66	MUGU 2144	66	MUWW 2122◆	67	PIIN 1111	137
MRIN 4212	140	MRUP L2229	66	MUGU 2149	66	MUWW 2122P◆	67	PIIN 2101	137
MRIN 4214	140	MRUP L2241	66	MUGU 2211	66	MUWW 2124◆	67	PIIN 2102	137
MRIN 4219	140	MRUP L2242	66	MUGU 2212	66	MUWW 2124P◆	67	PIIN 2111	137
MRIN 4221	140	MRUP L2244	66	MUGU 2214	66	MUWW 2141◆	67	PIIN 4101	137
MRIN 4222	140	MRUP L2249	66	MUGU 2219	66	MUWW 2141P◆	67	PIIN 4102	137
MRIN 4224	140	MRUP L4111	66	MUGU 2221	66	MUWW 2142◆	67	PIIN 4111	137
MRIN 4229	140	MRUP L4112	66	MUGU 2222	66	MUWW 2142P◆	67	PIIN 7101	137
MRIN 4241	140	MRUP L4114	66	MUGU 2224	66	MUWW 2144◆	67	PIIN 7102	137
MRIN 4242	140	MRUP L4119	66	MUGU 2229	66	MUWW 2144P◆	67	PIIN 7111	137
MRIN 4244	140	MRUP L4121	66	MUGU 2241	66	MUWW 2211◆	67	PIIN 9101	137
MRIN 4249	140	MRUP L4122	66	MUGU 2242	66	MUWW 2211P◆	67	PIIN 9102	137
MRIN 4291	140	MRUP L4124	66	MUGU 2244	66	MUWW 2212◆	67	PIIN 9111	137
MRIN 4292	140	MRUP L4129	66	MUGU 2249	66	MUWW 2212P◆	67	PIUP L1050	65
MRIN 4294	140	MRUP L4141	66	MUGU 4111	67	MUWW 2214◆	67	PIUP L1150	65
MRIN 4299	140	MRUP L4142	66	MUGU 4112	67	MUWW 2214P◆	67	PIUP L1152	65

PIUP L1154	65	SCAR 4471◆	69	SCAR 7701P◆	69	SCLI 3502EU	72	SISU 2622	113
PIUP L1156	65	SCAR 4471P◆	69	SCAR 7711◆	69	SCLI 3507	72	SISU 2627	113
PIUP L2050	65	SCAR 4481◆	69	SCAR 7711P◆	70	SCLI 3507EU	72	SISU 2631	113
PIUP L2150	65	SCAR 4481P◆	69	SCAR 7731◆	69	SCLI 5001	72	SISU 2632	113
PIUP L2152	65	SCAR 4511◆	71	SCAR 7731P◆	69	SCLI 5001EU	72	SISU 2637	113
PIUP L2154	65	SCAR 4531◆	71	SCAR 7741◆	69	SCLI 5002	72	SISU 2641	113
PIUP L2156	65	SCAR 4535◆	71	SCAR 7741P◆	70	SCLI 5002EU	72	SISU 2642	113
PIUP L3050	65	SCAR 4535EU◆	71	SCAR 7751◆	69	SCLI 5007	72	SISU 2647	113
PIUP L3150	65	SCAR 4561◆	71	SCAR 7751P◆	69	SCLI 5007EU	72	STEP 1001◆	152
PIUP L3152	65	SCAR 4565◆	71	SCAR 7752◆	69	SCLI 7501	72	STEP 1001◆	174
PIUP L3154	65	SCAR 4565EU◆	71	SCAR 7752P◆	70	SCLI 7501P	72	STEP 1001H◆	152
PIUP L3156	65	SCAR 4575◆	71	SCAR 7761◆	69	SCLI 7531	71	STEP 1002◆	152
PIUP L7050	65	SCAR 4575EU◆	71	SCAR 7761P◆	70	SCLI 7531P	71	STEP 1002◆	174
PIUP L7150	65	SCAR 4701◆	69	SCAR 7771◆	69	SCLI 7561	72	STEP 1002H◆	152
PIUP L7152	65	SCAR 4701P◆	69	SCAR 7771P◆	69	SCLI 7561P	72	STEP 1007◆	152
PIUP L9050	65	SCAR 4711◆	71	SCAR 7781◆	69	SCLI 7571	71	STEP 1007◆	174
PIUP L9150	65	SCAR 4731◆	71	SCAR 7781P◆	69	SCLI 7571P	71	STEP 1007H◆	152
PIUP L9152	65	SCAR 4735◆	71	SCAR 7791◆	69	SCLI 7581	71	STEP 1008◆	152
PLAS 0007	146	SCAR 4735EU◆	71	SCAR 7791P◆	70	SCLI 7581P	71	STEP 1008◆	174
PLAS 0051	138	SCAR 4761◆	71	SCAR 8211◆	70	SCLI 7591	72	STEP 1008H◆	152
PLAS 0051	143	SCAR 4765◆	71	SCAR 8211P◆	70	SCLI 7591P	72	STIN 1001◆	120
PLAS 0052	139	SCAR 4765EU◆	71	SCAR 8231◆	70	SCLI 5001	72	STIN 1001H◆	120
PLAS 0052	144	SCAR 4771◆	69	SCAR 8231P◆	70	SCLI 5002	72	STIN 1002◆	120
PLAS 0054	140	SCAR 4771P◆	69	SCAR 8251◆	70	SCLI 5007	72	STIN 1002H◆	120
PLAS 0054	145	SCAR 4775◆	71	SCAR 8251P◆	70	SIPR 1601	73	STIN 1007◆	120
PLAS 0070	147	SCAR 4775EU◆	71	SCAR 8271◆	70	SIPR 1602	73	STIN 1007H◆	120
PLAS 0110	148	SCAR 4781◆	69	SCAR 8271P◆	70	SIPR 1607	73	STIN 1008◆	120
PLAS 0111	149	SCAR 4781P◆	69	SCAR 8281◆	70	SIPR 2101	73	STIN 1008H◆	120
SCAR 2336◆	13	SCAR 4811◆	71	SCAR 8281P◆	70	SIPR 2102	73	STUP 1001◆	21
SCAR 2366◆	13	SCAR 4831◆	71	SCAR 8411◆	70	SIPR 2107	73	STUP 1001H◆	21
SCAR 2376◆	13	SCAR 4835◆	71	SCAR 8411P◆	70	SIPR 2111	73	STUP 1002◆	21
SCAR 2536◆	13	SCAR 4835EU◆	71	SCAR 8431◆	70	SIPR 2112	73	STUP 1002H◆	21
SCAR 2566◆	13	SCAR 4861◆	71	SCAR 8431P◆	70	SIPR 2117	73	STUP 1007◆	21
SCAR 2576◆	13	SCAR 4865◆	71	SCAR 8451◆	70	SIPR 2121	73	STUP 1007H◆	21
SCAR 2736◆	13	SCAR 4865EU◆	71	SCAR 8451P◆	70	SIPR 2122	73	STUP 1008◆	21
SCAR 2766◆	13	SCAR 4875◆	71	SCAR 8471◆	70	SIPR 2127	73	STUP 1008H◆	21
SCAR 2776◆	13	SCAR 4875EU◆	71	SCAR 8471P◆	70	SIPR 2131	73	TH3N 12223◆	116
SCAR 2836◆	13	SCAR 6711◆	69	SCAR 8481◆	70	SIPR 2132	73	TH3N 12223H◆	117
SCAR 2850◆	13	SCAR 6711P◆	69	SCAR 8481P◆	70	SIPR 2137	73	TH3N 17223◆	116
SCAR 2851◆	13	SCAR 6731◆	69	SCAR 8711◆	70	SIPR 2141	73	TH3N 17223H◆	117
SCAR 2852◆	13	SCAR 6731P◆	69	SCAR 8711P◆	70	SIPR 2142	73	TH3N 18223◆	116
SCAR 2853◆	13	SCAR 7201◆	69	SCAR 8731◆	70	SIPR 2147	73	TH3N 18223H◆	117
SCAR 2857◆	13	SCAR 7201P◆	69	SCAR 8731P◆	70	SIPR 2601	73	TH3N 22223	118
SCAR 2866◆	13	SCAR 7211◆	69	SCAR 8751◆	70	SIPR 2602	73	TH3N 22223H	118
SCAR 2876◆	13	SCAR 7211P◆	70	SCAR 8751P◆	70	SIPR 2607	73	TH3N 27223	118
SCAR 2936◆	13	SCAR 7231◆	69	SCAR 8771◆	70	SIPR 2611	73	TH3N 27223H	118
SCAR 2966◆	13	SCAR 7231P◆	69	SCAR 8771P◆	70	SIPR 2612	73	TH3N 28223	118
SCAR 2976◆	13	SCAR 7241◆	69	SCAR 8781◆	70	SIPR 2617	73	TH3N 28223H	118
SCAR 4011◆	71	SCAR 7241P◆	70	SCAR 8781P◆	70	SIPR 2621	73	THC 12223◆	16
SCAR 4031◆	71	SCAR 7251◆	69	SCAR 9211◆	70	SIPR 2622	73	THC 12223H◆	16
SCAR 4035◆	71	SCAR 7251P◆	69	SCAR 9211P◆	70	SIPR 2627	73	THC 17223◆	16
SCAR 4035EU◆	71	SCAR 7252◆	69	SCAR 9231◆	70	SIPR 2631	73	THC 17223H◆	16
SCAR 4061◆	71	SCAR 7252P◆	70	SCAR 9231P◆	70	SIPR 2632	73	THC 18223◆	16
SCAR 4065◆	71	SCAR 7261◆	69	SCAR 9251◆	70	SIPR 2637	73	THC 18223H◆	16
SCAR 4065EU◆	71	SCAR 7261P◆	70	SCAR 9251P◆	70	SIPR 2641	73	THC 22223	17
SCAR 4075◆	71	SCAR 7271◆	69	SCAR 9271◆	70	SIPR 2642	73	THC 22223H	17
SCAR 4075EU◆	71	SCAR 7271P◆	69	SCAR 9271P◆	70	SIPR 2647	73	THC 27223	17
SCAR 4201◆	69	SCAR 7281◆	69	SCAR 9281◆	70	SISU 1601	113	THC 27223H	17
SCAR 4201P◆	69	SCAR 7281P◆	69	SCAR 9281P◆	70	SISU 1602	113	THC 28223	17
SCAR 4231◆	69	SCAR 7291◆	69	SCAR 9411◆	70	SISU 1607	113	THC 28223H	17
SCAR 4231P◆	69	SCAR 7291P◆	70	SCAR 9411P◆	70	SISU 2101	113	THF AU 12H ◆	9
SCAR 4251◆	69	SCAR 7401◆	69	SCAR 9431◆	70	SISU 2102	113	THF AU 17H ◆	9
SCAR 4251P◆	69	SCAR 7401P◆	69	SCAR 9431P◆	70	SISU 2107	113	THF AU 18H ◆	9
SCAR 4271◆	69	SCAR 7411◆	69	SCAR 9451◆	70	SISU 2111	113	THF AU 22H	9
SCAR 4271P◆	69	SCAR 7411P◆	70	SCAR 9451P◆	70	SISU 2112	113	THF AU 27H	9
SCAR 4281◆	69	SCAR 7431◆	69	SCAR 9471◆	70	SISU 2117	113	THF AU 28H	9
SCAR 4281P◆	69	SCAR 7431P◆	69	SCAR 9471P◆	70	SISU 2121	113	THF EU 12H ◆	9
SCAR 4311◆	71	SCAR 7441◆	69	SCAR 9481◆	70	SISU 2122	113	THF EU 17H ◆	9
SCAR 4331◆	71	SCAR 7441P◆	70	SCAR 9481P◆	70	SISU 2127	113	THF EU 18H ◆	9
SCAR 4335◆	71	SCAR 7451◆	69	SCAR 9711◆	70	SISU 2131	113	THF EU 22H	9
SCAR 4335EU◆	71	SCAR 7451P◆	69	SCAR 9711P◆	70	SISU 2132	113	THF EU 27H	9
SCAR 4361◆	71	SCAR 7452◆	69	SCAR 9731◆	70	SISU 2137	113	THF EU 28H	9
SCAR 4365◆	71	SCAR 7452P◆	70	SCAR 9731P◆	70	SISU 2141	113	THF UK 12H ◆	9
SCAR 4365EU◆	71	SCAR 7461◆	69	SCAR 9751◆	70	SISU 2142	113	THF UK 17H ◆	9
SCAR 4375◆	71	SCAR 7461P◆	70	SCAR 9751P◆	70	SISU 2147	113	THF UK 18H ◆	9
SCAR 4375EU◆	71	SCAR 7471◆	69	SCAR 9771◆	70	SISU 2601	113	THF UK 22H	9
SCAR 4401◆	69	SCAR 7471P◆	69	SCAR 9771P◆	70	SISU 2602	113	THF UK 27H	9
SCAR 4401P◆	69	SCAR 7481◆	69	SCAR 9781◆	70	SISU 2607	113	THF UK 28H	9
SCAR 4431◆	69	SCAR 7481P◆	69	SCAR 9781P◆	70	SISU 2611	113	THF UK 12H ◆	9
SCAR 4431P◆	69	SCAR 7491◆	69	SCLI 3501	72	SISU 2612	113	THF US 17H ◆	9
SCAR 4451◆	69	SCAR 7491P◆	70	SCLI 3501EU	72	SISU 2617	113	THF US 18H ◆	9
SCAR 4451P◆	69	SCAR 7701◆	69	SCLI 3502	72	SISU 2621	113	THF US 22H	9

THF US 27H	9	THWP US 17 ♦	18
THF US 28H	9	THWP US 17H ♦	18
THH 22223	19	THWP US 18 ♦	18
THH 22223H	19	THWP US 18H ♦	18
THH 27223	19	TPBA 1000	168
THH 27223H	19	TPBA 2000	168
THH 28223	19	TPCE 0901	169
THH 28223H	19	TPCE 0902	169
THIN 12223 ♦	116	TPCI 0901	169
THIN 12223H ♦	116	TPCI 0902	169
THIN 17223 ♦	116	TPCM 1001	168
THIN 17223H ♦	116	TPCM 1002	168
THIN 18223 ♦	116	TPCM 2001	168
THIN 18223H ♦	116	TPCM 2002	168
THIN 22223	117	TPCO 1001	168
THIN 22223H	117	TPCO 1001	170
THIN 27223	117	TPCO 1002	168
THIN 27223H	117	TPCO 1002	170
THIN 28223	117	TPCO 2001	168
THIN 28223H	117	TPCO 2002	168
THP 22223	16	TPEC 1801	168
THP 22223H	16	TPEC 1802	168
THP 27223	16	TPEF 0001	169
THP 27223H	16	TPEF 0002	169
THP 28223	16	TPEF 0002	170
THP 28223H	16	TPEP 2001	169
THR 22223	19	TPEP 2002	169
THR 22223H	20	TPOP 2001	169
THR 27223	19	TPOP 2002	169
THR 27223H	20	TPPL 1001	169
THR 28223	19	TPPL 1001	171
THR 28223H	20	TPPL 1002	169
THRP AU 22	20	TPPL 1002	171
THRP AU 22H	20	TPPR 1001	169
THRP AU 27H	20	TPPR 1001	171
THRP AU 28H	21	TPPR 1002	169
THRP AU 27	20	TPPR 1002	171
THRP AU 28	20	TPREC 1802	170
THRP EU 22H	21	TPREP 0002	170
THRP EU 22	20	TPRI 1002	170
THRP EU 27	20	TPRI 2002	170
THRP EU 28	20	TW3N 12223 ♦	119
THRP EU 27H	21	TW3N 12223H ♦	119
THRP EU 28H	21	TW3N 17223 ♦	119
THRP UK 22	20	TW3N 17223H ♦	119
THRP UK 22H	21	TW3N 18223 ♦	119
THRP UK 27H	21	TW3N 18223H ♦	119
THRP UK 27	20	TWIN 12223 ♦	118
THRP UK 28	20	TWIN 12223H ♦	119
THRP UK 28H	21	TWIN 17223 ♦	118
THRP US 22	20	TWIN 17223H ♦	119
THRP US 22H	21	TWIN 18223 ♦	118
THRP US 27	20	TWIN 18223H ♦	119
THRP US 27H	21		
THRP US 28	20		
THRP US 28H	21		
THW 12223 ♦	17		
THW 12223H ♦	17		
THW 17223 ♦	17		
THW 17223H ♦	17		
THW 18223 ♦	17		
THW 18223H ♦	17		
THWP AU 12 ♦	18		
THWP AU 12H ♦	18		
THWP AU 17 ♦	18		
THWP AU 17H ♦	18		
THWP AU 18 ♦	18		
THWP AU 18H ♦	18		
THWP EU 12 ♦	18		
THWP EU 12H ♦	18		
THWP EU 17 ♦	18		
THWP EU 17H ♦	18		
THWP EU 18 ♦	18		
THWP EU 18H ♦	18		
THWP UK 12 ♦	18		
THWP UK 12H ♦	18		
THWP UK 17 ♦	18		
THWP UK 17H ♦	18		
THWP UK 18 ♦	18		
THWP UK 18H ♦	18		
THWP US 12 ♦	18		
THWP US 12H ♦	18		

Glossary

	ENGLISH	FRANÇAIS	NEDERLANDS	DEUTSCH
CE	CE standard	norme CE	CE norm	CE Standard
◁	fixture class 1	appareil classe 1	toestel klasse 1	Gerät Klasse 1
◻	fixture class 2	appareil classe 2	toestel klasse 2	Gerät Klasse 2
◻◻	fixture class 3	appareil classe 3	toestel klasse 3	Gerät Klasse 3
IP	protection level	indice de protection	beschermingsindicatie	Schutzklasse
◆	beam	rayon de lumière	lichtbundel	lichtbündel
eco	ecologic (LED)	ecologique (LED)	ecologisch (LED)	ökologisch (LED)
+B	with base	avec base	met basis	mit Sockel
D+B	driver with base	convertisseur avec base	voeding met basis	Konverter mit Sockel
☼	1 lighting side	1 face lumineuse	1 zijde verlicht	1 Seite Beleuchtung
☼☼	2 lighting sides	2 faces lumineuses	2 zijden verlicht	2 Seiten Beleuchtung
↻	adjustable	orientable	richtbaar	Schwenkbar
mm	dimensions in mm.	dimensions en mm.	afmetingen in mm.	Abmessungen in mm.
W/C	wall or ceiling	applique ou plafonnier	wand of plafond	Wand oder Decke
L	length	longueur	lengte	Länge
W	width	largeur	breedte	Breite
H	height	hauteur	hoogte	Höhe
NO	non-dimmable	non dimmable	niet-dimbaar	nicht dimmbar
1-10	1-10V dimmable	1-10V dimmable	1-10V dimbaar	1-10V dimmbar
PU	PUSH-DIM dimmable	PUSH-DIM dimmable	PUSH-DIM dimbaar	PUSH-DIM dimmbar
DA	Dali dimmable	Dali dimmable	Dali dimbaar	Dali dimmbar
LC	TRIAC/IGBT dimmable	TRIAC/IGBT dimmable	TRIAC/IGBT dimbaar	TRIAC/IGBT dimmbar
C	IGBT dimmable	IGBT dimmable	IGBT dimbaar	IGBT dimmbar
RS 16	short rod 160mm	tige courte 160mm	korte stang 160mm	kurze Stange 160mm
RL 79	large rod 790mm	tige longue 790mm	lange stang 790mm	lange Stange 790mm
RF 75	fixed rod 750 mm	tige fixe 750 mm	vaste stang 750 mm	feste Stange 750 mm
RF 100	fixed rod 1000 mm	tige fixe 1000 mm	vaste stang 1000 mm	feste Stange 1000 mm

Color palette

-  :polyvarnished brass
-  :black
-  :white
-  :gunmetal
-  :bronze
-  :chrome
-  :grey
-  :copper
-  :silver
-  :anodised
-  :gold
-  :oxide
-  :quartz
-  :polished and varnished alu

Trizo21 | Kerrebroek 52 | B-9850 Deinze | Belgium

T +32 (0)9 380 43 43

E info@trizo21.com

W www.trizo21.com

W www.elements-configurator.trizo21.com

 [instagram.com/trizo21](https://www.instagram.com/trizo21)

 [facebook.com/trizo21](https://www.facebook.com/trizo21)

All models | Copyright © Trizo21 & Bruno Van Meenen

All products | Handmade in Belgium

Pricelist | 06.2022

retail prices in euro, VAT excl.

Important notice:

For warranty use only Trizo21® supplied LED drivers as mentioned.

No warranty when used without the supplied LED drivers!

All information in this pricelist is without engagement, replaces all preceding information and can always be modified.

Trizo21 bvba has the right to change the technical aspects of its products at any time without prior notice.

All our product carry the CE logo. The CE logo represents an implicit quality assurance.

For further technical information, please visit www.trizo21.com

All products are supplied without bulbs and/or drivers, unless stated otherwise.

All dimensions are expressed in mm.

No part of this book may be reproduced without written authorisation of Trizo21 bvba.

Kerrebroek 52 | B-9850 Deinze | Belgium | +32 (0)9 380 43 43

info@trizo21.com | www.trizo21.com | © Trizo21